

URGENCY ORDINANCE NO. 1910

AN URGENCY ORDINANCE OF THE CITY COUNCIL OF THE CITY OF FONTANA REPEALING AND REPLACING CHAPTER 30, SECTION NO. 30-467 OF THE CITY OF FONTANA MUNICIPAL CODE RELATING TO ACCESSORY DWELLING UNITS AND JUNIOR ACCESSORY DWELLING UNITS AND DETERMINING THE ACTION TO BE EXEMPT FROM CEQA.

WHEREAS, the City of Fontana, California ("City") is a municipal corporation, duly organized under the constitution and laws of the State of California; and

WHEREAS, state law authorizes cities to act by ordinance to provide for the creation and regulation of accessory dwelling units ("ADUs") and junior accessory dwelling units ("JADUs"); and

WHEREAS, in recent years, the California Legislature has approved, and the Governor has signed into law, a number of bills that, among other things, amended Government Code sections 65852.2 and 65852.22 to impose new limits on local authority to regulate ADUs and JADUs; and

WHEREAS, in 2022, the California Legislature approved, and the Governor signed into law, new bills (SB 897 and AB 2011) that further amend Government Code sections 65852.2 and 65852.22; and

WHEREAS, the new bills take effect January 1, 2023, and if the City's ADU ordinance does not comply with the requirements imposed by SB 897 and AB 2011 by that date, the City's entire existing ADU ordinance becomes null and void as a matter of law; and

WHEREAS, the City desires to amend its local regulatory scheme for the construction of ADUs and JADUs to comply with the amended provisions of Government Code sections 65852.2 and 65852.22; and

WHEREAS, there is a current and immediate threat to the public health, safety, or welfare based on the passage of SB 897 because if the City's ordinance does not comply with the amended laws as of January 1, 2023, and the City's ADU ordinance becomes null and void, the City would thereafter be limited to applying the few default standards that are provided in Government Code sections 65852.2 and 65852.22 for the approval of ADUs and JADUs; and

WHEREAS, the approval of ADUs and JADUs based solely on the default statutory standards, without local regulations governing height, setback, and architectural review, among other things, would threaten the character of existing neighborhoods, and negatively impact property values, personal privacy, and fire safety. These threats to public safety, health, and welfare justify adoption of this ordinance as an urgency

Urgency Ordinance No. 1910

ordinance to be effective immediately upon adoption by a four-fifths vote of the City Council; and

WHEREAS, to protect the public safety, health, and welfare, the City Council may adopt this ordinance as an urgency measure in accordance with Government Code section 36937, subdivision (b).

NOW, THEREFORE, THE CITY COUNCIL OF THE CITY OF FONTANA, CALIFORNIA DOES HEREBY ORDAIN AS FOLLOWS:

Section 1. The recitals above are each incorporated by reference and adopted as findings by the City Council.

Section 2. Under California Public Resources Code section 21080.17, the California Environmental Quality Act ("CEQA") does not apply to the adoption of an ordinance by a city or county implementing the provisions of section 65852.2 of the Government Code, which is California's ADU law, and which also regulates JADUs, as defined by section 65852.22. Therefore, the proposed ordinance is statutorily exempt from CEQA in that the proposed ordinance implements the State's ADU law.

Section 3. Section No. 30-467 of the City of Fontana Municipal Code is hereby amended and restated to read in its entirety as provided in Exhibit A, attached hereto, and incorporated herein by reference.

Section 4. This ordinance takes effect on January 1, 2023.

Section 5. The City Clerk shall either: (a) have this ordinance published in a newspaper of general circulation within 15 days after its adoption or (b) have a summary of this ordinance published twice in a newspaper of general circulation, within 15 days after its adoption.

Section 6. The City Clerk shall submit a copy of this ordinance to the Department of Housing and Community Development within 60 days after adoption.

Section 7. If any provision of this ordinance or its application to any person or circumstance is held to be invalid, such invalidity has no effect on the other provisions or applications of the ordinance that can be given effect without the invalid provision or application, and to this extent, the provisions of this resolution are severable. The City Council declares that it would have adopted this resolution irrespective of the invalidity of any portion thereof.

APPROVED AND ADOPTED this 13th day of December 2022.

READ AND APPROVED AS TO LEGAL FORM:

Urgency Ordinance No. 1910

Ruben Duran

City Attorney

I, Germaine Key, City Clerk of the City of Fontana, and Ex-Officio Clerk of the City Council, do hereby certify that the foregoing Ordinance is the actual Ordinance adopted by the City Council and was introduced at a regular meeting on the 25th day of October 2022, and was finally passed and adopted not less than five days thereafter on the 13th day of December 2022, by the following vote to wit:

AYES: Mayor Warren, Mayor Pro Tem Garcia, Council Members Cothran, Roberts and Sandoval

NOES: None

ABSENT: None

ABSTAIN: None

Germaine Key

City Clerk of the City of Fontana

Reguanetta Warren

Mayor of the City of Fontana

ATTEST:

Germaine Key

City Clerk

EXHIBIT A

Amended ADU Regulations

(follows this page)

Section 30-467. Accessory Dwelling Units and Junior Accessory Dwelling Units

(a) **Purpose; Application.**

- (1) **Purpose.** The purpose of this section is to allow and regulate accessory dwelling units (ADUs) and junior accessory dwelling units (JADUs) in compliance with California Government Code sections 65852.2 and 65852.22.
- (2) **Application.** This section applies to all ADUs and JADUs for which a complete application is submitted on or after January 1, 2023. If a complete ADU or JADU application is submitted prior to that date, the applicant may elect in writing to proceed under the City's ADU regulations that were in effect at submittal; otherwise, this section governs. For purposes of this paragraph, a complete application includes an application that is deemed complete under state law.

(b) **Effect of Conforming.** An ADU or JADU that conforms to the standards in this section will not be:

- (1) Deemed to be inconsistent with the city's general plan and zoning designation for the lot on which the ADU or JADU is located.
- (2) Deemed to exceed the allowable density for the lot on which the ADU or JADU is located.
- (3) Considered in the application of any local ordinance, policy, or program to limit residential growth.
- (4) Required to correct a nonconforming zoning condition, as defined in subsection (c)(8) below. This does not prevent the city from enforcing compliance with applicable building standards in accordance with Health and Safety Code section 17980.12.

(c) **Definitions.** As used in this section, terms are defined as follows:

- (1) "Accessory dwelling unit" or "ADU" means an attached or a detached residential dwelling unit that provides complete independent living facilities for one or more persons and is located on a lot with a proposed or existing primary residence. An accessory dwelling unit also includes the following:
 - (A) An efficiency unit, as defined by section 17958.1 of the California Health and Safety Code; and
 - (B) A manufactured home, as defined by section 18007 of the California Health and Safety Code.

- (2) “Accessory structure” means a structure that is accessory and incidental to a dwelling located on the same lot.
- (3) “Attached accessory dwelling unit” means an ADU that is connected via a permanent wall, ceiling, or floor to a primary dwelling on the same lot. “Attached accessory dwelling unit” does not include an ADU that is only attached to a primary dwelling via a patio structure, overhang, breezeway, or similar structure.
- (4) “Complete independent living facilities” means permanent provisions for living, sleeping, eating, cooking, and sanitation on the same parcel as the single-family or multifamily dwelling is or will be situated.
- (5) “Efficiency kitchen” means a kitchen that includes all of the following:
 - (A) A cooking facility with appliances.
 - (B) A food preparation counter and storage cabinets that are of a reasonable size in relation to the size of the JADU.
- (6) “Junior accessory dwelling unit” or “JADU” means a residential unit that satisfies all of the following:
 - (A) It is no more than 500 square feet in size.
 - (B) It is contained entirely within an existing or proposed single-family structure. An enclosed use within the residence, such as an attached garage, is considered to be a part of and contained within the single-family structure.
 - (C) It includes its own separate sanitation facilities or shares sanitation facilities with the existing or proposed single-family structure.
 - (D) If the unit does not include its own separate bathroom, then it contains an interior entrance to the main living area of the existing or proposed single-family structure in addition to an exterior entrance that is separate from the main entrance to the primary dwelling.
 - (E) It includes an efficiency kitchen, as defined in subsection (c)(5) above.
- (7) “Living area” means the interior habitable area of a dwelling unit, including basements and attics, but does not include a garage or any accessory structure.
- (8) “Nonconforming zoning condition” means a physical improvement on a property that does not conform with current zoning standards.

- (9) “Passageway” means a pathway that is unobstructed clear to the sky and extends from a street to one entrance of the ADU or JADU.
 - (10) “Proposed dwelling” means a dwelling that is the subject of a permit application and that meets the requirements for permitting.
 - (11) “Public transit” means a location, including, but not limited to, a bus stop or train station, where the public may access buses, trains, subways, and other forms of transportation that charge set fares, run on fixed routes, and are available to the public.
 - (12) “Tandem parking” means that two or more automobiles are parked on a driveway or in any other location on a lot, lined up behind one another.
 - (13) “Total floor area” means the total floor area of the ADU or JADU, inclusive of all habitable and non-habitable areas of the structure, including but not limited to stairways, hallways, basements, attics, garages, storage areas, restrooms.
- (d) **Approvals.** The following approvals apply to ADUs and JADUs under this section:
- (1) **Building-permit Only.** If an ADU or JADU complies with each of the general requirements in subsection (e) below, it is allowed with only a building permit in the following scenarios:
 - (A) **Converted on Lot with Single-Family:** One ADU as described in this subsection (d)(1)(A) and one JADU on a lot with a proposed or existing single-family dwelling on it, where the ADU or JADU:
 - (i) Is either: within the space of a proposed single-family dwelling; within the existing space of an existing single-family dwelling; or (in the case of an ADU only) within the existing space of an accessory structure, plus up to 150 additional square feet if the expansion is limited to accommodating ingress and egress; and
 - (ii) Has exterior access that is independent of that for the single-family dwelling; and
 - (iii) Has side and rear setbacks sufficient for fire and safety, as dictated by applicable building and fire codes.
 - (iv) The JADU complies with the requirements of Government Code Section 65852.22.
 - (B) **Limited Detached on Lot with Single-Family:** One detached, new-construction ADU on a lot with a proposed or existing single-

family dwelling (in addition to any JADU that might otherwise be established on the lot under subsection (d)(1)(A) above), if the detached ADU satisfies each of the following limitations:

- (i) The side- and rear-yard setbacks are at least four feet.
- (ii) The total floor area is 800 square feet or smaller.
- (iii) The peak height above grade does not exceed the applicable height limit in subsection (e)(2) below.

(C) **Converted on Lot with Multifamily:** One or more ADUs within portions of existing multifamily dwelling structures that are not used as livable space, including but not limited to storage rooms, boiler rooms, passageways, attics, basements, or garages, if each converted ADU complies with state building standards for dwellings. Under this subsection (d)(1)(C), at least one converted ADU is allowed within an existing multifamily dwelling, up to a quantity equal to 25 percent of the existing multifamily dwelling units.

(D) **Limited Detached on Lot with Multifamily:** No more than two detached ADUs on a lot that has an existing or proposed multifamily dwelling if each detached ADU satisfies both of the following limitations:

- (i) The side- and rear-yard setbacks are at least four feet. If the existing multifamily dwelling has a rear or side yard setback of less than four feet, the city will not require any modification to the multifamily dwelling as a condition of approving the ADU.
- (ii) The peak height above grade does not exceed the applicable height limit provided in subsection (e)(2) below.

(2) **ADU Permit.**

- (A) Except as allowed under subsection (d)(1) above, no ADU may be created without a building permit and an ADU permit in compliance with the standards set forth in subsections (e) and (f) below.
- (B) The city may charge a fee to reimburse it for costs incurred in processing ADU permits, including the costs of adopting or amending the city's ADU ordinance. The ADU-permit processing fee is determined by the Director of Planning and approved by the city council by resolution.

(3) **Process and Timing.**

- (A) An ADU permit is considered and approved ministerially, without discretionary review or a hearing.
- (B) The city must approve or deny an application to create an ADU or JADU within 60 days from the date that the city receives a completed application. If the city has not approved or denied the completed application within 60 days, the application is deemed approved unless either:
 - (i) The applicant requests a delay, in which case the 60-day time period is tolled for the period of the requested delay, or
 - (ii) When an application to create an ADU or JADU is submitted with a permit application to create a new single-family or multifamily dwelling on the lot, the city may delay acting on the permit application for the ADU or JADU until the city acts on the permit application to create the new single-family or multifamily dwelling, but the application to create the ADU or JADU will still be considered ministerially without discretionary review or a hearing.
- (C) If the city denies an application to create an ADU or JADU, the city must provide the applicant with comments that include, among other things, a list of all the defective or deficient items and a description of how the application may be remedied by the applicant. Notice of the denial and corresponding comments must be provided to the applicant within the 60-day time period established by subsection (d)(3)(B) above.
- (D) A demolition permit for a detached garage that is to be replaced with an ADU is reviewed with the application for the ADU and issued at the same time.
- (e) **General ADU and JADU Requirements.** The following requirements apply to all ADUs and JADUs that are approved under subsection (d)(1) or (d)(2) above:
 - (1) **Zoning.**
 - (A) An ADU or JADU subject only to a building permit under subsection (d)(1) above may be created on a lot in a residential or mixed-use zone.
 - (B) An ADU or JADU subject to an ADU permit under subsection (d)(2) above may be created on a lot that is zoned to allow single-family dwelling residential use or multifamily dwelling residential use.
 - (2) **Height.**
 - (A) Except as otherwise provided by subsections (e)(2)(B) and

(e)(2)(C) below, a detached ADU created on a lot with an existing or proposed single family or multifamily dwelling unit may not exceed 16 feet in height.

- (B) A detached ADU may be up to 18 feet in height if it is created on a lot with an existing or proposed single family or multifamily dwelling unit that is located within one-half mile walking distance of a major transit stop or a high quality transit corridor, as those terms are defined in Section 21155 of the Public Resources Code, and the ADU may be up to two additional feet in height (for a maximum of 20 feet) if necessary to accommodate a roof pitch on the ADU that is aligned with the roof pitch of the primary dwelling unit.
- (C) A detached ADU created on a lot with an existing or proposed multifamily dwelling that has more than one story above grade may not exceed 18 feet in height.
- (D) An ADU that is attached to the primary dwelling may not exceed 25 feet in height or the height limitation imposed by the underlying zone that applies to the primary dwelling, whichever is lower. Notwithstanding the foregoing, ADUs subject to this subsection (e)(2)(D) may not exceed two stories.
- (E) For purposes of this subsection (e)(2), height is measured from existing legal grade to the peak of the structure.

(3) **Fire Sprinklers.**

- (A) Fire sprinklers are required in an ADU if sprinklers are required in the primary residence.
- (B) The construction of an ADU does not trigger a requirement for fire sprinklers to be installed in the existing primary dwelling.

(4) **Rental Term.** No ADU or JADU may be rented for a term that is shorter than 30 days. This prohibition applies regardless of when the ADU or JADU was created.

(5) **No Separate Conveyance.** An ADU or JADU may be rented but, except as otherwise provided in Government Code Section 65852.26, no ADU or JADU may be sold or otherwise conveyed separately from the lot and the primary dwelling (in the case of a single-family lot) or from the lot and all of the dwellings (in the case of a multifamily lot).

(6) **Septic System.** If the ADU or JADU will connect to an onsite wastewater-treatment system, include with the application a percolation test completed

within the last five years or, if the percolation test has been recertified, within the last 10 years.

(7) **Owner Occupancy.**

- (A) An ADU that is permitted after January 1, 2020, but before January 1, 2025, is not subject to any owner-occupancy requirement.
- (B) Unless applicable law requires otherwise, all ADUs that are permitted on or after January 1, 2025, are subject to an owner-occupancy requirement. A natural person with legal or equitable title to the property must reside on the property as the person's legal domicile and permanent residence.
- (C) As required by state law, all JADUs are subject to an owner-occupancy requirement. A natural person with legal or equitable title to the property must reside on the property, in either the primary dwelling or JADU, as the person's legal domicile and permanent residence. However, the owner-occupancy requirement in this subsection (e)(7)(C) does not apply if the property is entirely owned by another governmental agency, land trust, or housing organization.

(8) **Deed Restriction.** Prior to issuance of a building permit for an ADU or JADU, a deed restriction must be recorded against the title of the property in the County Recorder's office and a copy filed with the Director. The deed restriction must run with the land and bind all future owners. The form of the deed restriction will be provided by the city and must provide that:

- (A) Except as otherwise provided in Government Code Section 65852.26, the ADU or JADU may not be sold separately from the primary dwelling.
- (B) The ADU or JADU is restricted to the approved size and to other attributes allowed by this section.
- (C) The deed restriction runs with the land and may be enforced against future property owners.
- (D) The deed restriction may be removed if the owner eliminates the ADU or JADU, as evidenced by, for example, removal of the kitchen facilities. To remove the deed restriction, an owner may make a written request of the Director, providing evidence that the ADU or JADU has in fact been eliminated. The Director may then determine whether the evidence supports the claim that the ADU or JADU has been eliminated. Appeal may be taken from the Director's determination consistent with other provisions of this

Code. If the ADU or JADU is not entirely physically removed but is only eliminated by virtue of having a necessary component of an ADU or JADU removed, the remaining structure and improvements must otherwise comply with applicable provisions of this Code.

- (E) The deed restriction is enforceable by the director or his or her designee for the benefit of the city. Failure of the property owner to comply with the deed restriction may result in legal action against the property owner, and the city is authorized to obtain any remedy available to it at law or equity, including, but not limited to, obtaining an injunction enjoining the use of the ADU or JADU in violation of the recorded restrictions or abatement of the illegal unit.
- (9) **Income Reporting.** In order to facilitate the city's obligation to identify adequate sites for housing in accordance with Government Code sections 65853.1 and 65852.2, the following requirements must be satisfied:
 - (A) With the building-permit application, the applicant must provide the city with an estimate of the projected annualized rent that will be charged for the ADU or JADU.
 - (B) Within 90 days after each yearly anniversary of the issuance of the building permit, the owner must report the actual rent charged for the ADU or JADU during the prior year. If the city does not receive the report within the 90-day period, the owner is in violation of this Code, and the city may send the owner a notice of violation and allow the owner another 30 days to submit the report. If the owner fails to submit the report within the 30-day period, the city may enforce this provision in accordance with applicable law.
- (10) **Building & Safety.**
 - (A) **Must comply with building code.** Subject to subsection (e)(10)(B) below, all ADUs and JADUs must comply with all local building code requirements.
 - (B) **No change of occupancy.** Construction of an ADU does not constitute a Group R occupancy change under the local building code, as described in Section 310 of the California Building Code, unless the building official or Code Compliance Department makes a written finding based on substantial evidence in the record that the construction of the ADU could have a specific, adverse impact on public health and safety. Nothing in this subsection (e)(10)(B) prevents the city from changing the occupancy code of a space that was uninhabitable space or that was only permitted for nonresidential use and was subsequently converted for residential use in accordance with this section.
- (f) **Specific ADU Requirements.** The following requirements apply only to ADUs

that require an ADU permit under subsection (d)(2) above.

(1) **Maximum Size.**

- (A) The maximum size of a detached or attached ADU subject to this subsection (f) is 1,200 square feet.
- (B) An attached ADU that is created on a lot with an existing primary dwelling is further limited to 50 percent of the floor area of the existing primary dwelling.
- (C) Application of other development standards in this subsection (f), such as lot coverage, might further limit the size of the ADU, but no application of the percent-based size limit in subsection (f)(1)(B) above or of an FAR, front setback, lot coverage limit, or open-space requirement may require the ADU to be less than 800 square feet.

Setbacks.

- (D) An ADU that is subject to this subsection (f) must conform to an 18- foot front-yard setback, subject to subsection (f)(1)(C) above.
- (E) An ADU that is subject to this subsection (f) must conform to 4-foot side- and rear-yard setbacks.
- (F) No setback is required for an ADU that is subject to this subsection (f) if the ADU is constructed in the same location and to the same dimensions as a legal existing structure.

(2) **Lot Coverage.** No ADU subject to this subsection (f) may cause the total lot coverage of the lot to exceed 50 percent, subject to subsection (f)(1)(C) above.

(3) **Passageway.** No passageway, as defined by subsection (c)(9) above, is required for an ADU.

(4) **Parking.**

- (A) Generally. One off-street parking space is required for each ADU. The parking space may be provided in setback areas or as tandem parking, as defined by subsection (c)(12) above.
- (B) Exceptions. No parking under subsection (f)(4)(A) is required in the following situations:
 - (i) The ADU is located within one-half mile walking distance of public transit, as defined in subsection (c)(11) above.
 - (ii) The ADU is located within an architecturally and historically

significant historic district.

- (iii) The ADU is part of the proposed or existing primary residence or an accessory structure under subsection (d)(1)(A) above.
 - (iv) When on-street parking permits are required but not offered to the occupant of the ADU.
 - (v) When there is an established car share vehicle stop located within one block of the ADU.
 - (vi) When the permit application to create an ADU is submitted with an application to create a new single-family or new multifamily dwelling on the same lot, provided that the ADU or the lot satisfies any other criteria listed in subsections (f)(4)(B)(i) through (v) above.
- (C) No Replacement. When a garage, carport, or covered parking structure is demolished in conjunction with the construction of an ADU or converted to an ADU, those off-street parking spaces are not required to be replaced.

(5) Architectural Requirements.

- (A) The materials and colors of the exterior walls, roof, and windows and doors must match the appearance and architectural design of those of the primary dwelling.
- (B) The roof slope must match that of the dominant roof slope of the primary dwelling. The dominant roof slope is the slope shared by the largest portion of the roof.
- (C) The exterior lighting must be limited to down-lights or as otherwise required by the building or fire code.
- (D) The ADU must have an independent exterior entrance, apart from that of the primary dwelling.
- (E) The interior horizontal dimensions of an ADU must be at least 10 feet wide in every direction, with a minimum interior wall height of seven feet.
- (F) Windows and doors of the ADU may not have a direct line of sight to an adjoining residential property. Fencing, landscaping, or privacy glass may be used to provide screening and prevent a direct line of sight.
- (G) All windows and doors in an ADU are less than 30 feet from a

property line that is not a public right-of-way line must either be (for windows) clerestory with the bottom of the glass at least six feet above the finished floor, or (for windows and for doors) utilize frosted or obscure glass.

- (6) **Landscape Requirements.** Evergreen landscape screening must be planted and maintained between the ADU, and adjacent parcels as follows:
 - (A) At least one 15-gallon size plant shall be provided for every five linear feet of exterior wall. Alternatively, at least one 24" box size plant shall be provided for every ten linear feet of exterior wall.
 - (B) Plant specimens must be at least six feet tall when installed. As an alternative, a solid fence of at least 6 feet in height may be installed.
 - (C) All landscaping must be drought tolerant.
- (7) **Historical Protections.** An ADU that is on or within 600 feet of real property that is listed in the California Register of Historic Resources must be located so as to not be visible from any public right-of-way.
- (g) **Fees.** The following requirements apply to all ADUs that are approved under subsections (d)(1) or (d)(2) above.
 - (1) **Impact Fees.**
 - (A) No impact fee is required for an ADU that is less than 750 square feet in size. For purposes of this subsection (g)(1), "impact fee" means a "fee" under the Mitigation Fee Act (Gov. Code § 66000(b)) and a fee under the Quimby Act (Gov. Code § 66477). "Impact fee" here does not include any connection fee or capacity charge for water or sewer service.
 - (B) Any impact fee that is required for an ADU that is 750 square feet or larger in size must be charged proportionately in relation to the square footage of the primary dwelling unit. (E.g., the floor area of the ADU, divided by the floor area of the primary dwelling, times the typical fee amount charged for a new dwelling.)
 - (2) **Utility Fees.**
 - (A) If an ADU is constructed with a new single-family home, a separate utility connection directly between the ADU and the utility and payment of the normal connection fee and capacity charge for a new dwelling are required.
 - (B) Except as described in subsection (g)(2)(A), converted ADUs on a

single-family lot that are created under subsection (d)(1)(A) above are not required to have a new or separate utility connection directly between the ADU and the utility. Nor is a connection fee or capacity charge required.

(C) Except as described in subsection (g)(2)(A), all ADUs that are not covered by subsection (g)(2)(B) require a new, separate utility connection directly between the ADU and the utility.

(i) The connection is subject to a connection fee or capacity charge that is proportionate to the burden created by the ADU based on either the floor area or the number of drainage-fixture units (DFU) values, as defined by the Uniform Plumbing Code, upon the water or sewer system.

(ii) The portion of the fee or charge that is charged by the city may not exceed the reasonable cost of providing this service.

(h) **Nonconforming Zoning Code Conditions, Building Code Violations, and Unpermitted Structures.**

(1) **Generally.** The city will not deny an ADU or JADU application due to a nonconforming zoning condition, building code violation, or unpermitted structure on the lot that does not present a threat to the public health and safety and that is not affected by the construction of the ADU or JADU.

(2) **Unpermitted ADUs constructed before 2018.**

(A) **Permit to Legalize.** As required by state law, the city may not deny a permit to legalize an existing, but unpermitted ADU that was constructed before January 1, 2018, if denial is based on either of the following grounds:

(i) The ADU violates applicable building standards, or

(ii) The ADU does not comply with the state ADU law (Government Code section 65852.2) or this ADU ordinance (section 30-467).

(B) **Exceptions:**

(i) Notwithstanding subsection (h)(2)(A) above, the city may deny a permit to legalize an existing, but unpermitted ADU that was constructed before January 1, 2018, if the city makes a finding that correcting a violation is necessary to protect the health and safety of the public or of occupants of

the structure.

- (ii) Subsection (h)(2)(A) above does not apply to a building that is deemed to be substandard in accordance with California Health and Safety Code section 17920.3.

Certificate Of Completion

Envelope Id: 2CDD0D6160D74C42A9DDEF91CFBFBC3B

Subject: Please DocuSign: Urgency Ordinance 1910

Source Envelope:

Document Pages: 17

Signatures: 4

Certificate Pages: 5

Initials: 0

AutoNav: Enabled

Envelope Stamping: Enabled

Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Status: Completed

Envelope Originator:

City Clerk

8353 Sierra Avenue

Fontana, CA 92335

clerks@fontana.org

IP Address: 192.146.186.96

Record Tracking

Status: Original

4/19/2023 | 09:48 AM

Holder: City Clerk

clerks@fontana.org

Location: DocuSign

Signer Events

Ruben Duran

ruben.duran@bbklaw.com

Security Level: Email, Account Authentication
(None)**Signature**

Signature Adoption: Pre-selected Style

Using IP Address: 74.116.243.2

Timestamp

Sent: 4/19/2023 | 09:49 AM

Viewed: 4/19/2023 | 10:30 AM

Signed: 5/2/2023 | 12:20 PM

Electronic Record and Signature Disclosure:

Accepted: 5/2/2023 | 12:19 PM

ID: 7a5dc7a9-b30a-4197-a67b-39a5ca944fea

Acquanetta Warren

awarren@fontana.org

Security Level: Email, Account Authentication
(None)

Signature Adoption: Pre-selected Style

Using IP Address: 108.184.102.134

Signed using mobile

Sent: 5/2/2023 | 12:20 PM

Viewed: 5/2/2023 | 08:35 PM

Signed: 5/2/2023 | 08:35 PM

Electronic Record and Signature Disclosure:

Accepted: 5/2/2023 | 08:35 PM

ID: 333b5243-234c-45c9-a064-7f093c3bf29e

Germaine Key

gkey@fontana.org

Security Level: Email, Account Authentication
(None)

Signature Adoption: Pre-selected Style

Using IP Address: 107.201.246.59

Signed using mobile

Sent: 5/2/2023 | 08:35 PM

Viewed: 5/2/2023 | 08:37 PM

Signed: 5/2/2023 | 08:37 PM

Electronic Record and Signature Disclosure:

Accepted: 5/2/2023 | 08:37 PM

ID: 31fccf2c-9276-41a4-865f-2e75e20e10af

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp**

Carbon Copy Events

Kathy Kasinger
kkasinger@fontana.org
Records Coordinator
Security Level: Email, Account Authentication (None)

Electronic Record and Signature Disclosure:
Accepted: 5/1/2023 | 09:55 AM
ID: 8e38fe63-e90e-4564-84e9-9192cc58857a

Status

COPIED

Timestamp

Sent: 5/2/2023 | 08:37 PM
Viewed: 5/3/2023 | 10:31 AM

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Envelope Sent
Certified Delivered
Signing Complete
Completed

Status

Hashed/Encrypted
Security Checked
Security Checked
Security Checked

Timestamps

4/19/2023 | 09:49 AM
5/2/2023 | 08:37 PM
5/2/2023 | 08:37 PM
5/2/2023 | 08:37 PM

Payment Events

Status

Timestamps

Electronic Record and Signature Disclosure

ELECTRONIC RECORD AND SIGNATURE DISCLOSURE

From time to time, City of Fontana (we, us or Company) may be required by law to provide to you certain written notices or disclosures. Described below are the terms and conditions for providing to you such notices and disclosures electronically through your DocuSign, Inc. (DocuSign) Express user account. Please read the information below carefully and thoroughly, and if you can access this information electronically to your satisfaction and agree to these terms and conditions, please confirm your agreement by clicking the 'I agree' button at the bottom of this document.

Getting paper copies

At any time, you may request from us a paper copy of any record provided or made available electronically to you by us. For such copies, as long as you are an authorized user of the DocuSign system you will have the ability to download and print any documents we send to you through your DocuSign user account for a limited period of time (usually 30 days) after such documents are first sent to you. After such time, if you wish for us to send you paper copies of any such documents from our office to you, you will be charged a \$0.00 per-page fee. You may request delivery of such paper copies from us by following the procedure described below.

Withdrawing your consent

If you decide to receive notices and disclosures from us electronically, you may at any time change your mind and tell us that thereafter you want to receive required notices and disclosures only in paper format. How you must inform us of your decision to receive future notices and disclosure in paper format and withdraw your consent to receive notices and disclosures electronically is described below.

Consequences of changing your mind

If you elect to receive required notices and disclosures only in paper format, it will slow the speed at which we can complete certain steps in transactions with you and delivering services to you because we will need first to send the required notices or disclosures to you in paper format, and then wait until we receive back from you your acknowledgment of your receipt of such paper notices or disclosures. To indicate to us that you are changing your mind, you must withdraw your consent using the DocuSign 'Withdraw Consent' form on the signing page of your DocuSign account. This will indicate to us that you have withdrawn your consent to receive required notices and disclosures electronically from us and you will no longer be able to use your DocuSign Express user account to receive required notices and consents electronically from us or to sign electronically documents from us.

All notices and disclosures will be sent to you electronically

Unless you tell us otherwise in accordance with the procedures described herein, we will provide electronically to you through your DocuSign user account all required notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you during the course of our relationship with you. To reduce the chance of you inadvertently not receiving any notice or disclosure, we prefer to provide all of the required notices and disclosures to you by the same method and to the same address that you have given us. Thus, you can receive all the disclosures and notices electronically or in paper format through the paper mail delivery system. If you do not agree with this process, please let us know as described below. Please also see the paragraph immediately above that describes the consequences of your electing not to receive delivery of the notices and disclosures electronically from us.

How to contact City of Fontana:

You may contact us to let us know of your changes as to how we may contact you electronically, to request paper copies of certain information from us, and to withdraw your prior consent to receive notices and disclosures electronically as follows:

To contact us by email send messages to: cteveda@fontana.org

To advise City of Fontana of your new e-mail address

To let us know of a change in your e-mail address where we should send notices and disclosures electronically to you, you must send an email message to us at cteveda@fontana.org and in the body of such request you must state: your previous e-mail address, your new e-mail address. We do not require any other information from you to change your email address..

In addition, you must notify DocuSign, Inc to arrange for your new email address to be reflected in your DocuSign account by following the process for changing e-mail in DocuSign.

To request paper copies from City of Fontana

To request delivery from us of paper copies of the notices and disclosures previously provided by us to you electronically, you must send us an e-mail to cteveda@fontana.org and in the body of such request you must state your e-mail address, full name, US Postal address, and telephone number. We will bill you for any fees at that time, if any.

To withdraw your consent with City of Fontana

To inform us that you no longer want to receive future notices and disclosures in electronic format you may:

- i. decline to sign a document from within your DocuSign account, and on the subsequent page, select the check-box indicating you wish to withdraw your consent, or you may;
- ii. send us an e-mail to cteveda@fontana.org and in the body of such request you must state your e-mail, full name, US Postal Address, telephone number, and account number. We do not need any other information from you to withdraw consent.. The consequences of your withdrawing consent for online documents will be that transactions may take a longer time to process..

Required hardware and software

Operating Systems:	Windows2000? or WindowsXP?
Browsers (for SENDERS):	Internet Explorer 6.0? or above
Browsers (for SIGNERS):	Internet Explorer 6.0?, Mozilla FireFox 1.0, NetScape 7.2 (or above)
Email:	Access to a valid email account
Screen Resolution:	800 x 600 minimum
Enabled Security Settings:	<ul style="list-style-type: none">•Allow per session cookies•Users accessing the internet behind a Proxy Server must enable HTTP 1.1 settings via proxy connection

** These minimum requirements are subject to change. If these requirements change, we will provide you with an email message at the email address we have on file for you at that time providing you with the revised hardware and software requirements, at which time you will have the right to withdraw your consent.

Acknowledging your access and consent to receive materials electronically

To confirm to us that you can access this information electronically, which will be similar to other electronic notices and disclosures that we will provide to you, please verify that you were able to read this electronic disclosure and that you also were able to print on paper or electronically save this page for your future reference and access or that you were able to e-mail this disclosure and consent to an address where you will be able to print on paper or save it for your future reference and access. Further, if you consent to receiving notices and disclosures exclusively in electronic format on the terms and conditions described above, please let us know by clicking the 'I agree' button below.

By checking the 'I Agree' box, I confirm that:

- I can access and read this Electronic CONSENT TO ELECTRONIC RECEIPT OF ELECTRONIC RECORD AND SIGNATURE DISCLOSURES document; and
- I can print on paper the disclosure or save or send the disclosure to a place where I can print it, for future reference and access; and
- Until or unless I notify City of Fontana as described above, I consent to receive from exclusively through electronic means all notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to me by City of Fontana during the course of my relationship with you.

TO: HERALD NEWS
EMAIL: LEGALS@FONTANAHERALDNEWS.COM
FROM: FONTANA CITY CLERK'S DEPARTMENT
DATE: December 14, 2022

PUBLICATION OF SUMMARY OF PROPOSED URGENCY ORDINANCE NO 1910.

PUBLISH ONE TIME ONLY ON OR BEFORE December 23, 2022. ONE AFFIDAVIT PUBLICATION REQUESTED.

SUMMARY OF PROPOSED ORDINANCE NO 1910.

NOTICE IS HEREBY GIVEN that the City Council of the City of Fontana, at a Regular Meeting held on **December 13, 2022**, at City Hall, 8353 Sierra Avenue, Fontana, California, considered adoption of the following ordinance:

Read by title only and waive further reading of and introduce **Ordinance No. 1910**, an urgency ordinance of the City of Fontana, California, repealing and replacing Chapter 30, Section No. 30-467 of the Fontana Municipal Code relating to Accessory Dwelling Units and Junior Accessory Dwelling Units and determining the action to be exempt from CEQA, and that the reading of the title constitutes the first reading thereof.

A certified copy of the full text of the ordinance is available in the office of the City Clerk of the City of Fontana, 8353 Sierra Avenue, Fontana, California 92335.

CITY COUNCIL OF THE CITY OF FONTANA
Acquanetta Warren, Mayor

Ashton R. Arocho
Deputy City Clerk

P.O. #800496