	ORDINANCE NO. 2023-02
	AN ORDINANCE OF THE VILLAGE OF SEA RANCH LAKES, FLORIDA
	AMENDING THE LAND DEVELOPMENT CODE BY SPECIFICALLY AMENDING ARTICLE II SECTION 2.00.02 ENTITLED "DEFINITIONS," TO PROVIDE FOR
	THE DEFINITION OF "GRADE", ARTICLE IV SECTION 4.01.01 AND SECTION
	4.03.05 TO AMEND THE DEFINITION OF "PERVIOUS AREA", AND TO PROVIDE FOR SUBMISSION OF PROPOSED ELEVATIONS ALONG
	PROPERTY LINES, ARTICLE V SECTION 5.01.01 AND SECTION 5.01.02, TO
	AMEND THE REQUIREMENTS FOR PERVIOUS AREA FOR RESIDENTIAL DEVELOPMENT, TO AMEND THE SETBACKS FOR ROOF OVERHANGS, AND
	CREATING SECTION 5.03.03 ENTITLED "GRADING" TO PROVIDE FOR
	MAXIMUM ELEVATIONS FOR DEVELOPMENT; PROVIDING FOR
	CODIFICATION OF THE ORDINANCE; PROVIDING FOR THE REPEAL OF ALL CONFLICTING ORDINANCES; PROVIDING FOR SEVERABILITY AND
	PROVIDING AN EFFECTIVE DATE.
	WHEREAS, the Village Council of the Village of Sea Ranch Lakes, Florida hereby finds
	I declares that the adoption of this ordinance is appropriate, and in the public interest of this nmunity.
OF	NOW, THEREFORE, BE IT ORDAINED BY THE VILLAGE COUNCIL OF THE VILLAGE SEA RANCH LAKES, FLORIDA:
	tion 1. Each "WHEREAS" clause set forth above is true and correct and herein
	orporated by this reference.
of t	tion 2. The Village of Sea Ranch Lakes, Florida hereby amends Article II Section 2.00.02
of 1 2.0 	tion 2. The Village of Sea Ranch Lakes, Florida hereby amends Article II Section 2.00.02 he Village's Land Development Code as follows:
of t	tion 2. The Village of Sea Ranch Lakes, Florida hereby amends Article II Section 2.00.02 he Village's Land Development Code as follows: 0.02 - Definitions. Grade. The natural elevation of the ground, when compared to abutting properties, or the grade as established as relative to the required minimum base floor elevation by the flood insurance map published by the U.S. Department of Housing and Urban Development for the applicable coastal flood zone designated by the current Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps (FIRMs), or in the extreme cases of varied elevations within the same site or varied elevations between
of † 2.0 h.	tion 2. The Village of Sea Ranch Lakes, Florida hereby amends Article II Section 2.00.02 he Village's Land Development Code as follows: 0.02 - Definitions. Grade. The natural elevation of the ground, when compared to abutting properties, or the grade as established as relative to the required minimum base floor elevation by the flood insurance map published by the U.S. Department of Housing and Urban Development for the applicable coastal flood zone designated by the current Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps (FIRMs), or in the extreme cases of varied elevations within the same site or varied elevations between
of t 2.0 h.	tion 2. The Village of Sea Ranch Lakes, Florida hereby amends Article II Section 2.00.02 he Village's Land Development Code as follows: 0.02 - Definitions. Grade. The natural elevation of the ground, when compared to abutting properties, or the grade as established as relative to the required minimum base floor elevation by the flood insurance map published by the U.S. Department of Housing and Urban Development for the applicable coastal flood zone designated by the current Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps (FIRMs), or in the extreme cases of varied elevations within the same site or varied elevations between adjacent lots, grade shall be established by the Director of Building and Zoning.

Page 1 of 7

{00560299.1 2352-9003031 }

49 50

51 52 permits the same.

 $\stackrel{\dots}{4.03.05.}$ - Site Plans and Construction Documents.

2 3	documents for any development subject to the requirements of this section shall be drawn to scale and shall include, as applicable to the proposed development:								
4									
5		(10) Proposed elevations along property boundaries, matching those of adjacent							
6		lands.							
7									
8									
9									
10	<u>Sect</u>	ion 4	. The Village of Sea Ranch Lakes, Florida hereby amends Article V Section 5.01.01						
11	and	Section 5.01.02, and creates Section 5.03.03 entitled "Grading" of the Village's Land							
12	Deve	elopment Code as follows:							
13									
14	5.01	.01.	Minimum Lot Area Requirements and Other Site Considerations.						
15	A.	Requirements for All Developments. All developments shall have a total land a							
16			cient to meet all development design standards in this Code including, but not						
17			ted to, land required to provide setbacks from abutting rights-of-way, buffers,						
18			mwater management, off-street parking and circulation, protection of						
19			ronmentally sensitive lands, and any other provisions which may require land area						
20		to be set aside.							
21	B.	Spec	cific Requirements for Residential Development.						
22		(1)	No Building shall be allowed on any lot except one detached single dwelling house						
23			for the use of one family only, and no lot shall be used except for residential						
24			purposes exclusively for one family. No accessory building shall be allowed, built or						
25			used. No temporary residence shall be permitted on any lot. No business of any						
26			kind shall be conducted from a residential use.						
27		(2)	Building Site Area. The minimum building site area shall be 1 lot as shown on the						
28			Plat. The ground floor area of the main structure on any lot (exclusive of 1 story						
29			open porches and garages) shall not be less than 1200 square feet in the case of a						
30			1 story structure, nor less than 1000 square feet in the case of a structure having						
31			more than 1 story. A residential site may consist of 1 or more lots, all of 1 lot and						
32			part of another or of contiguous parts on more than 1 lot or any other combination						
33			of contiguous parts of lots which will form an integral unit of land suitable for use						
34			as a site for a residence and extending from the street serving the same to the rear						
35			or waterfront boundary. No resubdivision as aforesaid or otherwise shall be						
36			permitted unless the total area shall be at least equal to the smallest lot as shown						
37			on the Plat.						
38		(3)	Building Height. The height of any building shall be no more than 35 feet above						
39			grade measured to the highest structural component of the structure such as roof						
40			ridge, parapet wall, spire, or screen.						
41		(4)	Lawn Pervious Area. A lot shall consist of a minimum of thirty percent (30%) of						
42			pervious area. The area between the front lot line and the main structure and the						
43			area between the rear lot line and the main structure <u>must include a portion of this</u>						
44			pervious area in sod. and the area between the side lot lines and the main structure						
45			shall be sodded or landscaped with a minimum greenspace area of 30%. The area						
46			between the side lot lines and the main structure shall include a minimum three-						
47			(3) foot-wide buffer area consisting of landscaping and may include any fences or						
48			walls. This buffer area shall be inclusive of the thirty percent (30%) pervious area						
49			requirement.						

(a) Information for Development in Flood Hazard Areas. The site plan or construction

1

 All lawns The portion of pervious area adjacent to streets must be sodded to the paved area of the street. No paved or pebbled parking strips shall be permitted on any lot adjacent [to] or abutting any street.

- (5) *Driveways.* Driveways must allow for drainage on swale at street and they must be level with and form a perfect joint with said street.
- (6) Garage doors. Garage doors shall not open directly to a street. Each residence constructed in the Residential District shall have a garage with a minimum area of 450 square feet. A garage shall be used exclusively for the shelter of motor vehicles and may not be converted to another use, except that if a garage is converted to another use, then another garage must be built for the shelter of motor vehicles.
- (7) Filling in. No lot or parcel shall be increased in size by filling in the waters on which it abuts.

5.01.02. Building Setback Requirements

Residential District. On all lots, other than those fronting upon the Waterfront boundary, no structure or any part thereof, including garages, porches and carports shall be erected any closer to the front property line than twenty-five feet (25') or a distance which is twenty percent (20%) of the dimension of the lot from the front property line to the rear property line, whichever is the lesser. All lots fronting upon the Waterfront boundary, no structure or any part thereof, including garages, porches and carports, shall be erected any closer than twenty-five (25) feet to the street line. On all lots no structure or any part thereof, shall be erected any closer than twelve feet (12') to either side property line except in the case of corner lots in which event the setback line on that side facing the street shall be fifteen feet (15') from said street line. Notwithstanding the foregoing, where a structure exceeds twenty-two feet (22') in height that portion of the structure above twenty-two feet (22') in height shall be set back an additional one foot (1') per foot of additional height. On all lots except those lots fronting upon the Waterfront boundary, no structure or part thereof, shall be erected any closer than fifteen feet (15') to the rear property line. On all lots fronting upon the Intracoastal Waterway, no structure or any part thereof, shall be erected any closer than fifteen feet (15') from the rear property line and on all lots fronting upon the interior lakes, no structure or any part thereof, shall be erected any closer than twenty-five feet (25') from the rear property line.

In addition to the foregoing setback requirements, roof over-hangs shall not extend more than thirty inches twenty-four inches (24") beyond any wall into a side yard setback.

5.03.00 Stormwater Management

The grading of all properties shall be designed so that the average grade elevation of the lot, other than the building's footprint, shall not exceed the average elevation along the center line of the street pavement on which it fronts, unless the base floor elevation established by FEMA is higher than the centerline of the street. Proposed elevations along property boundaries on any site plan shall match the adjacent lands, or shall include features that cause no storm runoff to flow across any of the property's boundaries.

Section 5. If any clause, section or other part of this Ordinance shall be held by any court of

5.03.03 Grading.

1 2 3 4	competent jurisdiction to be unconstitutional or invalid, such unconstitutional or invalid part shall be construed as eliminated and shall in no way affect the validity of the remaining portions of this Ordinance.							
5 6 7	Section 6. All Ordinances or parts of Ordinances in conflict herewith are hereby repealed to the extent of such conflict.							
8 9	Section 7.	Codification of this Ordinance is hereby directed and authorized.						
10 11	PASSED BY THE VILLAGE COUNCIL OF THE VILLAGE OF SEA RANCH LAKES, FLORIDA, ON THE FIRST READING, THIS _12TH DAY OFAPRIL, 2023.							
12 13	PASSED AND ADOPTED BY THE VILLAGE COUNCIL OF THE VILLAGE OF SEA RANCH LAKES, FLORIDA, ON THE SECOND AND FINAL READING, THIS 17TH_ DAY OF _MAY, 2023.							
14 15 16	VILLAGE OF SEA RANCH LAKES, FLORIDA							
17 18 19 20	BY: MAYOR JEFFREY NELSON							
21 22 23 24 25 26 27			BRYAN MIRON BRUENER NEAL VOLKERT FULMER TOMLINSON	absent _yesyes absent _yesyes				
28 29 30 31 32 33	ATTEST: STARR PATON	I, VILLAGE CLERK						

Page 4 of 7

34