

AN ORDINANCE OF THE BOARD OF COUNTY COMMISSIONERS OF SEMINOLE COUNTY, FLORIDA RELATING TO FLOODPLAIN REGULATIONS: AMENDING CHAPTER 2 (DEFINITIONS) OF THE LAND DEVELOPMENT CODE OF SEMINOLE COUNTY BY AMENDING SECTION 2.3 (DEFINITIONS) TO CLARIFY THE MEANING OF VARIOUS TERMS USED IN THE LAND DEVELOPMENT CODE RELATED TO FLOODPLAIN MANAGEMENT; AMENDING PART 51 (FLOODPLAIN MANAGEMENT ORDINANCE OF SEMINOLE COUNTY) OF CHAPTER 30 (ZONING REGULATIONS) OF THE LAND DEVELOPMENT CODE OF SEMINOLE COUNTY TO PROVIDE FOR ACCESSORY STRUCTURES IN FLOOD HAZARD AREAS; TO SPECIFY ELEVATION OF MANUFACTURED HOMES IN FLOOD HAZARD AREAS; PROVIDING FOR APPLICABILITY; PROVIDING FOR CONFLICTS; PROVIDING FOR CODIFICATION IN THE LAND DEVELOPMENT CODE OF SEMINOLE COUNTY; PROVIDING FOR SEVERABILITY; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the Legislature of the State of Florida has, in Chapter 125, Florida Statutes, conferred upon local governments the authority to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry; and

WHEREAS, Seminole County participates in the National Flood Insurance Program and participates in the NFIP's Community Rating System, a voluntary incentive program that recognizes and encourages community floodplain management activities that exceed the minimum program requirements and achieved a CRS rating of Class 6, making citizens who purchase NFIP flood insurance policies eligible for premium discounts; and

WHEREAS, in 2020 the NFIP Community Rating System established certain minimum prerequisites for communities to qualify for or maintain class ratings of Class 8 or better; and

WHEREAS, to satisfy the prerequisite and for Seminole County to maintain the current CRS rating, all manufactured homes installed or replaced in special flood hazard areas must be



elevated to or above at least the base flood elevation plus 1 foot, which necessitates modification of the existing requirements; and

WHEREAS, the Federal Emergency Management Agency released FEMA Policy #104-008-03 Floodplain Management Requirements for Agricultural Structures and Accessory Structures; and

WHEREAS, the Board of County Commissioners of Seminole County has determined it appropriate to adopt regulations that are consistent with the FEMA Policy to allow issuance of permits for non-elevated wet floodproofed accessory structures that are not larger than the sizes specified in the FEMA Policy; and

WHEREAS, the Board of County Commissioners of Seminole County determined that it is in the public interest to amend the floodplain management regulations to better protect manufactured homes and to continue participating in the Community Rating System at the current class rating; and

WHEREAS, the Board of County Commissioners determined that the definitions from Part 51 (Floodplain Management Ordinance of Seminole County) of Chapter 30 (Zoning Regulations) of the Land Development Code should be moved to Chapter 2 (Definitions) of the Land Development Code; and

WHEREAS, the Seminole County Local Planning Agency held a public hearing, with all required public notice on July 6, 2022 and August 9, 2022, for the purpose of providing recommendations to the Board of County Commissioners with regard to the Ordinance amending the Land Development Code and recommended that the Board of County Commissioners adopt the Ordinance amending the Land Development Code to clarify the definitions used within this

LDC Floodplain Regulations Ordinance 2022
Page 2 of 66



Chapter and to outline the circumstances in which accessory structures are permitted within in the County.

WHEREAS, the Economic Impact Statement has been appropriately prepared and made available for public review in agreement with provisions of the Seminole County Home Rule Charter; and

WHEREAS, the private property rights analysis relating to this Ordinance has been prepared and made available for public review in accordance with the requirements of the Seminole County Comprehensive Plan (SCCP).

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF COUNTY COMMISSIONERS OF SEMINOLE COUNTY, FLORIDA:

Section 1. Incorporation of Recitals. The above recitals are incorporated herein by reference and form an integral part of the Ordinance.

Section 2. Short Title. This Ordinance shall be known and referred to as Floodplain Regulations Land Development Code Amendment.

Section 3. Intent and Purpose. The intent and purpose of this Ordinance is to amend the Seminole County Land Development Code to clarify the definitions used within this Chapter and to outline the circumstances in which accessory structures are permitted within the County.

Section 4. Chapter 2 (Definitions) of the Land Development Code of Seminole County is hereby amended to read as follows:

Chapter 2 - DEFINITIONS

* * *

Sec. 2.3. Definitions. [For the purposes of this chapter, certain terms shall have the meanings ascribed to them in this section, unless the context clearly indicates otherwise.]

LDC Floodplain Regulations Ordinance 2022

Page 3 of 66



* * *

Accessory Structure: (Applicable to Part 51, Chapter 30) A structure on the same parcel of property as a principal structure and the use of which is limited to parking and storage incidental to the use of the principal structure.

* * *

Alteration of a Watercourse: (Applicable to Part 51, Chapter 30) A dam, impoundment, channel relocation, change in channel alignment, channelization, or change in cross-sectional area of the channel or the channel capacity, or any other form of modification which may alter, impede, retard or change the direction and/or velocity of the riverine flow of water during conditions of the Base Flood.

* * *

Appeal: (Applicable to Part 51, Chapter 30) A request for a review of the Floodplain Administrator's interpretation of any provision of this Ordinance.

* * *

ASCE 24: (Applicable to Part 51, Chapter 30) A standard titled Flood Resistant Design and Construction that is referenced by the *Florida Building Code*. ASCE 24 is developed and published by the American Society of Civil Engineers, Reston, Virginia.

* * *

Base Flood: (Applicable to Part 51, Chapter 30) A Flood having a one percent (1%) chance of being equaled or exceeded in any given year. [Also defined in Florida Building Code, B, Section 202.] The Base Flood is commonly referred to as the "100-year Flood" or the "1-percent-annual chance Flood".

* * *



Base Flood Elevation: (Applicable to Part 51, Chapter 30) The elevation of the Base Flood, including wave height, relative to the National Geodetic Vertical Datum (NGVD), North American Vertical Datum (NAVD) or other datum specified on the Flood Insurance Rate Map (FIRM). [Also defined in Florida Building Code, B, Section 202.]

Basement: That portion of a structure having its floor subgrade (below ground level) on all sides. [Also defined in Florida Building Code, B, Section 202.]

* * *

Compensating storage: ~~The physical replacement of natural floodwater storage volumes that would be displaced in special flood hazard areas due to development.~~ The excavation within a free-flowing, riverine flood hazard area of hydraulically equivalent volume as the proposed volume of fill, for the purpose of balancing the effect of the proposed fill in the Floodplain. The excavated area shall drain freely to the Watercourse and not be below either the (a) normal water line of a pond or other body of water; or (b) the estimated seasonal high water elevation.

* * *

Critical Facility: (Applicable to Part 51, Chapter 30) Means any structure or facility that produces, uses or stores highly volatile, flammable, explosive, toxic, and/or water-reactive materials; or any hospital nursing home or housing likely to contain occupants who may not be sufficiently mobile to avoid death or injury during a Flood; or any police station, fire station, vehicle and equipment storage facility, or emergency operation center that is needed for Flood response activities before, during and after a Flood.

* * *



Design Flood: (Applicable to Part 51, Chapter 30) The Flood associated with the greater of the following two areas: [Also defined in Florida Building Code, B, Section 202.]

(a) Area with a Floodplain subject to a one percent (1%) or greater chance of Flooding in any year; or

(b) Area designated as a Flood Hazard Area on the community's Flood hazard map, or otherwise legally designated.

Design Flood Elevation: (Applicable to Part 51, Chapter 30) The elevation of the "Design Flood", including wave height, relative to the datum specified on the community's legally designated Flood hazard map. In areas designated as Zone AO, the Design Flood Elevation shall be the elevation of the highest existing grade of the building's perimeter plus the depth number (in feet) specified on the Flood hazard map. In areas designated as Zone AO where the depth number is not specified on the map, the depth number shall be taken as being equal to two (2) feet. [Also defined in Florida Building Code, B, Section 202.]

* * *

Development: (Applicable to Part 51, Chapter 30) ~~Any manmade change to improved or unimproved real estate, including, but not limited to, buildings or other structures, mining, dredging, filling, grading, paving, excavating, drilling operations, or permanent storage of materials.~~ Any man-made change to improved or unimproved real estate, including but not limited to, buildings or other structures, tanks, temporary structures, temporary or permanent storage of equipment or materials, mining, dredging, filling, grading, paving, excavations, drilling operations or any other land disturbing activities.

* * *



Encroachment: (Applicable to Part 51, Chapter 30) The placement of fill, excavation, buildings, permanent structures or other Development into a Flood Hazard Area which may impede or alter the flow capacity of riverine Flood Hazard Areas.

* * *

Existing Building and Existing Structure: (Applicable to Part 51, Chapter 30) Any buildings and structures for which the "Start of Construction" commenced before May 5, 1981. [Also defined in Florida Building Code, B, Section 202.]

* * *

Federal Emergency Management Agency (FEMA): (Applicable to Part 51, Chapter 30) Federal agency that, in addition to carrying out other functions, administers the National Flood Insurance Program.

* * *



Flood or flooding: A general and temporary condition of partial or complete inundation of normally dry land areas from: [Also defined in Florida Building Code, B, Section 202.]

- (1)(a) The overflow of inland or tidal waters;
- (2)(b) The unusual and rapid accumulation or runoff of surface waters from any source.

Flood Damage-Resistant Materials: (Applicable to Part 51, Chapter 30) Any construction material capable of withstanding direct and prolonged contact with Floodwaters without sustaining any damage that requires more than cosmetic repair. [Also defined in Florida Building Code, B, Section 202.]

* * *



Flood Hazard Area: (Applicable to Part 51, Chapter 30) The greater of the following two areas: [Also defined in Florida Building Code, B, Section 202.]

(a) The area within a Floodplain subject to a one percent (1%) or greater chance of Flooding in any year.

(b) The area designated as a Flood Hazard Area on the community's Flood hazard map, or otherwise legally designated.

Flood insurance rate map (FIRM):—An official map of a community, on which the Federal Emergency Management Agency has delineated both the areas of special flood hazard and the risk premium zones applicable to the community. (Applicable to Part 51, Chapter 30) The official map of the community on which FEMA has delineated both Special Flood Hazard Areas and the risk premium zones applicable to the community. [Also defined in Florida Building Code, B, Section 202.]

Flood insurance study (FIS):—The Flood Insurance Study, Seminole County, Florida, Unincorporated Areas dated November 5, 1980, with accompanying "Flood Insurance Rate Maps" and "Flood Hazard Boundary and Floodway Maps" dated May 5, 1981 and any revisions thereto, prepared by the Federal Emergency Management Agency, Federal Insurance Administration. Said study is hereby adopted for insurance purposes and for use in floodplain management for Seminole County, Florida, unincorporated areas, where detailed analyses were performed. (Applicable to Part 51, Chapter 30) The official report provided by FEMA that contains the Flood Insurance Rate Map, the Flood Boundary and Floodway Map (if applicable), the water surface elevations of the Base Flood, and supporting technical data. [Also defined in Florida Building Code, B, Section 202.]

* * *



Floodplain (floodway): ~~The broad, flat land area bordering a river, stream, or surface water body, and subject to inundation by the normal fluctuation of water level associated with the given body of water. The floodplain is synonymous with flood prone areas.~~ (Applicable to Part 51, Chapter 30) Any land area susceptible to being inundated by water from any source (see definition of "Flooding").

Floodplain Administrator: (Applicable to Part 51, Chapter 30) The office or position designated and charged with the administration and enforcement of this Ordinance (may be referred to as the Floodplain Manager).

Floodplain Development Permit or Approval: (Applicable to Part 51, Chapter 30) An official document or certificate issued by the community, or other evidence of approval or concurrence, which authorizes performance of specific Development activities that are located in Flood Hazard Areas and that are determined to be compliant with this Ordinance.

Floodplain Management: (Applicable to Part 51, Chapter 30) Means the operation of an overall program of corrective and preventative measures for reducing Flood damage and preserving and enhancing, where possible, natural resources in the Floodplain, including but not limited to emergency preparedness plans, Flood control works, floodplain management regulations, and open space plans.

Floodplain Management Regulations: (Applicable to Part 51, Chapter 30) This Part, the Florida Building Code and other zoning ordinances, subdivision regulations, building codes, health regulations, special purpose ordinances (such as Floodplain ordinance, grading ordinance, and erosion control ordinance), and other applications of police power which control Development in Flood-prone areas. This term describes Federal, State of Florida, or



local regulations or any combination thereof, which provide standards for preventing and reducing Flood loss and damage.

Floodway: The channel of a river or another riverine watercourse and the adjacent land areas that must be reserved in order to discharge the ~~one hundred year flood~~ Base Flood without cumulatively increasing the water surface elevation more than one (1) foot. [Also defined in Florida Building Code, B, Section 202.]

Floodway Encroachment Analysis: (Applicable to Part 51, Chapter 30) An engineering analysis of the impact that a proposed Encroachment into a Floodway is expected to have on the Floodway boundaries and Base Flood Elevations; the evaluation shall be prepared by a qualified Florida licensed engineer using standard engineering methods and models.

* * *



Florida Building Code: The family of codes adopted by the Florida Building Commission, including: Florida Building Code, Building; Florida Building Code, Residential; Florida Building Code, Existing Building; Florida Building Code, Mechanical; Florida Building Code, Plumbing; Florida Building Code, Fuel Gas.

* * *

Functionally Dependent Use: (Applicable to Part 51, Chapter 30) A use which cannot perform its intended purpose unless it is located or carried out in close proximity to water, including only docking facilities; port facilities that are necessary for the loading and unloading of cargo or passengers, and ship building and ship repair facilities; the term does not include long-term storage or related manufacturing facilities.

* * *



Highest adjacent grade: The highest natural elevation of the ground surface, prior to construction, next to the proposed walls or foundation of a structure.

* * *

Historic Structure: (Applicable to Part 51, Chapter 30) Any structure that is determined eligible for the exception to the Flood Hazard Area requirements of the Florida Building Code, Existing Building, Chapter 12, Historic Buildings.

* * *

Letter of Map Change (LOMC): (Applicable to Part 51, Chapter 30) An official determination issued by FEMA that amends or revises an effective Flood Insurance Rate Map or Flood Insurance Study. Letters of Map Change include:

(a) **Letter of Map Amendment (LOMA).** An amendment based on technical data showing that a property was incorrectly included in a designated Special Flood Hazard Area. A LOMA amends the current effective Flood Insurance Rate Map and establishes that a specific property, portion of a property, or structure is not located in a Special Flood Hazard Area.

(b) **Letter of Map Revision (LOMR).** A revision based on technical data that may show changes to Flood zones, Flood elevations, Special Flood Hazard Area boundaries and Floodway delineations, and other planimetric features.

(c) **Letter of Map Revision Based on Fill (LOMR-F).** A determination that a structure or parcel of land has been elevated by fill above the Base Flood Elevation and is, therefore, no longer located within the Special Flood Hazard Area. In order to qualify for this determination, the fill must have been permitted and placed in accordance with the community's Floodplain Management Regulations.



(d) Conditional Letter of Map Revision (CLOMR). A formal review and comment as to whether a proposed Flood protection project or other project complies with the minimum NFIP requirements for such projects with respect to delineation of Special Flood Hazard Areas. A CLOMR does not revise the effective Flood Insurance Rate Map or Flood Insurance Study; upon submission and approval of certified as-built documentation, a Letter of Map Revision may be issued by FEMA to revise the effective FIRM.

* * *

Light-Duty Truck: As defined in 40 C.F.R. 86.082-2, any motor vehicle rated at 8,500 pounds Gross Vehicular Weight Rating or less which has a vehicular curb weight of 6,000 pounds or less and which has a basic vehicle frontal area of 45 square feet or less, which is:

(a) Designed primarily for purposes of transportation of property or is a derivation of such a vehicle, or

(b) Designed primarily for transportation of persons and has a capacity of more than twelve (12) persons; or

(c) Available with special features enabling off-street or off-highway operation and use.

* * *

Limited Storage: (Applicable to Part 51, Chapter 30) A storage area of less than three hundred (300) square feet.

* * *

Lowest Floor: (Applicable to Part 51, Chapter 30) The Lowest Floor of the lowest enclosed area of a building or structure, including Basement, but excluding any unfinished or Flood-resistant enclosure, other than a Basement, usable solely for vehicle parking, building



access or Limited Storage provided that such enclosure is not built so as to render the structure in violation of the non-elevation requirements of the Florida Building Code or ASCE 24. [Also defined in Florida Building Code, B, Section 202.]

* * *

Manufactured home: As For general purposes, defined in F.S. § 320.01(2)(b), (1993). As applicable to Part 51, Chapter 30, a structure, transportable in one (1) or more sections, which is eight (8) feet or more in width and greater than four hundred (400) square feet, and which is built on a permanent, integral chassis and is designed for use with or without a permanent foundation when attached to the required utilities. The term "Manufactured Home" does not include a "Recreational Vehicle" or "Park Trailer". [Also defined in 15C-1.0101, Florida Administrative Code]

Manufactured Home Park or Subdivision: (Applicable to Part 51, Chapter 30) A parcel (or contiguous parcels) of land divided into two (2) or more Manufactured Home lots for rent or sale.

* * *

Market Value: As applicable to Chapter 30 Part 51, the term refers to the value of buildings and structures, excluding the land and other improvements on the parcel. Market value is the actual cash value (in-kind replacement cost depreciated for age, wear and tear, neglect, and quality of construction), determined by a qualified independent appraiser, or tax assessment value adjusted to approximate market value by a factor provided by the Property Appraiser.

* * *



New construction: ~~Structures~~ For purposes of administration of Part 51, Chapter 30, and the Flood resistant construction requirements of the Florida Building Code, structures for which the "start of construction" commenced on or after the effective date of Part 51, Chapter 30 May 5, 1981, and includes any subsequent improvements to such structures.

* * *

Park Trailer: (Applicable to Part 51, Chapter 30) A transportable unit which has a body width not exceeding fourteen (14) feet and which is built on a single chassis and is designed to provide seasonal or temporary living quarters when connected to utilities necessary for operation of installed fixtures and appliances. [Defined in Section 320.01, Florida Statutes]

* * *

Recreational vehicles: See For general purposes, see definition of "motor home".

Recreational Vehicle: As applicable to Chapter 30 Part 51, a vehicle, including a Park Trailer, which is: [See Section 320.01 Florida Statutes]

- (a) Built on a single chassis;
- (b) Four hundred (400) square feet or less when measured at the largest horizontal projection;
- (c) Designed to be self-propelled or permanently towable by a Light-Duty Truck;
and
- (d) Designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

* * *

Special Flood Hazard Area: (Applicable to Part 51, Chapter 30) An area in the Floodplain subject to a one percent (1%) or greater chance of Flooding in any given year.



Special Flood Hazard Areas are shown on FIRMs as Zone A, AO, A1—A30, AE, A99, AH, V1—V30, VE or V. [Also defined in Florida Building Code, B, Section 202.]

* * *

Start of construction:—Includes substantial improvement, and means the date the building permit was issued, provided the actual start of construction, repair, reconstruction, or improvement was within 180 days of the permit date. The actual start means the first placement of permanent construction of a structure (including a manufactured home) on a site, such as the pouring of slabs or footings, installation of piles, construction of columns, or any work beyond the stage of excavation or the placement of a manufactured home on a foundation. Permanent construction does not include land preparation, such as clearing, grading and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for a basement, footings, piers or foundations or the erection of temporary forms; nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the main structure. The date of issuance of permits for New Construction and Substantial Improvements, provided the actual Start of Construction, repair, reconstruction, rehabilitation, addition, placement, or other improvement is within 180 days of the date of the issuance. The actual Start of Construction means either the first placement of permanent construction of a building (including a Manufactured Home) on a site, such as the pouring of slab or footings, the installation of piles, or the construction of columns. Permanent construction does not include land preparation (such as clearing, grading, or filling), the installation of streets or walkways, excavation for a Basement, footings, piers, or foundations, the erection of temporary forms or the installation of accessory buildings such as garages or sheds not occupied as dwelling units or not part of the



main buildings. For a Substantial Improvement, the actual "Start of Construction" means the first alteration of any wall, ceiling, floor or other structural part of a building, whether or not that alteration affects the external dimensions of the building. [Also defined in Florida Building Code, B, Section 202.]

* * *

~~**Structure:** (Applicable to Part 51, Chapter 30) Anything constructed, erected, or placed upon the ground (having seventy five (75) percent or more of its total area under roof and seventy five (75) percent or more of its total area enclosed by walls), including, by way of illustration and not of limitation, buildings, cabins, factories, manufactured homes, sheds, and other similar structures; provided, however, that structures having a total building permit value of less than one thousand dollars (\$1,000.00) shall be exempted from this definition.~~

* * *



Substantial Damage: (Applicable to Part 51, Chapter 30) Damage of any origin sustained by a building or structure whereby the cost of restoring the building or structure to its before-damaged condition would equal or exceed fifty percent (50%) of the Market Value of the building or structure before the damage occurred. [Also defined in Florida Building Code, B, Section 202.]

* * *

~~**Substantial improvement:** (Applicable to Part 51, Chapter 30) Any combination of repairs, reconstruction, alteration, or improvements to a structure, taking place during (the life of a structure), in which the cumulative cost equals or exceeds fifty percent of the market value of the structure. The market value of the structure should be (1) the appraised value of the structure prior to the start of the initial repair or improvement, or (2) in the case of damage, the~~



value of the structure prior to the damage occurring. For the purposes of this definition, "substantial improvement" is considered to occur when the first alteration of any wall, ceiling, floor, or other structural part of the building commences, whether or not that alteration affects the external dimensions of the structure. The term does not, however, include any project for improvement of a structure required to comply with existing health, sanitary, or safety code specifications which are solely necessary to assure safe living conditions. Any combination of repair, reconstruction, rehabilitation, addition, or other improvement of a building or structure taking place during a five (5) year period, the cost of which equals or exceeds fifty percent (50%) of the Market Value of the building or structure before the improvement or repair is started. For each building or structure, the five (5) year period begins on the date of the first improvement or repair of that building or structure subsequent to September 28, 2007. If the structure has incurred "Substantial Damage", any repairs are considered Substantial Improvement regardless of the actual repair work performed. The term does not, however, include either: [Also defined in Florida Building Code, B, Section 202.]

(a) Any project for improvement of a building required to correct existing health, sanitary, or safety code violations identified by the building official and that are the minimum necessary to assure safe living conditions.

(b) Any alteration of a Historic Structure provided the alteration will not preclude the structure's continued designation as a Historic Structure.

* * *

Variance: As applicable to Chapter 30 Part 51, a grant of relief from the requirements of this Ordinance, or the Flood resistant construction requirements of the Florida Building



Code, which permits construction in a manner that would not otherwise be permitted by this Ordinance or the Florida Building Code.

* * *

Watercourse: (Applicable to Part 51, Chapter 30) A river, creek, stream, channel or other topographic feature in, on, through, or over which water flows at least periodically.

* * *

Section 5. Part 51 (Floodplain Management Ordinance of Seminole County) of Chapter 30 (Zoning Regulations) of the Land Development Code of Seminole County is hereby amended to read as follows:

PART 51. FLOODPLAIN MANAGEMENT ORDINANCE OF SEMINOLE COUNTY

DIVISION 1. ADMINISTRATION

Sec. 30.961. General.

(a) *Title.* These regulations shall be known as the Floodplain Management Ordinance of Seminole County (hereinafter referred to as “this Ordinance”).

(b) *Scope.* The provisions of this Ordinance shall apply to all Development that is wholly within or partially within any Flood Hazard Area, including but not limited to the subdivision of land; filling; grading, and other site improvements and utility installations; construction, alteration, remodeling, enlargement, improvement, replacement, repair, relocation or demolition of buildings, structures, and facilities that are exempt from the Florida Building Code; placement, installation, or replacement of Manufactured Homes and manufactured buildings; installation or replacement of tanks; placement of Recreational Vehicles; installation of swimming pools; and any other Development.



(c) *Intent.* The purposes of this Ordinance and the Flood load and Flood resistant construction requirements of the Florida Building Code are to establish minimum requirements to safeguard the public health, safety, and general welfare and to minimize public and private losses due to Flooding through regulation of Development in Flood Hazard Areas to:

(1) Minimize unnecessary disruption of commerce, access and public service during times of Flooding;

(2) Require the use of appropriate construction practices in order to prevent or minimize future Flood damage;

(3) Manage filling, grading, dredging, mining, paving, excavation, drilling operations, storage of equipment or materials, and other Development which may increase Flood damage or erosion potential;

(4) Manage the alteration of Flood Hazard Areas, Watercourses, and shorelines to minimize the impact of Development on the natural and beneficial functions of the Floodplain;

(5) Minimize damage to public and private facilities and utilities;

(6) Help maintain a stable tax base by providing for the sound use and Development of Flood Hazard Areas;

(7) Minimize the need for future expenditure of public funds for Flood control projects and response to and recovery from Flood events; and

(8) Meet the requirements of the National Flood Insurance Program for community participation as set forth in the Title 44 Code of Federal Regulations (C.F.R.), Section 59.22.



(d) *Coordination with the Florida Building Code.* This Ordinance is intended to be administered and enforced in conjunction with the Florida Building Code. Where cited, ASCE 24 refers to the edition of the standard that is referenced by the Florida Building Code.

(e) *Warning.* The degree of Flood protection required by this Ordinance and the Florida Building Code, as amended by Seminole County, is considered the minimum reasonable for regulatory purposes and is based on scientific and engineering considerations. Larger Floods can and will occur. Flood heights may be increased by man-made or natural causes. This Ordinance does not imply that land outside of mapped Special Flood Hazard Areas, or that uses permitted within such Flood Hazard Areas, will be free from Flooding or Flood damage. The Flood Hazard Areas and Base Flood Elevations contained in the Flood Insurance Study and shown on Flood Insurance Rate Maps and the requirements of Title 44 C.F.R., Sections 59 and 60, may be revised by the Federal Emergency Management Agency, requiring Seminole County to revise these regulations to remain eligible for participation in the National Flood Insurance Program. No guaranty of vested use, existing use, or future use is implied or expressed by compliance with this Ordinance.

(f) *Disclaimer of Liability.* This Ordinance shall not create liability on the part of the Board of County Commissioners of Seminole County or by any officer or employee thereof for any Flood damage that results from reliance on this Ordinance or any administrative decision lawfully made thereunder.

Sec. 30.962: Applicability.

(a) *General.* Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable.



(b) *Areas to Which this Ordinance Applies.* This Ordinance shall apply to all Flood Hazard Areas established in Section 30.962(c) of this Ordinance.

(c) *Basis for Establishing Flood Hazard Areas.* The Flood Insurance Study for Seminole County, Florida, and Incorporated Areas dated September 28, 2007, and all subsequent amendments and revisions, and the accompanying Flood Insurance Rate Maps (FIRM), and all subsequent amendments and revisions to such maps, are adopted by reference as a part of this Ordinance and shall serve as the minimum basis for establishing Flood Hazard Areas. Studies and maps that establish Flood Hazard Areas are on file at the Seminole County Building Division, 1101 E. 1st Street, Sanford, Florida 32771.

(d) *Submission of Additional Data to Establish Flood Hazard Areas.* To establish Flood Hazard Areas and Base Flood Elevations, pursuant to Section 30.965 of this Ordinance, the Floodplain Administrator may require submission of additional data. Where field surveyed topography prepared by a Florida licensed professional surveyor or digital topography accepted by Seminole County indicates that ground elevations:

(1) Are below the closest applicable Base Flood Elevation, even in areas not delineated as a Special Flood Hazard Area on a FIRM, the area shall be considered as Flood Hazard Area and subject to the requirements of this Ordinance and, as applicable, the requirements of the Florida Building Code.

(2) Are above the closest applicable Base Flood Elevation, the area shall be regulated as Special Flood Hazard Area unless the applicant obtains a Letter of Map Change that removes the area from the Special Flood Hazard Area.

(e) *Other Laws.* The provisions of this Ordinance shall not be deemed to nullify any provisions of local, State or Federal law.



(f) *Abrogation and Greater Restrictions.* This Ordinance supersedes any ordinance in effect for management of Development in Flood Hazard Areas. However, unless specifically mentioned, it is not intended to repeal or abrogate any existing ordinances including, but not limited to, land development regulations, zoning ordinances, stormwater management regulations, or the Florida Building Code. In the event of a conflict between this Ordinance and any other ordinance, the more restrictive shall govern. This Ordinance shall not impair any deed restriction, covenant or easement, but any land that is subject to such interests shall also be governed by this Ordinance.

(g) *Interpretation.* In the interpretation and application of this Ordinance, all provisions shall be:

- (1) Considered as minimum requirements;
- (2) Liberally construed in favor of Seminole County; and
- (3) Deemed neither to limit nor repeal any other powers granted under State statutes.

Sec. 30.963. Duties and powers of the Floodplain Administrator.

(a) *Designation.* The Building Official or his or her designee is designated as the Floodplain Administrator. The Floodplain Administrator may delegate performance of certain duties to other employees.

(b) *General.* The Floodplain Administrator is authorized and directed to administer and enforce the provisions of this Ordinance. The Floodplain Administrator shall have the authority to render interpretations of this Ordinance consistent with the intent and purpose of this Ordinance and may establish policies and procedures in order to clarify the application of its provisions. Such interpretations, policies, and procedures shall not have the effect of



waiving requirements specifically provided in this Ordinance without the granting of a Variance pursuant to Section 30.967 of this Ordinance.

(c) *Applications and Permits.* The Floodplain Administrator, in coordination with other pertinent offices of Seminole County, shall:

- (1) Review applications and plans to determine whether proposed new Development will be located in Flood Hazard Areas;
- (2) Review applications for modification of any existing Development in Flood Hazard Areas for compliance with the requirements of this Ordinance;
- (3) Interpret Flood Hazard Area boundaries where such interpretation is necessary to determine the exact location of boundaries;
- (4) Provide available Flood elevation and Flood hazard information;
- (5) Determine whether additional Flood hazard data shall be obtained from other sources or shall be developed by an applicant;
- (6) Review applications to determine whether proposed Development will be reasonably safe from Flooding;
- (7) Issue Floodplain Development Permits or Approvals for Development other than buildings and structures that are subject to the Florida Building Code, including buildings, structures and facilities exempt from the Florida Building Code, when compliance with this Ordinance is demonstrated, or disapprove the same in the event of noncompliance; and
- (8) Coordinate with and provide comments to the Building Official to assure that applications, plan reviews, and inspections for buildings and structures in Flood Hazard Areas comply with the applicable provisions of this Ordinance.

LDC Floodplain Regulations Ordinance 2022

Page 23 of 66



(d) *Substantial Improvement and Substantial Damage Determinations.* For applications for building permits to improve buildings and structures, including alterations, movement, enlargement, replacement, repair, change of occupancy, additions, rehabilitations, renovations, Substantial Improvements, repairs of Substantial Damage, and any other improvement of or work on such buildings and structures, the Floodplain Administrator, in coordination with the Building Official, shall:

(1) Estimate the Market Value or require the applicant to obtain an appraisal of the Market Value prepared by a qualified independent appraiser of the building or structure before the Start of Construction of the proposed work; in the case of repair, the Market Value of the building or structure shall be the Market Value before the damage occurred and before any repairs are made and any appraisals shall be within one (1) year of the date of permit application;

(2) Compare the cost to perform the improvement, the cost to repair a damaged building to its pre-damaged condition, or the combined costs of improvements and repairs, if applicable, to the Market Value of the building or structure;

(3) Determine and document whether the proposed work constitutes Substantial Improvement or repair of Substantial Damage; the determination requires evaluation of previous permits issued for improvements and repairs as specified in the definition of "Substantial Improvement"; and

(4) Notify the applicant if it is determined that the work constitutes Substantial Improvement or repair of Substantial Damage and that compliance with the Flood resistant construction requirements of the Florida Building Code and this Ordinance is required.



(e) *Modifications of the Strict Application of the Requirements of the Florida Building Code.* The Floodplain Administrator shall review requests submitted to the Building Official that seeks approval to modify the strict application of the Flood load and Flood resistant construction requirements of the Florida Building Code to determine whether such requests require the granting of a Variance pursuant to Section 30.967 of this Ordinance.

(f) *Notices and Orders.* The Floodplain Administrator shall coordinate with appropriate local agencies for the issuance of all necessary notices or orders to ensure compliance with this Ordinance.

(g) *Inspections.* The Floodplain Administrator shall make the required inspections as specified in Section 30.966 of this Ordinance for Development that is not subject to the Florida Building Code, including buildings, structures and facilities exempt from the Florida Building Code. The Floodplain Administrator shall inspect Flood Hazard Areas to determine if Development is undertaken without issuance of a permit.

(h) *Other Duties of the Floodplain Administrator.* The Floodplain Administrator shall have other duties, including but not limited to:

(1) Establish, in coordination with the Building Official, procedures for administering and documenting determinations of Substantial Improvement and Substantial Damage made pursuant to Section 30.963(d) of this Ordinance;

(2) Require that applicants proposing Alteration of a Watercourse notify adjacent communities and the Florida Division of Emergency Management, State Floodplain Management Office, and submit copies of such notifications to the Federal Emergency Management Agency;



(3) Require applicants who submit hydrologic and hydraulic engineering analyses to support permit applications to submit to the Federal Emergency Management Agency the data and information necessary to maintain the Flood Insurance Rate Maps if the analyses propose to change Base Flood Elevations, Flood Hazard Area boundaries, or Floodway designations. Such submissions shall be made within six (6) months of such data becoming available;

(4) Review required design certifications and documentation of elevations specified by this Ordinance and the Florida Building Code to determine that such certifications and documentations are complete; and

(5) Notify the Federal Emergency Management Agency when the corporate boundaries of Seminole County are modified.

(i) *Floodplain Management Records.* Regardless of any limitation on the period required for retention of public records, the Floodplain Administrator shall maintain and permanently keep and make available for public inspection all records that are necessary for the administration of this Ordinance and the Flood resistant construction requirements of the Florida Building Code, including Flood Insurance Rate Maps; Letters of Map Change; records of issuance of permits and denial of permits; determinations of whether proposed work constitutes Substantial Improvement or repair of Substantial Damage; required design certifications and documentation of elevations specified by the Florida Building Code and this Ordinance; notifications to adjacent communities, the Federal Emergency Management Agency, and the State related to alterations of Watercourses; assurances that the Flood carrying capacity of altered Watercourses will be maintained; documentation related to Appeals and Variances, including justification for issuance or denial; and records of enforcement actions



taken pursuant to this Ordinance and the Flood resistant construction requirements of the Florida Building Code. These records shall be available for public inspection at Seminole County Building Division, 1101 E. 1st Street, Sanford, Florida 32771.

Sec. 30.964. Permits.

(a) *Permits Required.* Any owner or owner's authorized agent (hereinafter "applicant") who intends to undertake any Development activity within the scope of this Ordinance, including buildings, structures and facilities exempt from the Florida Building Code, which is wholly within or partially within any Flood Hazard Area shall first make application to the Floodplain Administrator, and the Building Official if applicable, and shall obtain the required permit(s) and approval(s). No such permit or approval shall be issued until compliance with the requirements of this Ordinance and all other applicable codes and regulations have been satisfied.

(b) *Floodplain Development Permits or Approvals.* Floodplain Development Permits or Approvals shall be issued pursuant to this Ordinance for any Development activities not subject to the requirements of the Florida Building Code, including buildings, structures and facilities exempt from the Florida Building Code. Depending on the nature and extent of proposed Development that includes a building or structure, the Floodplain Administrator may determine that a Floodplain Development Permit or Approval is required in addition to a building permit.

(1) Buildings, structures and facilities exempt from the Florida Building Code. Pursuant to the requirements of Federal regulation for participation in the National Flood Insurance Program (44 C.F.R., Sections 59 and 60), Floodplain Development Permits or



Approvals shall be required for the following buildings, structures and facilities that are exempt from the Florida Building Code and any further exemptions provided by law:

- (A) Railroads and ancillary facilities associated with the railroad.
- (B) Nonresidential farm buildings on farms, as provided in Section 604.50, Florida Statutes.
- (C) Temporary buildings or sheds used exclusively for construction purposes.
- (D) Mobile or modular structures used as temporary offices.
- (E) Those structures or facilities of electric utilities, as defined in Section 366.02, Florida Statutes, which are directly involved in the generation, transmission, or distribution of electricity.
- (F) Chickees constructed by the Miccosukee Tribe of Indians of Florida or the Seminole Tribe of Florida. As used in this paragraph, the term "chickee" means an open-sided wooden hut that has a thatched roof of palm or palmetto or other traditional materials, and that does not incorporate any electrical, plumbing, or other non-wood features.
- (G) Family mausoleums not exceeding 250 square feet in area which are prefabricated and assembled on site or preassembled and delivered on site and have walls, roofs, and a floor constructed of granite, marble, or reinforced concrete.
- (H) Temporary housing provided by the Department of Corrections to any prisoner in the State correctional system.
- (I) Structures identified in Section 553.73(10)(k), Florida Statutes, are not exempt from the Florida Building Code if such structures are located in Flood Hazard Areas established on Flood Insurance Rate Maps:



(c) *Application for a Permit or Approval.* To obtain a Floodplain Development Permit or Approval, the applicant shall first file an application in writing on a form furnished by the Floodplain Administrator. The information provided shall:

- (1) Identify and describe the Development to be covered by the permit or approval.
- (2) Describe the land on which the proposed Development is to be conducted by legal description, street address or similar description that will readily identify and definitively locate the site.
- (3) Indicate the use and occupancy for which the proposed Development is intended.
- (4) Be accompanied by a site plan or construction documents as specified in Section 30.965 of this Ordinance.
- (5) State the valuation of the proposed work.
- (6) Be signed by the applicant or the applicant's authorized agent.
- (7) Give such other data and information as required by the Floodplain Administrator.

(d) *Validity of Permit or Approval.* The issuance of a Floodplain Development Permit or Approval pursuant to this Ordinance shall not be construed to be a permit for, or approval of, any violation of this Ordinance, the Florida Building Codes, or any other Seminole County ordinance, regulation or requirement. The issuance of permits based on submitted applications, construction documents, and information shall not prevent the Floodplain Administrator from requiring the correction of errors and omissions.



(e) *Expiration.* A Floodplain Development Permit or Approval shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized is suspended or abandoned for a period of 180 days after the work commences. Extensions for periods of not more than 180 days each shall be requested in writing and justifiable cause shall be demonstrated.

(f) *Suspension or Revocation.* The Floodplain Administrator is authorized to suspend or revoke a Floodplain Development Permit or Approval if the permit was issued in error, on the basis of incorrect, inaccurate or incomplete information, or in violation of this Ordinance or any other Seminole County ordinance, regulation or requirement.

(g) *Other Permits Required.* Floodplain Development Permits and building permits shall include a condition that all other applicable State or Federal permits be obtained before commencement of the permitted Development, including but not limited to the following:

(1) The St. Johns River Water Management District; Section 373.036, Florida Statutes.

(2) Florida Department of Health for onsite sewage treatment and disposal systems; Section 381.0065, Florida Statutes, and Chapter 64E-6, Florida Administrative Code.

(3) Florida Department of Environmental Protection (FDEP) for activities subject to the Joint Coastal Permit; Section 161.055, Florida Statutes.

(4) ~~Florida Department of Environmental Protection~~ FDEP for activities that affect wetlands and alter surface water flows, in conjunction with the U.S. Army Corps of Engineers; Section 404 of the Clean Water Act.

(5) Federal permits and approvals.



Sec. 30.965. Site plans and construction documents.

(a) *Information for Development in Flood Hazard Areas.* The site plan or construction documents for any Development subject to the requirements of this Ordinance shall be drawn to scale and shall include, as applicable to the proposed Development:

(1) Delineation of Flood Hazard Areas; Floodway boundaries and Flood zone(s); Base Flood Elevation(s) (BFE), and ground elevations if necessary for review of the proposed Development. Identification of Flood zone(s), BFE(s), and ground elevations shall be prepared and sealed by a Florida licensed professional surveyor and shall be dated within two (2) years of application.

(2) Where Base Flood Elevations or Floodway data are not included on the FIRM or in the Flood Insurance Study, they shall be established in accordance with Section 30.965(b)(2) or (3) of this Ordinance.

(3) Where the parcel on which the proposed Development will take place will have more than fifty (50) lots or is larger than five (5) acres and the Base Flood Elevations are not included on the FIRM or in the Flood Insurance Study, such elevations shall be established in accordance with Section 30.965(b)(1) of this Ordinance.

(4) Location of the proposed activity and proposed structures, and locations of Existing Buildings and Structures.

(5) Location, extent, amount, and proposed final grades of any filling, grading, or excavation, including excavation identified for the purpose of providing Compensating Storage.

(6) Where the placement of fill is proposed, the amount, type, and source of fill material; compaction specifications; a description of the intended purpose of the fill areas;



and evidence that the proposed fill areas are the minimum necessary to achieve the intended purpose.

(7) Existing and proposed alignment of any proposed Alteration of a Watercourse.

(8) The Floodplain Administrator is authorized to waive the submission of site plans, construction documents, and other data that are required by this Ordinance but that are not required to be prepared by a registered design professional if it is found that the nature of the proposed Development is such that the review of such submissions is not necessary to ascertain compliance with this Ordinance.

(b) *Information in Flood Hazard Areas without Base Flood Elevations (approximate Zone A).* Where Flood Hazard Areas are delineated on the FIRM and Base Flood Elevation data have not been provided, the Floodplain Administrator shall:

(1) Require the applicant to include Base Flood Elevation data prepared in accordance with currently accepted engineering practices.

(2) Obtain, review, and provide to applicants Base Flood Elevation and Floodway data available from a Federal or State agency or other source or require the applicant to obtain and use Base Flood Elevation and Floodway data available from a Federal or State agency or other source.

(3) Where the Base Flood Elevation and Floodway data are not available from another source, where the available data are deemed by the Floodplain Administrator to not reasonably reflect Flooding conditions, or where the available data are known to be scientifically or technically incorrect or otherwise inadequate:



(A) Require the applicant to include Base Flood Elevation data prepared in accordance with currently accepted engineering practices; or

(B) Specify that the Base Flood Elevation is three (3) feet above the Highest Adjacent Grade at the location of the Development, provided there is no evidence indicating Flood depths have been or may be greater than three (3) feet.

(4) Where the Base Flood Elevation data are to be used to support a Letter of Map Change from the Federal Emergency Management Agency, the analyses shall be prepared by a Florida licensed engineer in a format required by the Federal Emergency Management Agency. Submitted requirements and processing fees shall be the responsibility of the applicant.

(c) *Additional Analyses and Certifications.* As applicable to the location and nature of the proposed Development activity, and in addition to the requirements of this Section, the applicant shall have the following analyses signed and sealed by a Florida licensed engineer for submission with the site plan and construction documents:

(1) For Development activities proposed to be located in a regulatory Floodway, a Floodway Encroachment Analysis that demonstrates that the Encroachment of the proposed Development will not cause any increase in Base Flood Elevations; where the applicant proposes to undertake Development activities that do increase Base Flood Elevations, the applicant shall submit such analysis to the Federal Emergency Management Agency as specified in Section 30.965(d) of this Ordinance and shall submit the Conditional Letter of Map Revision, if issued by the Federal Emergency Management Agency, with the site plan and construction documents.



(2) For Development activities proposed to be located in a riverine Flood Hazard Area for which Base Flood Elevations are included in the Flood Insurance Study or on the FIRM and Floodways have not been designated, hydrologic and hydraulic analyses that demonstrate that the cumulative effect of the proposed Development, when combined with all other existing and anticipated Flood Hazard Area Encroachments, will not increase the Base Flood Elevation more than one (1) foot at any point within the community. This requirement does not apply in isolated Flood Hazard Areas not connected to a riverine Flood Hazard Area or in Flood Hazard Areas identified as Zone AO or Zone AH.

(3) For Alteration of a Watercourse, an engineering analysis prepared in accordance with standard engineering practices which demonstrates that the Flood-carrying capacity of the altered or relocated portion of the Watercourse will not be decreased, and certification that the altered Watercourse shall be maintained in a manner which preserves the channel's Flood-carrying capacity; the applicant shall submit the analysis to the Federal Emergency Management Agency as specified in Section 30.965(d) of this Ordinance.

(d) *Submission of Additional Data:* When additional hydrologic, hydraulic or other engineering data, studies, and additional analyses are submitted to support an application, the applicant has the right to seek a Letter of Map Change from the Federal Emergency Management Agency to change the Base Flood Elevations, change Floodway boundaries, or change boundaries of Flood Hazard Areas shown on FIRMs, and to submit such data to the Federal Emergency Management Agency for such purposes. The analyses shall be prepared by a Florida licensed engineer in a format required by the Federal Emergency Management Agency. Submittal requirements and processing fees shall be the responsibility of the applicant.



Sec. 30.966. Inspections.

(a) *General.* Development for which a Floodplain Development Permit or Approval is required shall be subject to inspection.

(1) *Development other than buildings and structures.* The Floodplain Administrator shall inspect all Development to determine compliance with the requirements of this Ordinance and the conditions of issued Floodplain Development Permits or Approvals.

(2) *Buildings, structures and facilities exempt from the Florida Building Code.* The Floodplain Administrator shall inspect buildings, structures and facilities exempt from the Florida Building Code to determine compliance with the requirements of this Ordinance and the conditions of issued Floodplain Development Permits or Approvals.

(A) Buildings, structures and facilities exempt from the Florida Building Code, Lowest Floor inspection. Upon placement of the Lowest Floor, including Basement, and prior to further vertical construction, the owner of a building, structure or facility exempt from the Florida Building Code, or the owner's authorized agent, shall submit to the Floodplain Administrator:

i. If a Design Flood Elevation was used to determine the required elevation of the Lowest Floor, the certification of elevation of the Lowest Floor prepared and sealed by a Florida licensed professional surveyor; or

ii. If the elevation used to determine the required elevation of the Lowest Floor was determined in accordance with Section 30.965(b)(3)(B) of this Ordinance, the documentation of height of the Lowest Floor above Highest Adjacent Grade, prepared by the owner or the owner's authorized agent.



(B) Buildings, structures and facilities exempt from the Florida Building Code, final inspection. As part of the final inspection, the owner or owner's authorized agent shall submit to the Floodplain Administrator a final certification of elevation of the Lowest Floor or final documentation of the height of the Lowest Floor above the Highest Adjacent Grade; such certifications and documentations shall be prepared as specified in Section 30.966(a)(2)(A) of this Ordinance.

(3) *Manufactured Homes.* The Floodplain Administrator shall inspect Manufactured Homes that are installed or replaced in Flood Hazard Areas to determine compliance with the requirements of this Ordinance and the conditions of the issued permit. Upon placement of a Manufactured Home, certification of the elevation of the Lowest Floor shall be submitted to the Floodplain Administrator.

Sec. 30.967. - Variances and appeals.

(a) *General.* The Board of County Commissioners of Seminole County shall hear and decide on requests for Appeals and requests for Variances from the strict application of this Ordinance. Pursuant to Section 553.73(5), Florida Statutes, the Board of County Commissioners shall hear and decide on requests for Appeals and requests for Variances from the strict application of the Flood resistant construction requirements of the Florida Building Code.

(b) *Appeals.* The Board of County Commissioners shall hear and decide Appeals when it is alleged there is an error in any requirement, decision, or determination made by the Floodplain Administrator in the administration and enforcement of this Ordinance. Any person aggrieved by the decision of the Board of County Commissioners may Appeal such decision to the Circuit Court, as provided by Florida Statutes.



(c) *Limitations on Authority to Grant Variances.* The Board of County Commissioners shall base its decisions on Variances on the considerations for issuance in Section 30.967(f) of this Ordinance, the conditions of issuance set forth in Section 30.967(g) of this Ordinance, and the comments and recommendations of the Floodplain Administrator, and the Building Official. The Board of County Commissioners has the right to attach such conditions as it deems necessary to further the purposes and objectives of this Ordinance.

(1) *Restrictions in Floodways.* A Variance shall not be issued for any proposed Development in a Floodway if any increase in Base Flood Elevations would result, as evidenced by the applicable analyses and certifications required in Section 30.965(c) of this Ordinance.

(d) *Historic Buildings.* A Variance is authorized to be issued for the repair, improvement, or rehabilitation of a historic building that is determined eligible for the exception to the Flood resistant construction requirements of the Florida Building Code, Existing Building, Chapter ~~11~~ 12, Historic Buildings, upon a determination that the proposed repair, improvement, or rehabilitation will not preclude the building's continued designation as a historic building and the Variance is the minimum necessary to preserve the historic character and design of the building. If the proposed work precludes the building's continued designation as a historic building, a Variance shall not be granted and the building and any repair, improvement, and rehabilitation shall be subject to the requirements of the Florida Building Code.

(e) *Functionally Dependent Uses.* A Variance is authorized to be issued for the construction or Substantial Improvement necessary for the conduct of a Functionally Dependent Use, as defined in this Ordinance, provided the Variance meets the requirements



of Section 30.967(c)(1), is the minimum necessary considering the Flood hazard, and all due consideration has been given to use of methods and materials that minimize Flood damage during occurrence of the Base Flood.

(f) *Considerations for Issuance of Variances.* In reviewing requests for Variances, the Board of County Commissioners shall consider all technical evaluations, all relevant factors, all other applicable provisions of the Florida Building Code, this Ordinance, and the following:

- (1) The danger that materials and debris may be swept onto other lands resulting in further injury or damage;
- (2) The danger to life and property due to Flooding or erosion damage;
- (3) The susceptibility of the proposed Development, including contents, to Flood damage and the effect of such damage on current and future owners;
- (4) The importance of the services provided by the proposed Development to the community;
- (5) The availability of alternate locations for the proposed Development that are subject to lower risk of Flooding or erosion;
- (6) The compatibility of the proposed Development with existing and anticipated Development.
- (7) The relationship of the proposed Development to the comprehensive plan and Floodplain Management program for the area;
- (8) The safety of access to the property in times of Flooding for ordinary and emergency vehicles;



(9) The expected heights, velocity, duration, rate of rise and debris and sediment transport of the Floodwaters and the effects of wave action, if applicable, expected at the site;

(10) The costs of providing governmental services during and after Flood conditions including maintenance and repair of public utilities and facilities such as sewer, gas, electrical and water systems, streets and bridges.

(g) *Conditions for Issuance of Variances.* Variances shall be issued only upon:

(1) Submission by the applicant, of a showing of good and sufficient cause that the unique characteristics of the size, configuration, or topography of the site limit compliance with any provision of this Ordinance or the required elevation standards;

(2) Determination by the Board of County Commissioners that:

(A) Failure to grant the Variance would result in exceptional hardship due to the physical characteristics of the land that render the lot undevelopable; increased costs to satisfy the requirements or inconvenience do not constitute hardship;

(B) The granting of a Variance will not result in increased Flood heights, additional threats to public safety, extraordinary public expense, nor create nuisances, cause fraud on or victimization of the public or conflict with existing local laws and ordinances; and

(C) The Variance is the minimum necessary, considering the Flood hazard, to afford relief.

(3) Receipt of a signed statement by the applicant that the Variance, if granted, shall be recorded in the Office of the Seminole County Clerk of Courts in such a manner that it appears in the chain of title of the affected parcel of land; and



(4) If the request is for a Variance to allow construction of the Lowest Floor of a new building, or Substantial Improvement of a building, below the required elevation, a copy in the record of a written notice from the Floodplain Administrator to the applicant for the Variance, specifying the difference between the Base Flood Elevation and the proposed elevation of the Lowest Floor, stating that the cost of Federal Flood insurance will be commensurate with the increased risk resulting from the reduced floor elevation (up to amounts as high as twenty-five dollars (\$25.00) for one hundred dollars (\$100.00) of insurance coverage), and stating that construction below the Base Flood Elevation increases risks to life and property.

Sec. 30.968. Violations.

(a) *Violations.* Any Development that is not within the scope of the Florida Building Code but that is regulated by this Ordinance that is performed without an issued permit, that is in conflict with an issued permit, or that does not fully comply with this Ordinance, shall be deemed a violation of this Ordinance. A building or structure without the documentation of elevation of the Lowest Floor, other required design certifications, or other evidence of compliance required by this Ordinance or the Florida Building Code is presumed to be a violation until such time as that documentation is provided.

(b) *Authority.* For Development that is not within the scope of the Florida Building Code but that is regulated by this Ordinance and that is determined to be a violation, the Floodplain Administrator is authorized to serve notices of violation or stop work orders to owners of the property involved, to the owner's agent, or to the person or persons performing the work.



(c) *Unlawful continuance.* Any person who shall continue any work after having been served with a notice of violation or a stop work order, except such work as that person is directed to perform to remove or remedy a violation or unsafe condition, shall, upon adjudication therefor, be fined not more than five hundred dollars (\$500.00), and in addition, shall pay all costs and expenses involved in the case. Each day such violation continues shall be considered a separate offense. Nothing herein contained shall prevent the Floodplain Administrator from taking such other lawful actions as is necessary to prevent or remedy any violation.

DIVISION 2. DEFINITIONS RESERVED

Sec. 30.969. General. Reserved.

(a) *Scope.* ~~Unless otherwise expressly stated, the following words and terms shall, for the purposes of this Ordinance, have the meanings shown in this Section.~~

(b) *Terms defined in the Florida Building Code.* ~~Where terms are not defined in this Ordinance and are defined in the Florida Building Code, such terms shall have the meanings ascribed to them in the Florida Building Code.~~

(c) *Terms not defined.* ~~Where terms are not defined in this Ordinance or the Florida Building Code, such terms shall have ordinarily accepted meanings such as the context implies.~~

Sec. 30.970. Definitions. ~~[The following words, terms and phrases, when used in this part, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning.]~~

~~*Alteration of a Watercourse.* A dam, impoundment, channel relocation, change in channel alignment, channelization, or change in cross-sectional area of the channel or the~~



~~channel capacity, or any other form of modification which may alter, impede, retard or change the direction and/or velocity of the riverine flow of water during conditions of the Base Flood.~~

~~*Appeal.* A request for a review of the Floodplain Administrator's interpretation of any provision of this Ordinance.~~

~~*ASCE 24.* A standard titled Flood Resistant Design and Construction that is referenced by the Florida Building Code. ASCE 24 is developed and published by the American Society of Civil Engineers, Reston, Virginia.~~

~~*Base Flood.* A Flood having a one percent (1%) chance of being equaled or exceeded in any given year. [Also defined in Florida Building Code, B, Section 1612.2.] The Base Flood is commonly referred to as the "100-year Flood" or the "1 percent annual chance Flood".~~

~~*Base Flood Elevation.* The elevation of the Base Flood, including wave height, relative to the National Geodetic Vertical Datum (NGVD), North American Vertical Datum (NAVD) or other datum specified on the Flood Insurance Rate Map (FIRM). [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~*Basement.* The portion of a building having its floor subgrade (below ground level) on all sides. [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~*Critical Facility.* Means any structure or facility that produces, uses or stores highly volatile, flammable, explosive, toxic, and/or water reactive materials; or any hospital nursing home or housing likely to contain occupants who may not be sufficiently mobile to avoid death or injury during a Flood; or any police station, fire station, vehicle and equipment storage facility, or emergency operation center that is needed for Flood response activities before, during and after a Flood.~~



~~Compensating Storage.~~ The excavation within a free flowing, riverine flood hazard area of hydraulically equivalent volume as the proposed volume of fill, for the purpose of balancing the effect of the proposed fill in the Floodplain. The excavated area shall drain freely to the Watercourse and not be below either the (a) normal water line of a pond or other body of water; or (b) the estimated seasonal high water elevation.

~~Design Flood.~~ The Flood associated with the greater of the following two areas: [Also defined in Florida Building Code, B, Section 1612.2.]

- ~~(a) Area with a Floodplain subject to a one percent (1%) or greater chance of Flooding in any year; or~~
- ~~(b) Area designated as a Flood Hazard Area on the community's Flood hazard map, or otherwise legally designated.~~

~~Design Flood Elevation.~~ The elevation of the "Design Flood", including wave height, relative to the datum specified on the community's legally designated Flood hazard map. In areas designated as Zone AO, the Design Flood Elevation shall be the elevation of the highest existing grade of the building's perimeter plus the depth number (in feet) specified on the Flood hazard map. In areas designated as Zone AO where the depth number is not specified on the map, the depth number shall be taken as being equal to two (2) feet. [Also defined in Florida Building Code, B, Section 1612.2.]

~~Development.~~ Any man-made change to improved or unimproved real estate, including but not limited to, buildings or other structures, tanks, temporary structures, temporary or permanent storage of equipment or materials, mining, dredging, filling, grading, paving, excavations, drilling operations or any other land disturbing activities.



~~*Encroachment.* The placement of fill, excavation, buildings, permanent structures or other Development into a Flood Hazard Area which may impede or alter the flow capacity of riverine Flood Hazard Areas.~~

~~*Existing Building and Existing Structure.* Any buildings and structures for which the "Start of Construction" commenced before May 5, 1981. [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~*Existing Manufactured Home Park or Subdivision.* A Manufactured Home Park or Subdivision for which the construction of facilities for servicing the lots on which the Manufactured Homes are to be affixed (including, at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed before May 5, 1981.~~

~~*Expansion to an Existing Manufactured Home Park or Subdivision.* The preparation of additional sites by the construction of facilities for servicing the lots on which the Manufactured Homes are to be affixed (including the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads).~~

~~*Federal Emergency Management Agency (FEMA).* The Federal agency that, in addition to carrying out other functions, administers the National Flood Insurance Program.~~

~~*Flood or Flooding.* A general and temporary condition of partial or complete inundation of normally dry land from: [Also defined in Florida Building Code, B, Section 1612.2.]~~

- ~~(a) The overflow of inland or tidal waters.~~
- ~~(b) The unusual and rapid accumulation or runoff of surface waters from any source.~~



~~*Flood Damage Resistant Materials.* Any construction material capable of withstanding direct and prolonged contact with Floodwaters without sustaining any damage that requires more than cosmetic repair. [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~*Flood Hazard Area.* The greater of the following two areas: [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~(a) The area within a Floodplain subject to a one percent (1%) or greater chance of Flooding in any year.~~

~~(b) The area designated as a Flood Hazard Area on the community's Flood hazard map, or otherwise legally designated.~~

~~*Flood Insurance Rate Map (FIRM).* The official map of the community on which FEMA has delineated both Special Flood Hazard Areas and the risk premium zones applicable to the community. [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~*Flood Insurance Study (FIS).* The official report provided by FEMA that contains the Flood Insurance Rate Map, the Flood Boundary and Floodway Map (if applicable), the water surface elevations of the Base Flood, and supporting technical data. [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~*Floodplain.* Any land area susceptible to being inundated by water from any source (see definition of "Flooding").~~

~~*Floodplain Administrator.* The office or position designated and charged with the administration and enforcement of this Ordinance (may be referred to as the Floodplain Manager).~~

~~*Floodplain Development Permit or Approval.* An official document or certificate issued by the community, or other evidence of approval or concurrence, which authorizes~~



performance of specific Development activities that are located in Flood Hazard Areas and that are determined to be compliant with this Ordinance.

~~*Floodplain Management.* Means the operation of an overall program of corrective and preventative measures for reducing Flood damage and preserving and enhancing, where possible, natural resources in the Floodplain, including but not limited to emergency preparedness plans, Flood control works, floodplain management regulations, and open space plans.~~

~~*Floodplain Management Regulations.* This Part, the Florida Building Code and other zoning ordinances, subdivision regulations, building codes, health regulations, special purpose ordinances (such as Floodplain ordinance, grading ordinance, and erosion control ordinance), and other applications of police power which control Development in Flood prone areas. This term describes Federal, State of Florida, or local regulations or any combination thereof, which provide standards for preventing and reducing Flood loss and damage.~~

~~*Floodway.* The channel of a river or other riverine Watercourse and the adjacent land areas that must be reserved in order to discharge the Base Flood without cumulatively increasing the water surface elevation more than one (1) foot. [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~*Floodway Encroachment Analysis.* An engineering analysis of the impact that a proposed Encroachment into a Floodway is expected to have on the Floodway boundaries and Base Flood Elevations; the evaluation shall be prepared by a qualified Florida licensed engineer using standard engineering methods and models.~~

~~*Florida Building Code.* The family of codes adopted by the Florida Building Commission, including: Florida Building Code, Building; Florida Building Code, Residential;~~



~~Florida Building Code, Existing Building; Florida Building Code, Mechanical; Florida Building Code, Plumbing; Florida Building Code, Fuel Gas.~~

~~*Functionally Dependent Use.* A use which cannot perform its intended purpose unless it is located or carried out in close proximity to water, including only docking facilities, port facilities that are necessary for the loading and unloading of cargo or passengers, and ship building and ship repair facilities; the term does not include long term storage or related manufacturing facilities.~~

~~*Highest Adjacent Grade.* The highest natural elevation of the ground surface prior to construction next to the proposed walls or foundation of a structure.~~

~~*Historic Structure.* Any structure that is determined eligible for the exception to the Flood Hazard Area requirements of the Florida Building Code, Existing Building, Chapter 11, Historic Buildings.~~

~~*Letter of Map Change (LOMC).* An official determination issued by FEMA that amends or revises an effective Flood Insurance Rate Map or Flood Insurance Study. Letters of Map Change include:~~

~~(a) *Letter of Map Amendment (LOMA).* An amendment based on technical data showing that a property was incorrectly included in a designated Special Flood Hazard Area. A LOMA amends the current effective Flood Insurance Rate Map and establishes that a specific property, portion of a property, or structure is not located in a Special Flood Hazard Area.~~

~~(b) *Letter of Map Revision (LOMR).* A revision based on technical data that may show changes to Flood zones, Flood elevations, Special Flood Hazard Area boundaries and Floodway delineations, and other planimetric features.~~



(c) ~~Letter of Map Revision Based on Fill (LOMR F).~~ A determination that a structure or parcel of land has been elevated by fill above the Base Flood Elevation and is, therefore, no longer located within the Special Flood Hazard Area. In order to qualify for this determination, the fill must have been permitted and placed in accordance with the community's Floodplain Management Regulations.

(d) ~~Conditional Letter of Map Revision (CLOMR).~~ A formal review and comment as to whether a proposed Flood protection project or other project complies with the minimum NFIP requirements for such projects with respect to delineation of Special Flood Hazard Areas. A CLOMR does not revise the effective Flood Insurance Rate Map or Flood Insurance Study; upon submission and approval of certified as built documentation, a Letter of Map Revision may be issued by FEMA to revise the effective FIRM.

~~Light Duty Truck.~~ As defined in 40 C.F.R. 86.082-2, any motor vehicle rated at 8,500 pounds Gross Vehicular Weight Rating or less which has a vehicular curb weight of 6,000 pounds or less and which has a basic vehicle frontal area of 45 square feet or less, which is:

(a) ~~Designed primarily for purposes of transportation of property or is a derivation of such a vehicle, or~~

(b) ~~Designed primarily for transportation of persons and has a capacity of more than twelve (12) persons; or~~

(c) ~~Available with special features enabling off street or off highway operation and use.~~

~~Limited Storage.~~ A storage area of less than three hundred (300) square feet.

~~Lowest Floor.~~ The Lowest Floor of the lowest enclosed area of a building or structure, including Basement, but excluding any unfinished or Flood resistant enclosure, other than a



~~Basement, usable solely for vehicle parking, building access or Limited Storage provided that such enclosure is not built so as to render the structure in violation of the non-elevation requirements of the Florida Building Code or ASCE 24. [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~*Manufactured Home.* A structure, transportable in one (1) or more sections, which is eight (8) feet or more in width and greater than four hundred (400) square feet, and which is built on a permanent, integral chassis and is designed for use with or without a permanent foundation when attached to the required utilities. The term "Manufactured Home" does not include a "Recreational Vehicle" or "Park Trailer". [Also defined in 15C 1.0101, Florida Administrative Code]~~

~~*Manufactured Home Park or Subdivision.* A parcel (or contiguous parcels) of land divided into two (2) or more Manufactured Home lots for rent or sale.~~

~~*Market Value.* The price at which a property will change hands between a willing buyer and a willing seller, neither party being under compulsion to buy or sell and both having reasonable knowledge of relevant facts. As used in this Ordinance, the term refers to the Market Value of buildings and structures, excluding the land and other improvements on the parcel. Market Value may be established by a qualified independent appraiser, Actual Cash Value (replacement cost depreciated for age and quality of construction), or tax assessment value adjusted to approximate Market Value by a factor provided by the Property Appraiser.~~

~~*New Construction.* For the purposes of administration of this Ordinance and the Flood resistant construction requirements of the Florida Building Code, structures for which the "Start of Construction" commenced on or after May 5, 1981, and includes any subsequent improvements to such structures.~~



~~New Manufactured Home Park or Subdivision.~~ A Manufactured Home Park or Subdivision for which the construction of facilities for servicing the lots on which the Manufactured Homes are to be affixed (including at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed on or after May 5, 1981.

~~Park Trailer.~~ A transportable unit which has a body width not exceeding fourteen (14) feet and which is built on a single chassis and is designed to provide seasonal or temporary living quarters when connected to utilities necessary for operation of installed fixtures and appliances. [Defined in Section 320.01, Florida Statutes]

~~Recreational Vehicle.~~ A vehicle, including a Park Trailer, which is: [See Section 320.01 Florida Statutes]

- (a) Built on a single chassis;
- (b) Four hundred (400) square feet or less when measured at the largest horizontal projection;
- (c) Designed to be self propelled or permanently towable by a Light Duty Truck; and
- (d) Designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

~~Special Flood Hazard Area.~~ An area in the Floodplain subject to a one percent (1%) or greater chance of Flooding in any given year. Special Flood Hazard Areas are shown on FIRMs as Zone A, AO, A1 A30, AE, A99, AH, V1 V30, VE or V. [Also defined in Florida Building Code, B, Section 1612.2.]



~~Start of Construction.~~ The date of issuance of permits for New Construction and Substantial Improvements, provided the actual Start of Construction, repair, reconstruction, rehabilitation, addition, placement, or other improvement is within 180 days of the date of the issuance. The actual Start of Construction means either the first placement of permanent construction of a building (including a Manufactured Home) on a site, such as the pouring of slab or footings, the installation of piles, or the construction of columns. Permanent construction does not include land preparation (such as clearing, grading, or filling), the installation of streets or walkways, excavation for a Basement, footings, piers, or foundations, the erection of temporary forms or the installation of accessory buildings such as garages or sheds not occupied as dwelling units or not part of the main buildings. For a Substantial Improvement, the actual "Start of Construction" means the first alteration of any wall, ceiling, floor or other structural part of a building, whether or not that alteration affects the external dimensions of the building. [Also defined in Florida Building Code, B, Section 1612.2.]

~~Substantial Damage.~~ Damage of any origin sustained by a building or structure whereby the cost of restoring the building or structure to its before damaged condition would equal or exceed fifty percent (50%) of the Market Value of the building or structure before the damage occurred. [Also defined in Florida Building Code, B, Section 1612.2.]

~~Substantial Improvement.~~ Any combination of repair, reconstruction, rehabilitation, addition, or other improvement of a building or structure taking place during a five (5) year period, the cost of which equals or exceeds fifty percent (50%) of the Market Value of the building or structure before the improvement or repair is started. For each building or structure, the five (5) year period begins on the date of the first improvement or repair of that building or structure subsequent to September 28, 2007. If the structure has incurred "Substantial



~~Damage", any repairs are considered Substantial Improvement regardless of the actual repair work performed. The term does not, however, include either: [Also defined in Florida Building Code, B, Section 1612.2.]~~

~~(a) Any project for improvement of a building required to correct existing health, sanitary, or safety code violations identified by the building official and that are the minimum necessary to assure safe living conditions.~~

~~(b) Any alteration of a Historic Structure provided the alteration will not preclude the structure's continued designation as a Historic Structure.~~

~~Variance. A grant of relief from the requirements of this Ordinance, or the Flood resistant construction requirements of the Florida Building Code, which permits construction in a manner that would not otherwise be permitted by this Ordinance or the Florida Building Code.~~

~~Watercourse. A river, creek, stream, channel or other topographic feature in, on, through, or over which water flows at least periodically.~~

DIVISION 3. FLOOD RESISTANT DEVELOPMENT

Sec. 30.971. Buildings and structures.

~~(a) Design and construction of buildings, structures and facilities exempt from the Florida Building Code. Pursuant to Section 30.964(b)(1) of this Ordinance, buildings, structures, and facilities that are exempt from the Florida Building Code, including Substantial Improvement or repair of Substantial Damage of such buildings, structures and facilities, shall be designed and constructed in accordance with the Flood load and Flood-resistant construction requirements of ASCE 24. Structures exempt from the Florida Building Code that are not~~



walled and roofed buildings shall comply with the requirements of Section 30.971(g) of this Ordinance.

(b) *Subdivisions.*

(1) *Minimum requirements.* Subdivision proposals, including proposals for Manufactured Home Parks and Subdivisions, shall be reviewed to determine that:

(A) Such proposals are consistent with the need to minimize Flood damage and will be reasonably safe from Flooding;

(B) All public utilities and facilities such as sewer, gas, electric, communications, and water systems are located and constructed to minimize or eliminate Flood damage; and

(C) Adequate drainage is provided to reduce exposure to Flood hazards; in Zones AH and AO, adequate drainage paths shall be provided to guide Floodwaters around and away from proposed structures.

(2) *Subdivision plats.* Where any portion of proposed subdivisions, including Manufactured Home Parks and Subdivisions, lies within a Flood Hazard Area, the following shall be required:

(A) Flood Hazard Areas, Floodway boundaries and Flood zones, and Design Flood Elevations, as appropriate, are to be shown on all preliminary and final subdivision plans. Delineation shall be based on current field survey signed and dated by a Florida licensed professional surveyor within two (2) years of submittal to County;

(B) Where the subdivision has more than fifty (50) lots or is larger than five (5) acres and Base Flood Elevations are not included on the FIRM, the Base Flood Elevations determined in accordance with Section 30.965(b)(1) of this Ordinance; and



(C) Compliance with the site improvement and utilities requirements of Section 30.971(c) of this Ordinance.

(c) *Site Improvements, Utilities and Limitations.*

(1) *Minimum requirements.* All proposed new Development shall be reviewed to determine that:

(A) Such proposals are consistent with the need to minimize Flood damage and will be reasonably safe from Flooding;

(B) All public utilities and facilities such as sewer, gas, electric, communications, and water systems are located and constructed to minimize or eliminate Flood damage; and

(C) Adequate drainage is provided to reduce exposure to Flood hazards in Zones AH and AO. Adequate drainage paths shall be provided to guide Floodwaters around and away from proposed structures.

(2) *Sanitary sewage facilities.* All new and replacement sanitary sewage facilities, private sewage treatment plants (including all pumping stations and collector systems), and on-site waste disposal systems shall be located and designed in accordance with the standards for onsite sewage treatment and disposal systems in Chapter 64E-6, Florida Administrative Code, and ASCE 24 Chapter 7, to minimize or eliminate infiltration of Flood waters into the facilities and discharge from the facilities into Flood waters, and impairment of the facilities and systems.

(3) *Water supply facilities.* All new and replacement water supply facilities shall be designed in accordance with the water well construction standards in Chapter 62-



532.500; Florida Administrative Code, and ASCE 24 Chapter 7, to minimize or eliminate infiltration of Floodwaters into the systems.

(4) *Limitations on sites in regulatory floodways.* No Development, including but not limited to site improvements, and land disturbing activity involving fill or regrading, shall be authorized in the regulatory Floodway unless the Floodway Encroachment Analysis required in Section 30.965(c)(1) of this Ordinance demonstrates that the proposed Development or land disturbing activity will not result in any increase in the Base Flood Elevation.

(5) *Limitations on placement of fill.* Subject to the limitations of this Ordinance, fill shall be the minimum necessary and shall be designed to be stable under conditions of Flooding including rapid rise and rapid drawdown of Floodwaters, prolonged inundation, and protection against Flood-related erosion and scour. In addition to these requirements, if intended to support buildings and structures (Zone A and Zone AE only), fill shall comply with the requirements of the Florida Building Code. Compensating Storage shall be provided for any fill placed within the Special Flood Hazard Area.

(d) *Manufactured Homes.*

(1) *General.* All Manufactured Homes installed in Flood Hazard Areas shall be installed by an installer that is licensed pursuant to Section 320.8249, Florida Statutes, and shall comply with the requirements of Chapter 15C-1, Florida Administrative Code, and the requirements of this Ordinance.

(2) *Foundations.* All new Manufactured Homes and replacement Manufactured Homes installed in Flood Hazard Areas shall be installed on permanent, reinforced foundations that are designed in accordance with the foundation requirements of the



Florida Building Code, Residential Section R322.2, and this Ordinance. ~~Foundations for Manufactured Homes subject to Section 304.4.2 are permitted to be reinforced piers or other foundation elements of at least equivalent strength.~~

(3) *Anchoring.* All new Manufactured Homes and replacement Manufactured Homes shall be installed using methods and practices which minimize Flood damage and shall be securely anchored to an adequately anchored foundation system to resist flotation, collapse or lateral movement. Methods of anchoring include, but are not limited to, use of over-the-top or frame ties to ground anchors. This anchoring requirement is in addition to applicable State and local anchoring requirements for wind resistance.

(4) *Elevation.* ~~Manufactured Homes that are placed, replaced, or substantially improved shall comply with Section 30.971(d)(4)(A) or 30.971(d)(4)(B) of this Ordinance, as applicable.~~ All manufactured homes that are placed, replaced, or substantially improved in flood hazard areas shall be elevated such that the top of the foundation is at or above the higher of:

(A) ~~General elevation requirement.~~ ~~Unless subject to the requirements of Section 30.971(d)(4)(B) of this Ordinance, all Manufactured Homes that are placed, replaced, or substantially improved on sites located: (a) outside of a Manufactured Home Park or Subdivision; (b) in a New Manufactured Home Park or Subdivision; (c) in an Expansion to an Existing Manufactured Home Park or Subdivision; or (d) in an Existing Manufactured Home Park or Subdivision upon which a Manufactured Home has incurred "Substantial Damage" as the result of a Flood, shall be elevated such that the bottom of the frame is elevated on a permanent foundation to not less than one (1) foot (twelve (12) inches) above the Base Flood Elevation. Thirty-six (36) above the highest adjacent grade; or~~



(B) ~~Elevation requirement for certain Existing Manufactured Home Parks and Subdivisions. Manufactured Homes that are not subject to Section 30.971(d)(4)(A) of this Ordinance, including Manufactured Homes that are placed, replaced, or substantially improved on sites located in an Existing Manufactured Home Park or Subdivision, unless on a site where Substantial Damage as result of Flooding has occurred, shall be elevated such that either the:~~ The elevation required, as applicable to the flood hazard area, in the Florida Building Code, Residential Section R322.2 (Zone A) or Section R322.3 (Zone V and Coastal A Zone).

i. ~~Bottom of the frame of the Manufactured Home is elevated to no lower than one (1) foot (twelve (12) inches) above the Base Flood; or~~

ii. ~~Bottom of the frame is supported by reinforced piers or other foundation elements of at least equivalent strength that are not less than 48 (twelve (12) inch freeboard) inches in height above grade.~~

(5) *Enclosures.* Enclosed areas below elevated Manufactured Homes shall comply with the requirements of the Florida Building Code, Residential Section R322, for such enclosed areas.

(6) *Utility equipment.* Utility equipment that serves Manufactured Homes, including electric, heating, ventilation, plumbing, and air conditioning equipment and other service facilities, shall comply with the requirements of the Florida Building Code, Residential Section R322.

(e) *Recreational Vehicles and Park Trailers.*

(1) *Temporary placement.* Recreational Vehicles and Park Trailers placed temporarily in Flood Hazard Areas shall:



(A) Be on the site for fewer than 180 consecutive days; or

(B) Be fully licensed and ready for highway use, which means the Recreational Vehicle or park model is on wheels or jacking system, is attached to the site only by quick-disconnect type utilities and security devices, and has no permanent attachments such as additions, rooms, stairs, decks and porches or

(2) *Permanent placement.* Recreational Vehicles and Park Trailers that do not meet the limitations in Section 30.971(e)(1) of this Ordinance for temporary placement shall meet the requirements of Section 30.971(d) of this Ordinance for Manufactured Homes.

(f) *Tanks.*

(1) *Underground tanks.* Underground tanks in Flood Hazard Areas shall be anchored to prevent flotation, collapse or lateral movement resulting from hydrodynamic and hydrostatic loads during conditions of the Design Flood, including the effects of buoyancy assuming the tank is empty.

(2) *Above-ground tanks, not elevated.* Above-ground tanks that do not meet the elevation requirements of Section 30.971(f)(3) of this Ordinance shall be permitted in Flood Hazard Areas provided the tanks are anchored or otherwise designed and constructed to prevent flotation, collapse or lateral movement resulting from hydrodynamic and hydrostatic loads during conditions of the Design Flood, including the effects of buoyancy assuming the tank is empty and the effects of Flood-borne debris.

(3) *Above-ground tanks, elevated.* Above-ground tanks in Flood Hazard Areas shall be attached to and elevated to or above the Design Flood Elevation on a supporting structure that is designed to prevent flotation, collapse or lateral movement during conditions



of the Design Flood. Tank-supporting structures shall meet the foundation requirements of the applicable Flood Hazard Area.

(4) *Tank inlets and vents.* Tank inlets, fill openings, outlets and vents shall be:

(A) At or above the Design Flood Elevation or fitted with covers designed to prevent the inflow of Floodwater or outflow of the contents of the tanks during conditions of the Design Flood; and

(B) Anchored to prevent lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy, during conditions of the Design Flood.

(g) *Other Development.*

(1) *General requirements for other development.* All Development, including man-made changes to improved or unimproved real estate for which specific provisions are not specified in this ordinance or the Florida Building Code, shall:

(A) Be located and constructed to minimize Flood damage;

(B) Meet the limitations of Section 30.971(c)(4) of this Ordinance if located in a regulated Floodway;

(C) Be anchored to prevent flotation, collapse or lateral movement resulting from hydrostatic loads, including the effects of buoyancy, during conditions of the Design Flood;

(D) Be constructed of Flood Damage-Resistant Materials; and

(E) Have mechanical, plumbing, and electrical systems elevated to a minimum of one (1) foot (twelve (12) inches) above the Base Flood Elevation, except that



minimum electric service required to address life safety and electric code requirements is permitted below the Design Flood Elevation provided it conforms to the provisions of the electrical part of building code for wet locations.

(2) *Fences in regulated floodways.* Fences in regulated Floodways that have the potential to block the passage of Floodwaters, such as stockade fences and wire mesh fences, shall meet the limitations of Section 30.971(c)(4) of this Ordinance.

(3) *Retaining walls, sidewalks and driveways in regulated Floodways.* Retaining walls and sidewalks and driveways that involve the placement of fill in regulated Floodways shall meet the limitations of Section 30.971(c)(4) of this Ordinance.

(4) *Roads and watercourse crossings in regulated floodways.* Roads and Watercourse crossings, including roads, bridges, culverts, low-water crossings and similar means for vehicles or pedestrians to travel from one side of a Watercourse to the other side, that encroach into regulated Floodways shall meet the limitations of Section 30.971(c)(4) of this Ordinance. Alteration of a Watercourse that is part of a road or Watercourse crossing shall meet the requirements of Section 30.965(c)(3) of this Ordinance.

(h) *Critical facilities.*

(1) Construction of new critical facilities shall be located outside the limits of the Special Flood Hazard Area and outside of the 500-year Floodplain.

(2) Construction of new critical facilities shall be permissible within the Special Flood Hazard Area or within the 500-year Floodplain if no feasible alternative site is available.



(3) Substantial Improvement of existing critical facilities and new critical facilities, if permitted, shall be elevated or protected to or above the Base Flood Elevation plus three (3) feet or the 500-year (0.2 percent chance) Flood elevation, whichever is higher.

(4) Flood proofing and sealing measures must be implemented to ensure that toxic substances will not be displaced by or released into Floodwaters.

(5) Access routes elevated to or above the Base Flood Elevation shall be provided to all critical facilities to the maximum extent possible.

(6) Critical facilities shall be designed to remain operable during such an event.

(i) Non-elevated accessory structures. Accessory structures are permitted below elevations required by the Florida Building Code provided the accessory structures are used only for parking or storage and:



(1) If located in special flood hazard areas (Zone A/AE) other than coastal high hazard areas, are one-story and not larger than 600 sq. ft. and have flood openings in accordance with Section R322.2 of the Florida Building Code, Residential.

(2) Are anchored to resist flotation, collapse or lateral movement resulting from flood loads.

(3) Have flood damage-resistant materials used below the base flood elevation plus one (1) foot.

(4) Have mechanical, plumbing and electrical systems, including plumbing fixtures, elevated to or above the base flood elevation plus one (1) foot.

[Sec. 30.972. ~~Administrative~~ Technical amendments.]



(a) ~~The Florida Building Code, Building, is hereby amended by the following administrative amendments to the Florida Building Code, Building:~~

~~Sec. 104.10.1, Florida Building Code, Building~~

~~Add a new Sec. 104.10.1 as follows:~~

~~**104.10.1 Modifications of the strict application of the requirements of the Florida Building Code.** The Building Official shall coordinate with the Floodplain Administrator to review requests submitted to the Building Official that seek approval to modify the strict application of the flood resistant construction requirements of the Florida Building Code to determine whether such requests require the granting of a Variance pursuant to Section 117.~~

~~Sec. 107.6.1, Florida Building Code, Building~~

~~Add a new Sec. 107.6.1 as follows:~~

~~**107.6.1 Building permits issued on the basis of an affidavit.** Pursuant to the requirements of Federal regulation for participation in the National Flood Insurance Program (44 C.F.R., Sections 59 and 60), the authority granted to the Building Official to issue permits, to rely on inspections, and to accept plans and construction documents on the basis of affidavits and plans submitted pursuant to Section 105.14 and Section 107.6, shall not extend to the Flood load and Flood resistance construction requirements of the Florida Building Code.~~

~~Sec. 117, Florida Building Code, Building~~

~~Add a new Sec. 117 as follows:~~

~~**117 VARIANCES IN FLOOD HAZARD AREAS**~~

~~**117.1 Flood hazard areas.** Pursuant to Section 553.73(5), Florida Statutes, the Variance procedures adopted in the local Floodplain Management Ordinance shall apply to requests submitted to the Building Official for Variances to the provisions of Section 1612.4 of~~



~~the Florida Building Code, Building, or, as applicable, the provisions of R322 of the Florida Building Code, Residential. This Section shall not apply to Section 3109 of the Florida Building Code, Building.~~

~~(b)-(a)~~ The Florida Building Code, Building, is hereby amended by the following technical amendments to the Florida Building Code, Building:

~~Sec. 1612.2~~ 202, Florida Building Code, Building

Modify a definition as follows:

SUBSTANTIAL IMPROVEMENT. Any combination of repair, reconstruction, rehabilitation, addition or improvement of a building or structure taking place during a five (5) year period, the cumulative cost of which equals or exceeds fifty percent (50%) of the market value of the structure before the improvement or repair is started. For each building or structure, the five (5) year period begins on the date of the first improvement or repair of that building or structure subsequent to September 28, 2007. If the structure has sustained substantial damage, any repairs are considered substantial improvement regardless of the actual repair work performed. The term does not, however, include either:

1. Any project for improvement of a building required to correct existing health, sanitary or safety code violations identified by the building official and that are the minimum necessary to assure safe living conditions.
2. Any alteration of a historic structure provided that the alteration will not preclude the structure's continued designation as a historic structure.

~~[Sec. 30.973. Technical amendments.]~~

~~(a) The Florida Building Code, Residential, is hereby amended by the following technical amendments to the Florida Building Code, Residential:~~



Sec. 322.2.1, Florida Building Code, Residential

Modify Sec. R322.2.1 as follows:

R322.2.1 Elevation requirements.

1. ~~Buildings and structures in flood hazard areas not designated as Coastal A Zones shall have the lowest floors elevated to or above the base flood elevation plus one (1) foot or the design flood elevation, whichever is higher.~~
2. ~~Buildings and structures in flood hazard areas designated as Coastal A Zones shall have the lowest floors elevated to or above the base flood elevation plus 1 foot, or to the design flood elevation, whichever is higher.~~
3. ~~In areas of shallow flooding (AO Zones), buildings and structures shall have the lowest floor (including basement) elevated at least as high above the highest adjacent grade as the depth number specified in feet on the FIRM, plus one (1) foot, or at least three (3) feet if a depth number is not specified.~~
4. ~~Basement floors that are below grade on all sides shall be elevated to or above the base flood elevation plus one (1) foot or the design flood elevation, whichever is higher.~~

~~**Exception:** Enclosed areas below the design flood elevation, including basements whose floors are not below grade on all sides, shall meet the requirements of Section R322.2.2.~~

(a)(b) The Florida Building Code, Existing Building, is hereby amended by the following technical amendment:

Sec. 202, Florida Building Code, Existing Building

Modify a definition as follows:

SUBSTANTIAL IMPROVEMENT. Any combination of repair, reconstruction, rehabilitation, addition or improvement of a building or structure taking place during a five (5)



year period, the cumulative cost of which equals or exceeds fifty percent (50%) of the market value of the structure before the improvement or repair is started. For each building or structure, the five (5) year period begins on the date of the first improvement or repair of that building or structure subsequent to September 28, 2007. If the structure has sustained substantial damage, any repairs are considered substantial improvement regardless of the actual repair work performed. The term does not, however, include either:

1. Any project for improvement of a building required to correct existing health, sanitary or safety code violations identified by the building official and that are the minimum necessary to assure safe living conditions.
2. Any alteration of a historic structure provided that the alteration will not preclude the structure's continued designation as a historic structure.

~~Secs. 30.974 30.973—30.980. Reserved.~~

Section 6. Conflicts. This Ordinance shall control over any County ordinances or parts of ordinances in conflict herewith.

Section 7. Codification. It is the intention of the Board of County Commissioners that the provisions of this Ordinance will become and be made a part of the Land Development Code of Seminole County, and that the word "ordinance" may be changed to "section", "article", or other appropriate word or phrase and the sections of this Ordinance may be renumbered or re-lettered to accomplish such intention; providing, however, that Sections 6, 7, 8 and 9 of this Ordinance shall not be codified.

Section 8. Severability. If any provision of this Ordinance or the application thereof to any person or circumstance is held invalid, it is the intent of the Board of County Commissioners that such invalidity will not affect other provisions or applications of this Ordinance which can




be given effect without the invalid provision or application and, to this end, the provisions of this Ordinance are declared severable.

Section 9. Effective date. This Ordinance will take effect upon filing a copy of this Ordinance with the Department of State by the Clerk to the Board of County Commissioners.

BE IT ORDAINED by the Board of County Commissioners of Seminole County, this 13 day of September, 2022.

ATTEST:


GRANT MALOY
Clerk to the Board of
County Commissioners of
Seminole County, Florida

BOARD OF COUNTY COMMISSIONERS
SEMINOLE COUNTY, FLORIDA


BOB DALLARI, Chairman

DWM/sjs
9/21/22

T:\CAO Protected\Misc\Master Docs\SJS Ordinances\2022\LDC Floodplain Regulations Ordinance Jun09(22).docx





FLORIDA DEPARTMENT of STATE

RON DESANTIS
Governor

CORD BYRD
Secretary of State

October 4, 2022

Honorable Grant Maloy
Clerk of the Circuit Court
Seminole County
County Commission Records
1101 E. First Street, Room 2204
Sanford, Florida 32771

Attention: Chariti Guevara

Dear Honorable Grant Maloy:

Pursuant to the provisions of Section 125.66, Florida Statutes, this will acknowledge receipt of your electronic copy of Seminole County Ordinance No. 2022-32, which was filed in this office on October 4, 2022.

Sincerely,

Anya Owens
Program Administrator

ACO/wlh

R. A. Gray Building • 500 South Bronough Street • Tallahassee, Florida 32399-0250
Telephone: (850) 245-6270

Certified Copy - Grant Maloy
Clerk of the Circuit Court and Comptroller
Seminole County, Florida



Seminole County Clerk of the Circuit Court and Comptroller
eCertified at 10/05/2022 09:36:07 -04:00
eCertified Id: 1BBC-A6J2-B13E
Page 67 of 67