

**ORDINANCE ENLARGING, EXTENDING AND DEFINING
THE CORPORATE LIMITS AND BOUNDARIES OF THE
CITY OF COLUMBUS, LOWNDES COUNTY, MISSISSIPPI, TO
INCLUDE CERTAIN LANDS SITUATED IN LOWNDES COUNTY, MISSISSIPPI**

BE IT ORDAINED BY THE MAYOR AND CITY COUNCIL OF THE CITY OF COLUMBUS, MISSISSIPPI:

SECTION 1. It is hereby found and determined, public convenience and necessity requiring the same, that the corporate boundaries and limits of the City of Columbus, Lowndes County, Mississippi, should be and the same are hereby extended and enlarged so as to embrace adjacent unincorporated lands and territory in Lowndes County, Mississippi:

COLUMBUS ANNEXATION 2011 AREA

Area 1.

Commencing at the Southwest corner of the Southeast Quarter of Section 28, Township 17 South, Range 18 West, for a POINT OF BEGINNING of the herein described area; thence North 02 degrees 44 minutes West, along the West line of the Southeast Quarter of said Section 28, a distance of 1,439.22 feet, more or less, to the Southeast corner of Woodland Heights Subdivision as recorded in Plat Book 2 at Page 59, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence continue North 02 degrees 44 minutes West, along the West line of the Southeast Quarter of said Section 28, a distance of 229.91 feet, more or less, to the Northwest corner of a lot as recorded in Deed Book 1342 at page 599, on file in the Chancery Clerk's Office, Lowndes County, Mississippi; thence South 84 degrees 20 minutes East, along the North line of said lot and the North line of a lot as recorded in Deed Book 371 at page 38, on file in the Chancery Clerk's Office, Lowndes County, Mississippi; a distance of 423.49 feet, more or less, to the Northeast corner of said lot described in Deed Book 371 at page 38; thence South, along the East line of said lot, a distance of 47.45 feet to a point; thence South 16 degrees 35 minutes East (deed call – South 16 degrees 00 minutes East), along the East line of said lot and an extension thereof, a distance of 226.60 feet, more or less, to the Northeast corner of Heather Hills Subdivision Phase II as recorded in Plat Book 5 at Page 30, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence along the West line of said Heather Hills Subdivision as follows: South 16 degrees 35 minutes 13 seconds East a distance of 236.88 feet to a point, South 01 degree 24 minutes 09 seconds West a distance of 470.05 feet to a point, South 36 degrees 35 minutes 09 seconds East a distance of 200.02 feet to a point, South 21 degrees 35 minutes 15 seconds East a distance of 521.75 feet to a point and South 09 degrees 54 minutes 21 seconds East a distance of 35.18 feet, more or less, to the South line of the Southeast Quarter of said Section 28; thence North 88 degrees 47 minutes West, along the South line of the Southeast Quarter of said Section 28 a distance of 780.02 feet, more or less, to the POINT OF BEGINNING of the herein described area, containing 21.18 acres, more or less.

Area 2 North.

Commencing at the Southeast corner of Section 1, Township 18 South, Range 18 West, Lowndes County, Mississippi, for the POINT OF BEGINNING of the herein described area; thence South 88 degrees 52 minutes 06 seconds West, along the South line of said Section 1,

for a distance of 1,320.0 feet, more or less, to the Southwest corner of the East Half of the East Half of said Section 1, thence North 02 degrees 10 minutes 18 seconds West, along the West line of the East Half of the East Half of said Section 1, a distance of 3,960.09 feet, more or less, to the Southwest corner of the Northeast Quarter of the Northeast Quarter of said Section 1, thence North 88 degrees 17 minutes 37 seconds East, along the South line of the Northeast Quarter of the Northeast Quarter of said Section 1, a distance of 1,321.32 feet, more or less, to the existing West right-of-way of Mississippi State Highway 12, thence along the existing said West right-of-way as follows: North 02 degrees 09 minutes 00 seconds West a distance of 296.41 feet to a point, North 86 degrees 56 minutes 41 seconds East a distance of 73.20 feet to a point, along a curve to the right having a radius of 3,819.72 feet, a chord of North 16 degrees 17 minutes 11 seconds East for 491.77 feet and an arc length of 492.11 feet to a point, North 21 degrees 11 minutes 22 seconds East a distance of 398.79 feet to a point and North 51 degrees 51 minutes 00 seconds West a distance of 134.00 feet to a point on the existing South right-of-way of Hobbs-Sheffield Road, thence North 01 degree 45 minutes 00 seconds East a distance of 100.00 feet to the existing North right-of-way of Hobbs-Sheffield Road, thence South 88 degrees 15 minutes 00 seconds East a distance of 500.00 feet to a point on the existing North right-of-way of Hobbs-Sheffield Road and the East right-of-way of Highway 12, thence along the existing North right-of-way of Hobbs-Sheffield Road as follows: South 88 degrees 53 minutes 06 seconds East a distance of 248.12 feet to a point and South 87 degrees 40 minutes 49 seconds East a distance of 147.42 feet to a point, thence leaving said existing North right-of-way of Hobbs-Sheffield Road South 83 degrees 43 minutes 05 seconds East a distance of 409.56 feet, more or less, to the North line of Section 6, Township 18 South, Range 17 West, Lowndes County, Mississippi, thence South 88 degrees 09 minutes 05 seconds East, along the North line of said Section 6, a distance of 2,481.97 feet, more or less, to the East right-of-way line of a transmission line owned by the United States of America as recorded in Deed Book 303 pages 370-373 in the Chancery Clerk's Office of Lowndes County, Mississippi, said point being 75 feet East of and perpendicular to the centerline of said transmission line right-of-way, thence along the East right-of-way line of said transmission line and being 75 feet East of and parallel to said centerline as follows: South 13 degrees 58 minutes West a distance of 4,325.15 feet to a point, thence South 00 degrees 21 minutes West a distance of 3,632.86 feet to a point, thence South 11 degrees 02 minutes West a distance of 1,323.61 feet to a point, thence South 13 degrees 19 minutes West a distance of 1,442.68 feet, more or less, to the North line of Section 18, Township 18 South, Range 17 West, Lowndes County, Mississippi, said line also being further described as the North line of Byars Subdivision as recorded in Plat Book 2 at page 60, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence North 87 degrees 15 minutes West (plat call – South 87 degrees 30 minutes West), along the North line of said subdivision to the Northwest corner of said subdivision, thence North 87 degrees 15 minutes West a distance of 640.37 feet, more or less, to the Northeast corner of a tract of land recorded in Deed Book 962 page 251, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence South 00 degrees 45 minutes West, parallel with the West line of said Section 18, a distance of 210.00 feet to a point, thence North 87 degrees 15 minutes West, parallel with the North line of said Section 18, a distance of 299.05 feet to a point, thence South 01 degree 30 minutes West a distance of 393.91 feet, more or less, to the Northwest corner of Lot 1 of Ward Subdivision as recorded in Plat Book 2 page 92, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence South 01 degree 30 minutes West, along the West lines of Lot 1 and Lot 62 of said Ward Subdivision, a distance of 400 feet to the Southwest Corner of said Lot 62, thence South 01 degree 30 minutes West a distance of 60 feet to a point on the North line of Lot 72 of said Ward Subdivision, thence South 87 degrees 15 minutes East, along the North lines of Lot

72 and Lot 73 of said Ward Subdivision, a distance of 169.18 feet, more or less, to the Northeast corner of Lot 73 of said Ward Subdivision, thence South 01 degree 30 minutes West, along the East line of Lot 73 of said Ward Subdivision, a distance of 256 feet, more or less, to the South line of said Ward Subdivision, thence South 87 degrees 15 minutes East, along the South line of said Ward Subdivision, a distance of 232.69 feet, more or less, to the Northern most corner of Tract 1 as recorded in Instrument No. 20027086, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence South 02 degrees 25 minutes 32 seconds West (deed call – South 00 degrees 51 minutes 45 seconds West), along the boundary line of said Tract 1, a distance of 253.10 feet, thence North 87 degrees 15 minutes West (deed call – North 88 degrees 48 minutes 47 seconds West), along the boundary line of said Tract 1, a distance of 630.14 feet, thence South 00 degrees 27 minutes West a distance of 406.87 feet, more or less, to a point on the North line of a tract of land recorded in Deed Book 606 page 152, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence along the boundary lines of said tract as follows: South 87 degrees 15 minutes East (deed call – South 87 degrees 23 minutes East) a distance of 241.57 feet, more or less, to the Northeast corner of said tract, thence South 00 degrees 14 minutes West a distance of 140.0 feet to a point, thence North 87 degrees 23 minutes West a distance of 52.4 feet to a point, along a curve to the left having a radius of 201.03 feet, a chord of South 78 degrees 01 minute West for 101.35 feet and an arc length of 102.45 feet to a point, thence South 63 degrees 25 minutes West a distance of 50.0 feet, along a curve to the right having a radius of 159.69 feet, a chord of South 78 degrees 01 minute West for 80.50 feet and an arc length of 81.38 feet to a point and thence North 87 degrees 23 minutes West a distance of 173.4 feet, more or less, to a point on the East right-of-way line of Lehmberg Road, thence along the East right-of-way of Lehmberg Road as follows: North 00 degrees 35 minutes 49 seconds West a distance of 848.79 feet to a point, North 01 degree 42 minutes West a distance of 1,347.0 feet to a point, being approximately 45 feet East of the Southeast corner of Section 12, Township 18 South, Range 18 West, Lowndes County, Mississippi, thence North a distance of 5,280 feet, more or less, to the Northeast corner of said Section 12, said point begin further described as the Southeast corner of Section 1, Township 18 South, Range 18 West, Lowndes County, Mississippi, and being the POINT OF BEGINNING of the herein described area and containing 872.24 acres, more or less.

Area 2 South.

Commencing at the Northeast corner of the West Half of the Northwest Quarter of the Northeast Quarter of Section 24, Township 18 South, Range 18 West, Lowndes County, Mississippi, said corner being the Northeast corner of The Downs subdivision as recorded in Plat Book 2 at page 61, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, for a POINT OF BEGINNING of the herein described area; thence North 88 degrees 55 minutes East, along the North line of said Section 24, a distance of 581.0 feet to a point, thence South 87 degrees 52 minutes East a distance of 366.0 feet to a point, thence South 89 degrees 40 minutes East a distance of 510.0 feet to a point, thence North 43 degrees 16 minutes East a distance of 737.0 feet to a point, thence North 32 degrees 02 minutes East a distance of 89.0 feet, more or less, to the existing East right-of-way of Lehmberg Road, thence North 01 degree 40 minutes West, along the existing East right-of-way of Lehmberg Road, a distance of 2,201.21 feet, more or less, to the Northwest corner of a parcel of land as recorded in Instrument No. 20055829, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence South 87 degrees 20 minutes East, along the North line of said parcel and being parallel with the South line of the Southwest Quarter of the Northwest Quarter of Section 18, Township 18 South, Range 17 West, Lowndes County, Mississippi, a distance of 245 feet, more or less, to the Northeast corner of

said parcel, thence South 01 degree 40 minutes East, along the East line of said parcel (being parallel with the West line of the Southwest Quarter of the Northwest Quarter of said Section 18) and an extension thereof, a distance of 192 feet, more or less, to the North line of the Southwest Quarter of said Section 18, thence South 87 degrees 20 minutes East, along the North line of the Southwest Quarter of said Section 18, a distance of 1,402.42 feet to a point, thence South 02 degrees 40 minutes West a distance of 300.12 feet to a point, thence North 87 degrees 20 minutes West a distance of 271.78 feet, more or less, to the East line of Diamond Estates Subdivision as recorded in Plat Book 3 page 48, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence South 02 degrees 40 minutes West, along the East line of said Diamond Estates Subdivision, a distance of 364.89 feet, more or less, to the Southeast corner of said subdivision, thence North 87 degrees 20 minutes West, along the South line of said subdivision, a distance of 6.47 feet, more or less, to the Northwest corner of Lehmberg Heights Subdivision as recorded in Plat Book 4 page 23, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence South 02 degrees 40 minutes West, along the West line of said Lehmberg Heights Subdivision, a distance of 641.88 feet, more or less, to the Southwest corner of said subdivision, thence South 87 degrees 54 minutes East, along the South line of said subdivision, a distance of 365.0 feet, more or less, to the Southeast corner of said subdivision, thence South 87 degrees 54 minutes East a distance of 980.50 feet, more or less, to the Southwest corner of the Northwest Quarter of the Southeast Quarter of said Section 18, thence North 00 degrees 17 minutes East, along the West line of the Northwest Quarter of the Southeast Quarter of said Section 18, a distance of 1,294.48 feet, more or less, to the Northwest corner of the Northwest Quarter of the Southeast Quarter of said Section 18, thence South 87 degrees 29 minutes East, along the North line of the Northwest Quarter of the Southeast Quarter of said Section 18, a distance of 1,320 feet, more or less, to the Northeast corner of the West Half of the Southeast Quarter of said Section 18, thence South 01 degree 20 minutes East, along the East line of the West Half of the Southeast Quarter of said Section 18, a distance of 2,544.33 feet, more or less, to a point on the existing South right-of-way of Highway 182, said point being 50 feet South of and perpendicular to the highway centerline, thence North 88 degrees 24 minutes 13 seconds West, along said right-of-way and being 50 feet South of and parallel to said highway centerline, a distance of 26.04 feet, more or less, to a point on the existing West right-of-way of Armstrong Road, said point being 25 feet West of and perpendicular to the existing centerline of Armstrong Road, thence along the existing West right-of-way of Armstrong Road and being 25 feet West of and parallel with the centerline of said road as follows: South 02 degrees 43 minutes 11 seconds East a distance of 382.33 feet to a point, thence South 02 degrees 40 minutes 14 seconds East a distance of 135.62 feet to a point, thence South 02 degrees 05 minutes 56 seconds East a distance of 738.38 feet to a point, thence South 02 degrees 37 minutes 26 seconds East a distance of 315.38 feet to a point, thence South 01 degree 56 minutes 46 seconds East a distance of 967.79 feet to a point and thence South 14 degrees 03 minutes 01 second East a distance of 139.32 feet, more or less, to a point on the South line of the North Half of Section 19, Township 18 South, Range 17 West, Lowndes County, Mississippi, thence leaving said existing West right-of-way of Armstrong Road North 88 degrees 15 minutes 25 seconds West, along the South line of the North Half of said Section 19, a distance of 3,397.88 feet, more or less, to a point that is South 01 degree 20 minutes East a distance of 595.0 feet from the Southeast corner of a parcel of land as recorded in Instrument No. 200210661, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence North 01 degree 20 minutes West a distance of 595 feet to the Southeast corner of said parcel, thence North 88 degrees 15 minutes 25 seconds West, along the South line of said parcel and an extension thereof, a distance of 654.16 feet, more or less, to a point

on the existing West right-of-way of South Lehmberg Road, said point being 30 feet West of and perpendicular to the existing centerline of said road, thence North 01 degree 08 minutes 00 seconds West, along said West right-of-way and being 30 feet West of and parallel with said centerline, a distance of 453.71 feet, more or less, to a Southeast corner of a parcel of land as recorded in Instrument No. 20038418, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence South 88 degrees 40 minutes West, along a South line of said parcel, a distance of 702.98 feet, more or less, to a Southeast corner of said parcel, thence South 01 degree 20 minutes East, along a East line of said parcel and an extension thereof, a distance of 419.5 feet, more or less, to a point on the top bank of creek, said point being further described as being the Southeast corner of a parcel of land as recorded in Instrument No. 20039877, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence Southwesterly along the South line of said parcel and said top bank for 348 feet, more or less, to a point that is 340.8 feet South 63 degrees 04 minutes West from the previous point and being the Southwest corner of said parcel, thence West a distance of 972.34 feet, more or less, to a point that is 1,183.7 feet South 01 degree 20 minutes East of the Southeast corner of The Downs subdivision, as aforementioned, thence North 01 degree 20 minutes West a distance of 1,183.7 feet to the Southeast corner of The Downs subdivision, thence North 01 degree 20 minutes West, along the East line of The Downs subdivision, a distance of 1,018.0 feet to the POINT OF BEGINNING of the herein described area and containing 536.71 acres, more or less.

Area 3. Commencing at the Northeast corner of Section 16, Township 18 South, Range 18 West, Lowndes County, Mississippi; said corner being the same point more particularly described in the original Charter of Incorporation of the City of Columbus, Mississippi; dated March 12, 1884, on file in the office of the Secretary-Treasurer of Columbus, Mississippi; and also said corner being the Southwest corner of Section 10, Township 18 South, Range 18 West, Lowndes County, Mississippi; as described in the survey notes of the original land surveys of the United States of America, shown on Page 82 of said survey notes, copies of which are on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence Westerly along the North line of said Section 16, a distance of 5280 feet, more or less, to the Northwest corner of said Section 16, said point being further described as the Northeast corner of Section 17, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 88 degrees 10 minutes West a distance of 12 feet to a point; thence South 88 degrees 12 minutes West, along the North line of said Section 17, a distance of 1289.0 feet, more or less; thence North 01 degree 22 minutes West a distance of 661.0 feet, more or less, to the Northeast corner of the South Half of the Southwest Quarter of the Southeast Quarter of Section 8, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 88 degrees 11 minutes West, along the North line of the South Half of the South Half of the South Half of said Section 8, a distance of 2,663.0 feet to the Northwest corner of the South Half of the Southeast Quarter of the Southwest Quarter of said Section 8; thence South 01 degree 22 minutes East, along the West line of the Southeast Quarter of the Southwest Quarter of said Section 8, a distance of 659.9 feet to the Southwest corner of the Southeast Quarter of the Southwest Quarter of said Section 8, said point being further described as the Northwest corner of the Northeast Quarter of the Northwest Quarter of Section 17, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 02 degrees 11 minutes East, along the centerline of Nash Road, a distance of 998.9 feet, more or less, to a point that is 300 feet North of Plymouth Road; thence South 88 degrees 31 minutes West, 300 feet North of and parallel with the centerline of said Plymouth Road, a distance of 2,638.4 feet, more or less; thence South 02 degrees 10 minutes East a distance of 600.0 feet, more or less, to a point that is 300 feet South of Plymouth Road;

thence North 88 degrees 31 minutes East, 300 feet South of and parallel with the centerline of Plymouth Road, a distance of 2,338.5 feet to a point that is 300 feet West of the centerline of Nash Road; thence South 02 degrees 11 minutes East, 300 feet West of and parallel with the centerline of Nash Road, a distance of 1,810.7 feet to station 253+65.03 on the North right-of-way of U.S. 82 Bypass (F.A.P. NO. F-002-4[10]), for the POINT OF BEGINNING of the herein described area; thence along the North right-of-way line of said highway the following calls and distances: Westerly, 275 feet North of and parallel with said highway centerline and along a curve to the right having a radius of 1,634.88 feet, said curve having a chord of North 86 degrees 37 minutes 04 seconds West for 36.03 feet and an arc length of 36.03 feet to station 253+29; thence North 85 degrees 59 minutes West, 275 feet North of and parallel with said centerline, a distance of 1,029.0 feet to station 243+00; thence South 67 degrees 27 minutes West a distance of 335.4 feet to a point that is 125 feet North of and perpendicular to said centerline at station 240+00; thence North 85 degrees 59 minutes West, 125 feet North of and parallel with said centerline, a distance of 512.5 feet to station 234+87.5; thence Southwesterly, 125 feet North of and parallel with said centerline and along a curve to the left having a radius of 2,989.56 feet, said curve having a chord of South 73 degrees 45 minutes 57 seconds West for 2,069.57 feet and an arc length of 2,113.30 feet to station 214+62.5, thence South 73 degrees 50 minutes West a distance of 359.9 feet to a point that is 250 feet North of said centerline at station 211+25; thence South 53 degrees 31 minutes West, 250 feet North of and parallel with said centerline, a distance of 217.81 feet, more or less, to a point on the East bank of the Tennessee-Tombigbee Waterway; thence leaving said North right-of-way line South 36 degrees 25 minutes 45 seconds East 2,712.17 feet to a point; thence South 62 degrees 42 minutes 09 seconds East a distance of 890.93 feet, more or less, to U.S. Army Corp of Engineer's Monument ALCI-311(iron pipe) at plane coordinate position North 1,389,951 feet and East 616,443 feet, based on Transverse Mercator Projection, Mississippi East Zone, said point also located on the South Bank of the Tombigbee River; thence Northeasterly along the meandering of said South Bank to a point that is North 66 degrees 00 minutes East, 5712.2 feet, more or less, from the last described point; thence North, a distance of 200 feet, more or less, to a point on the North Bank of said Tombigbee River; thence North 63 degrees 18 minutes East, a distance of 894 feet, more or less to the East right of way of U.S. Highway 82 Connector (F.A.P. No. F-002-4-10); thence along said East right of way for the following calls and distances: North 43 degrees 32 minutes West, a distance of 842 feet, more or less, to a point; thence North 26 degrees 49 minutes East, a distance of 64.2 feet to a point; thence North 43 degrees 32 minutes West, a distance of 119 feet to a point; thence South 66 degrees 07 minutes West, a distance of 65.7 feet to a point; thence North 43 degrees 32 minutes West, a distance of 436.5 feet to station 48+26; thence North 21 degrees 10 minutes West, a distance of 244.4 feet to a point on the South right of way of U.S. Highway 82 Bypass (F.A.P. No. F-002-4-10); thence along said South right of way for the following calls and distances: North 03 degrees 32 minutes West, a distance of 289.62 feet (City of Columbus's 2003 Annexation call-253.7 feet as recorded in the Chancery Clerk's Office of Lowndes County, Mississippi, Minute Book 305 page 704) to a point; thence North 21 degrees 07 minutes East, a distance of 458.1 feet to a point; thence North 49 degrees 59 minutes East, a distance of 451.4 feet to a point; thence Northeasterly, along a curve to the left having a radius of 5860.59 feet, said curve having a chord of North 48 degrees 22 minutes 25 seconds East for 325.88 feet and an arc distance of 325.92 feet; thence North 46 degrees 54 minutes East, a distance of 487.8 feet to a point; thence North 65 degrees 49 minutes East, a distance of 142 feet to a point; thence North 02 degrees 19 minutes West, a distance of 990.8 feet to the North right of way of said U.S. Highway 82 Bypass; thence along said North right of way for the following calls and distances:

South 12 degrees 22 minutes West, a distance of 657.0 feet to a point that is 150 feet North of and perpendicular to the centerline of said Bypass; thence Southwesterly, 150 feet North of parallel with the centerline of said Bypass, along a curve to the right having a radius of 5579.59 feet, said curve having a chord of South 41 degrees 03 minutes 18 seconds West for 336.57 feet and an arc distance of 336.62 feet to a point; thence North 47 degrees 13 minutes West, a distance of 125.0 feet, more or less, to a point that is 275 feet North of and perpendicular to the centerline of said Bypass; thence Southwesterly, 275 feet North of and parallel with the centerline of said Bypass, along a curve to the right having a radius of 5,454.59 feet, said curve having a chord of South 44 degrees 48 minutes 20 seconds West for 384.93 feet and an arc distance of 385.01 feet to a point; thence South 06 degrees 45 minutes West, a distance of 219.7 feet, more or less, to a point that is 131.0 feet North of and perpendicular to the centerline of said Bypass; thence Southwesterly, 131 feet North of and perpendicular to the centerline of said Bypass, along a curve to the right having a radius of 5,598.59 feet, said curve having a chord of South 49 degrees 15 minutes 27 seconds West for 138.59 feet and an arc distance of 138.59 feet; thence South 49 degrees 58 minutes West, 131 feet North of and parallel with the centerline of said Bypass, a distance of 381.4 feet to a point; thence South 71 degrees 33 minutes West, a distance of 242.0 feet to a point that is 220 feet North of and perpendicular to the centerline of said Bypass; thence North 86 degrees 55 minutes West, a distance of 781.7 feet to a point that is 157 feet Northeasterly of and perpendicular to the centerline of U.S. Highway No. 82 Connector as shown on said F.A.P. No. 002-4-(10) plans; thence North 57 degrees 41 minutes West, a distance of 233.1 feet, more or less, to a point that is 100 feet Northeasterly of and perpendicular to the centerline of said U.S. Highway No. 82 Connector; thence North 43 degrees 32 minutes West, parallel with and 100 feet Northeasterly of the centerline of said U.S. Highway No. 82 Connector, a distance 216.9 feet to a point; thence North 19 degrees 35 minutes East, a distance of 127.9 feet to a point; thence North 04 degrees 48 minutes West, a distance of 50.0 feet, more or less, to the centerline of Plymouth Road; thence South 85 degrees 12 minutes West, along said centerline of Plymouth Road, a distance of 293.3 feet to a point; thence South 04 degrees 48 minutes East, a distance of 50.0 feet to a point; thence South 26 degrees 07 minutes East, a distance of 252.0 feet to a point that is 100 feet Southwesterly of and perpendicular to the centerline of said U.S. Highway No. 82 Connector; thence South 02 degrees 25 minutes East, a distance of 236.0 feet to a point; thence North 88 degrees 36 minutes East, a distance of 75 feet to a point; thence North 76 degrees 28 minutes East, a distance of 81.6 feet, more or less, to a point that is 119 feet Southwesterly of and perpendicular to the centerline of said U.S. Highway 82 Connector; thence South 34 degrees 30 minutes East, a distance of 325 feet, more or less, to a point that is 170 feet Southwesterly of and perpendicular to the centerline of U.S. Highway No. 82 connector; thence South 02 degrees 09 minutes West, a distance of 267.9 feet, more or less to a point that is 390 feet North of and perpendicular to the centerline of said U.S. Highway 82 Bypass; thence along the North right of way of said U.S. Highway No. 82 Bypass for the following calls and distances: South 21 degrees 25 minutes West, a distance of 376.8 feet, more or less, to a point that is 210 feet north of and perpendicular to the centerline of said Bypass; thence South 41 degrees 45 minutes West, a distance of 551.7 feet, more or less to a point that is 131 feet North of and perpendicular to the centerline of said Bypass; thence South 86 degrees 26 minutes West, a distance of 245.1 feet, more or less to a point that is 275 feet North of and perpendicular to the centerline of said Bypass; thence Southwesterly, 275 feet North of and parallel with the centerline of said Bypass, along a curve to the right having a radius of 1,634.88 feet, said curve having a chord of South 72 degrees 40 minutes 45 seconds West for 1,125.39 feet and an arc distance of 1148.89 feet to the POINT OF BEGINNING of the herein described

area containing 480 acres, more or less.

Area 4 (Middle School).

Commencing at the Northwest corner of the Southwest Quarter of Section 28, Township 17 South, Range 18 West, Lowndes County, Mississippi; thence North 87 degrees 28 minutes East, along the North line of the Southwest Quarter of said Section 28, a distance of 380.93 feet, more or less, to a point on the West right-of-way line of U.S. Highway No. 45, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; as State Project No. SP-0002-4(19), said point being 70 feet West of and perpendicular to the said highway centerline for a POINT OF BEGINNING of the herein described area; thence North 02 degrees 57 minutes 34 seconds East, along said West right-of-way line and being 70 feet West of and perpendicular to said highway centerline, a distance of 8.45 feet to a point; thence North 87 degrees 02 minutes 26 seconds West, along said West right-of-way line, a distance of 20.00 feet; thence North 02 degrees 57 minutes 34 seconds East, along said West right-of-way line and being 90 feet West of and perpendicular to said highway centerline, a distance of 250.00 feet; thence North 87 degrees 02 minutes 26 seconds West, along said West right-of-way line, a distance of 35.00 feet; thence North 02 degrees 57 minutes 34 seconds East, along said West right-of-way line and being 125 feet West of and perpendicular to said highway centerline, a distance of 565 feet; thence North 00 degrees 44 minutes 21 seconds East, along said West right-of-way line, a distance of 501.00 feet to the West right-of-way line of Mississippi Highway No. 373; thence along the West right-of-way line of Mississippi Highway No. 373 being a curve to the left having a radius of 3,780.68 feet, said curve having a chord of North 11 degrees 39 minutes 29 seconds West for 28.65 feet and an arc length of 28.66 feet, more or less, to a rebar at the Southeast corner of the Columbus Municipal School District property as recorded in Instrument No. 20087178, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence North 88 degrees 32 minutes West, along the South line of said school property, a distance of 1,635.99 feet to the Northwest corner of the Southeast Quarter of the Northeast Quarter of Section 29, Township 17 South, Range 18 West, Lowndes County, Mississippi; thence North 00 degrees 57 minutes 32 seconds East, along the West line of said school property, a distance of 459.76 feet to an iron pin at the Northeast corner of Chestnut Colony of Bent Tree Plantation as recorded in Plat Book 3 at page 35, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence North 01 degree 38 minutes 09 seconds East, along the West line of said school property, a distance of 1,192.05 feet to an iron pin at the Northeast corner of Walnut Creek Colony of Bent Tree Plantation as recorded in Plat Book 4 at page 59, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence South 88 degrees 32 minutes 17 seconds East, along the North line of said school property and an extension thereof, a distance of 904.05 feet, more or less, to a point on the East right-of-way line of Mississippi Highway No. 373 that is 50 feet East of and perpendicular to the centerline of said highway; thence along said East right-of-way along a curve to the right having a radius of 3,880.68 feet, said curve having a chord of South 36 degrees 09 minutes 43 seconds East for 397.28 feet and an arc length of 397.46 feet, said curve being 50 feet East of and perpendicular to said highway centerline, to a point; thence South 34 degrees 53 minutes 20 seconds East, along said East right-of-way line, a distance of 188.08 feet to a point that is 60 feet East of and perpendicular to said highway centerline; thence South 45 degrees 26 minutes 41 seconds East, along said East right-of-way line, a distance of 338.00 feet to a right-of-way marker that is 85 feet Northeast of and perpendicular to said highway centerline; thence East a distance of 442.47 feet, more or less, to a point on the East right-of-way line of the aforementioned U.S. Highway No. 45, said point being 100 feet East of and perpendicular to the centerline of said U.S. Highway No. 45;

thence along said East right-of-way line being a curve to the left having a radius of 11,359.34 feet, said curve having a chord of South 05 degrees 06 minutes 28 seconds West for 901.82 feet and an arc length of 902.05 feet, said curve being 100 feet East of and perpendicular to the said highway centerline; thence South 02 degrees 57 minutes 34 seconds West, along said East right-of-way line and being 100 feet East of and perpendicular to said highway centerline, a distance of 1,102.49 feet to a point; thence North 87 degrees 02 minutes 26 seconds West, along said East right-of-way line, a distance of 20.00 feet to a point that is 80 feet East of and perpendicular to said highway centerline; thence South 02 degrees 57 minutes 34 seconds West, along said East right-of-way line and being 80 feet East of and perpendicular to said highway centerline, a distance of 307.65 feet, more or less, to a point on the North line of the Southwest Quarter of said Section 28 that is North 87 degrees 28 minutes East 150.69 feet from the point of beginning; thence South 87 degrees 28 minutes West, along said North line of the Southwest Quarter of Section 28, a distance of 150.69 feet, more or less, to the POINT OF BEGINNING of the herein described area, containing 67.69 acres, more or less.

SECTION 2. The corporate limits and boundaries of the City of Columbus, Mississippi, lying and being in Lowndes County, Mississippi, as enlarged, extended and fixed by this Ordinance shall be as follows:

TOTAL AREA

Commencing at the Northeast corner of Section 16, Township 18 South, Range 18 West, Lowndes County, Mississippi; said corner being the same point more particularly described in the original Charter of Incorporation of the City of Columbus, Mississippi; dated March 12, 1884, on file in the office of the Secretary-Treasurer of Columbus, Mississippi; and also said corner being the Southwest corner of Section 10, Township 18 South, Range 18 West, Lowndes County, Mississippi; as described in the survey notes of the original land surveys of the United States of America, shown on Page 82 of said survey notes, copies of which are on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence Westerly along the North line of said Section 16, a distance of 5,280 feet, more or less, to the Northwest corner of said Section 16, said point being further described as the Northeast corner of Section 17, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 88 degrees 10 minutes West 12 feet to a point, thence South 88 degrees 12 minutes West, along the North line of Section 17, a distance of 1,289.0 feet, more or less, to a point, thence North 01 degree 22 minutes West a distance of 661.0 feet, more or less, to the Northeast corner of the South Half of the Southwest Quarter of the Southeast Quarter of Section 8, Township 18 South, Range 18 West, Lowndes County, Mississippi; said point being further described as the POINT OF BEGINNING of the herein described area; thence North 01 degree 22 minutes West, along the West line of the East Half of the East Half of said Section 8, a distance 3,305.9 feet, more or less, to the Southeast corner of the Northwest Quarter of the Northeast Quarter of said Section 8, thence South 87 degrees 49 minutes West, along the South line of the Northwest Quarter of the Northeast Quarter of said Section 8, a distance of 1,326.2 feet, more or less, to the Southwest corner of said Northwest Quarter of the Northeast Quarter, thence North 01 degree 24 minutes West, along the West line of said Northwest Quarter of the Northeast Quarter, a distance of 1,321.1 feet, more or less, to the North line of said Section 8, thence South 88

degrees 07 minutes West, along the North line of said Section 8, a distance of 2,659.0 feet, more or less, to the Northwest corner of said Section 8, said point being further described as the Northeast corner of Section 7, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 89 degrees 53 minutes West, along the North line of said Section 7, a distance of 5,227.1 feet, more or less, to the Northwest corner of said Section 7, said point being further described as the Southeast corner of Section 1, Township 18 South, Range 19 West, Lowndes County, Mississippi; thence South 89 degree 53 minutes West, along the South line of said Section 1, a distance of 2,329.0 feet, more or less, to a United States Corp of Engineer concrete monument stamped "T-16-8" said point being on the North line of Section 12, Township 18 South, Range 19 West at state plane coordinate position North 1,401,965 feet and East 609,097 feet, based on Transverse Mercator Projection, Mississippi East Zone; thence South 50 degrees 22 minutes West a distance of 1,006.6 feet to a United States Corp of Engineer concrete monument stamped "C- 112-1" at state plane coordinate position North 1,401,323 feet and East 608,322 feet, based on Transverse Mercator Projection, Mississippi East Zone; thence South 86 degrees 50 minutes West a distance of 1,861 feet, more or less, thence South 03 degrees 16 minutes East a distance of 1,268 feet, more or less, thence South 86 degrees 45 minutes West a distance of 1,883 feet, more or less, to a point on the West side of the existing riprap on the right bank (West Bank) of the Tennessee-Tombigbee Waterway, thence North 09 degrees 15 minutes East, along the West side of said existing riprap, a distance of 775 feet, more or less, to a point, thence North 04 degrees 40 minutes West, along said West line of the existing dam and an extension thereof, a distance of 2,600 feet, more or less, to a point, thence South 80 degrees 58 minutes East a distance of 1,562 feet, more or less, to a point on the East line of Section 2, Township 18 South, Range 19 West, Lowndes County, Mississippi; thence North 89 degrees 41 minutes East a distance of 1,204 feet, more or less, to a point on the Lowndes/Clay County Line, thence along the meandering of said Lowndes/Clay County Line for chord bearings and distances of: North 87 degrees 00 minutes East a distance of 1,300.0 feet, more or less, North 69 degrees 00 minutes East a distance of 1,050.0 feet, more or less, North 45 degrees 00 minutes East a distance of 400.0 feet, more or less, North 06 degrees 15 minutes East a distance of 650.0 feet more or less, North 23 degrees 00 minutes West a distance of 293.2 feet, more or less to a point on the North line of the South Half said Section 1, thence East, along said North line of the South Half of said Section 1, a distance of 1,501.6 feet, more or less, to the Northeast corner of the South Half of said Section 1, said point being further described as the Northwest corner of the South Half of Section 6, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 89 degrees 41 minutes East, along the North line of the South Half of said Section 6, a distance of 5,255.3 feet, more or less, to the Northeast corner of the South Half of said Section 6, said point being further described as the Northwest corner of the Northwest Quarter of the Southwest Quarter of Section 5, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence North 88 degrees 30 minutes East, along the North line of said Northwest Quarter of the Southwest Quarter of said Section 5, a distance of 1,339.0 feet, more or less, to the Northeast corner of said Northwest Quarter of the Southwest Quarter, thence North 01 degree 24 minutes West, along the East line of the West Half of the Northwest Quarter of said Section 5, a distance of 2,582.0 feet, more or less, to a point on the North line of said Section 5, thence North 32 degrees 19 minutes East a distance of 894.0 feet, more or less, to a point on the South right-of-way line of the Columbus and Greenville Railroad, thence North 57 degrees 41 minutes West, along the South right-of-way line of said railroad, a distance of 2,204.9 feet, more or less, to a point on the West line of Section 32, Township 17 South, Range 18 West, Lowndes County, Mississippi; thence North 01 degree 22 minutes West, along the West line of said Section 32, a

distance of 3,426.7 feet, more or less, to the Northwest corner of said Section 32, said point being further described as the Southwest corner of Section 29, Township 17 South, Range 18 West, Lowndes County, Mississippi; thence North 00 degrees 05 minutes West, along the West line of said Section 29, a distance of 2,632.4 feet, more or less, to the Northwest corner of the South Half of said Section 29, thence North 87 degrees 28 minutes East, along the North line of said South Half a distance of 5,280.0 feet, more or less, to the Northeast corner of the South Half of said Section 29, said point being further described as the Northwest corner of the Southwest Quarter of Section 28, Township 17 South, Range 18 West, Lowndes County, Mississippi; thence North 87 degrees 28 minutes East, along the North line of the Southwest Quarter of said Section 28, a distance of 380.93 feet, more or less, to a point on the West right-of-way line of U.S. Highway No. 45, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; as State Project No. SP-0002-4(19), said point being 70 feet West of and perpendicular to the said highway centerline, thence North 02 degrees 57 minutes 34 seconds East, along said West right-of-way line and being 70 feet West of and perpendicular to said highway centerline, a distance of 8.45 feet to a point; thence North 87 degrees 02 minutes 26 seconds West, along said West right-of-way line, a distance of 20.00 feet; thence North 02 degrees 57 minutes 34 seconds East, along said West right-of-way line and being 90 feet West of and perpendicular to said highway centerline, a distance of 250.00 feet; thence North 87 degrees 02 minutes 26 seconds West, along said West right-of-way line, a distance of 35.00 feet; thence North 02 degrees 57 minutes 34 seconds East, along said West right-of-way line and being 125 feet West of and perpendicular to said highway centerline, a distance of 565 feet; thence North 00 degrees 44 minutes 21 seconds East, along said West right-of-way line, a distance of 501.00 feet to the West right-of-way line of Mississippi Highway No. 373; thence along the West right-of-way line of Mississippi Highway No. 373 being a curve to the left having a radius of 3,780.68 feet, said curve having a chord of North 11 degrees 39 minutes 29 seconds West for 28.65 feet and an arc length of 28.66 feet, more or less, to a rebar at the Southeast corner of the Columbus Municipal School District property as recorded in Instrument No. 20087178, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence North 88 degrees 32 minutes West, along the South line of said school property, a distance of 1,635.99 feet to the Northwest corner of the Southeast Quarter of the Northeast Quarter of Section 29, Township 17 South, Range 18 West, Lowndes County, Mississippi; thence North 00 degrees 57 minutes 32 seconds East, along the West line of said school property, a distance of 459.76 feet to an iron pin at the Northeast corner of Chestnut Colony of Bent Tree Plantation as recorded in Plat Book 3 at page 35, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence North 01 degree 38 minutes 09 seconds East, along the West line of said school property, a distance of 1,192.05 feet to an iron pin at the Northeast corner of Walnut Creek Colony of Bent Tree Plantation as recorded in Plat Book 4 at page 59, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence South 88 degrees 32 minutes 17 seconds East, along the North line of said school property and an extension thereof, a distance of 904.05 feet, more or less, to a point on the East right-of-way line of Mississippi Highway No. 373 that is 50 feet East of and perpendicular to the centerline of said highway; thence along said East right-of-way along a curve to the right having a radius of 3,880.68 feet, said curve having a chord of South 36 degrees 09 minutes 43 seconds East for 397.28 feet and an arc length of 397.46 feet, said curve being 50 feet East of and perpendicular to said highway centerline, to a point; thence South 34 degrees 53 minutes 20 seconds East, along said East right-of-way line, a distance of 188.08 feet to a point that is 60 feet East of and perpendicular to said highway centerline; thence South 45 degrees 26 minutes 41 seconds East, along said East right-of-way line, a distance of 338.00 feet to a right-of-way marker that is 85 feet Northeast of

and perpendicular to said highway centerline; thence East a distance of 442.47 feet, more or less, to a point on the East right-of-way line of the aforementioned U.S. Highway No. 45, said point being 100 feet East of and perpendicular to the centerline of said U.S. Highway No. 45; thence along said East right-of-way line being a curve to the left having a radius of 11,359.34 feet, said curve having a chord of South 05 degrees 06 minutes 28 seconds West for 901.82 feet and an arc length of 902.05 feet, said curve being 100 feet East of and perpendicular to the said highway centerline; thence South 02 degrees 57 minutes 34 seconds West, along said East right-of-way line and being 100 feet East of and perpendicular to said highway centerline, a distance of 1,102.49 feet to a point; thence North 87 degrees 02 minutes 26 seconds West, along said East right-of-way line, a distance of 20.00 feet to a point that is 80 feet East of and perpendicular to said highway centerline; thence South 02 degrees 57 minutes 34 seconds West, along said East right-of-way line and being 80 feet East of and perpendicular to said highway centerline, a distance of 307.65 feet, more or less, to the North line of the Southwest Quarter of said Section 28, thence North 87 degrees 28 minutes East, along the North line of the Southwest Quarter of said Section 28, a distance of 2,108.38 feet, more or less, to the Northeast corner of said Southwest Quarter, thence South 02 degrees 44 minutes East, along the East line of said Southwest Quarter, a distance of 975.17 feet, more or less, to the Northwest corner of a lot as recorded in Deed Book 1342 at page 599, on file in the Chancery Clerk's Office, Lowndes County, Mississippi; thence South 84 degrees 20 minutes East, along the North line of said lot and the North line of a lot as recorded in Deed Book 371 at page 38, on file in the Chancery Clerk's Office, Lowndes County, Mississippi; a distance of 423.49 feet, more or less, to the Northeast corner of said lot described in Deed Book 371 at page 38; thence South, along the East line of said lot, a distance of 47.45 feet to a point; thence South 16 degrees 35 minutes East (deed call – South 16 degrees 00 minutes East), along the East line of said lot and an extension thereof, a distance of 226.60 feet, more or less, to the Northeast corner of Heather Hills Subdivision Phase II as recorded in Plat Book 5 at Page 30, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence along the West line of said Heather Hills Subdivision as follows: South 16 degrees 35 minutes 13 seconds East a distance of 236.88 feet to a point, South 01 degree 24 minutes 09 seconds West a distance of 470.05 feet to a point, South 36 degrees 35 minutes 09 seconds East a distance of 200.02 feet to a point, South 21 degrees 35 minutes 15 seconds East a distance of 521.75 feet to a point and South 09 degrees 54 minutes 21 seconds East a distance of 35.18 feet, more or less, to the North line of Section 33, Township 17 South, Range 18 West, Lowndes County, Mississippi; thence South 88 degrees 47 minutes East, along the North line of said Section 33, a distance of 1,859.68 feet, more or less, to the Northeast corner of said Section 33, thence South 02 degrees 44 minutes East, along the East line of said Section 33, a distance of 3,988.7 feet, more or less, to the Northeast corner of the South Half of the South Half of said Section 33, said point being further described as the Northwest corner of the South Half of the South Half of Section 34, Township 17 South, Range 18 West, Lowndes County, Mississippi; thence North 88 degrees 40 minutes East, along the North line of the South Half of the South Half of said Section 34, a distance of 5,320.0 feet, more or less, to the Northeast corner of said South Half of the South Half, said point being further described as the Northwest corner of the South Half of the South Half of Section 35, Township 17 South, Range 18 West, Lowndes County, Mississippi; thence North 89 degrees 30 minutes East, along the North line of the South Half of the South Half of said Section 35, a distance of 2,390.7 feet, more or less, to a point on the West right-of-way line of the Burlington-Northern Railroad, said point being 75.0 feet West of and perpendicular to the centerline of said railroad, thence along said West right-of-way line for the following calls and distances; South 39 degrees 12 minutes West a distance of 280.8 feet,

more or less, South 25 degrees 40 minutes West a distance of 129.4 feet, more or less, South 04 degrees 13 minutes West a distance of 100.0 feet, more or less, South 02 degrees 46 minutes West a distance of 23.0 feet, more or less, South 01 degree 50 minutes West a distance of 77.0 feet, more or less, South 00 degrees 33 minutes West a distance of 100.0 feet, more or less, South 00 degrees 20 minutes East a distance of 100.0 feet, more or less, South 00 degrees 45 minutes East a distance of 47.6 feet, more or less, South 00 degrees 52 minutes East a distance of 552.4 feet, more or less, to a point on the South line of said Section 35, said point also being on the North line of Section 2, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence North 89 degrees 30 minutes East, along the North line of said Section 2, a distance of 25.0 feet, more or less, to a point that is 50.0 feet West of and perpendicular to the centerline of said railroad, South 07 degrees 17 minutes East a distance of 1,020.3 feet, more or less, thence South 02 degrees 49 minutes East a distance of 315.2 feet, more or less, thence Southwesterly, along a curve to the right having a radius of 2,752.39 feet, said curve having a chord of South 20 degrees 16 minutes West a distance of 1,101.4 feet and an arc distance of 1,108.88 feet, more or less, thence South 23 degrees 55 minutes West a distance of 3,219.1 feet, more or less, to the intersection of the West right-of-way line of said railroad and the South line of said Section 2 (said point also being on the North line of Section 11, Township 18 South, Range 18 West, Lowndes County, Mississippi), thence North 88 degrees 52 minutes 06 seconds East, along the North line of said Section 11, a distance of 4,765.0 feet, more or less, to the Northeast corner of said Section 11, said point being further described as the Northwest corner of Section 12, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence North 88 degrees 52 minutes 06 seconds East, along the North line of said Section 12, a distance of 3,960 feet, more or less, to the Northwest corner of the East Half of the East Half of said Section 12, said corner being further described as being the Southwest corner of the East Half of the East Half of Section 1, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence North 02 degrees 10 minutes 18 seconds West, along the West line of the East Half of the East Half of said Section 1, a distance of 3,960.09 feet, more or less, to the Southwest corner of the Northeast Quarter of the Northeast Quarter of said Section 1, thence North 88 degrees 17 minutes 37 seconds East, along the South line of the Northeast Quarter of the Northeast Quarter of said Section 1, a distance of 1,321.32 feet, more or less, to the existing West right-of-way of Mississippi State Highway 12, thence along the existing said West right-of-way as follows: North 02 degrees 09 minutes 00 seconds West a distance of 296.41 feet to a point, North 86 degrees 56 minutes 41 seconds East a distance of 73.20 feet to a point, along a curve to the right having a radius of 3,819.72 feet, a chord of North 16 degrees 17 minutes 11 seconds East for 491.77 feet and an arc length of 492.11 feet to a point, North 21 degrees 11 minutes 22 seconds East a distance of 398.79 feet to a point and North 51 degrees 51 minutes 00 seconds West a distance of 134.00 feet to a point on the existing South right-of-way of Hobbs-Sheffield Road, thence North 01 degree 45 minutes 00 seconds East a distance of 100.00 feet to the existing North right-of-way of Hobbs-Sheffield Road, thence South 88 degrees 15 minutes 00 seconds East a distance of 500.00 feet to a point on the existing North right-of-way of Hobbs-Sheffield Road and the East right-of-way of Highway 12, thence along the existing North right-of-way of Hobbs-Sheffield Road as follows: South 88 degrees 53 minutes 06 seconds East a distance of 248.12 feet to a point and South 87 degrees 40 minutes 49 seconds East a distance of 147.42 feet to a point, thence leaving said existing North right-of-way of Hobbs-Sheffield Road South 83 degrees 43 minutes 05 seconds East a distance of 409.56 feet, more or less, to the North line of Section 6, Township 18 South, Range 17 West, Lowndes County, Mississippi, thence South 88 degrees 09 minutes 05 seconds East, along the North line of said Section 6, a distance of 2,481.97 feet, more or

less, to the East right-of-way line of a transmission line owned by the United States of America as recorded in Deed Book 303 pages 370-373 in the Chancery Clerk's Office of Lowndes County, Mississippi, said point being 75 feet East of and perpendicular to the centerline of said transmission line right-of-way, thence along the East right-of-way line of said transmission line and being 75 feet East of and parallel to said centerline as follows: South 13 degrees 58 minutes West a distance of 4,325.15 feet to a point, thence South 00 degrees 21 minutes West a distance of 3,632.86 feet to a point, thence South 11 degrees 02 minutes West a distance of 1,323.61 feet to a point, thence South 13 degrees 19 minutes West a distance of 1,442.68 feet, more or less, to the North line of Section 18, Township 18 South, Range 17 West, Lowndes County, Mississippi, said line also being further described as the North line of Byars Subdivision as recorded in Plat Book 2 at page 60, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence North 87 degrees 15 minutes West (plat call – South 87 degrees 30 minutes West), along the North line of said subdivision to the Northwest corner of said subdivision, thence North 87 degrees 15 minutes West a distance of 640.37 feet, more or less, to the Northeast corner of a tract of land recorded in Deed Book 962 page 251, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence South 00 degrees 45 minutes West, parallel with the West line of said Section 18, a distance of 210.00 feet to a point, thence North 87 degrees 15 minutes West, parallel with the North line of said Section 18, a distance of 299.05 feet to a point, thence South 01 degree 30 minutes West a distance of 393.91 feet, more or less, to the Northwest corner of Lot 1 of Ward Subdivision as recorded in Plat Book 2 page 92, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence South 01 degree 30 minutes West, along the West lines of Lot 1 and Lot 62 of said Ward Subdivision, a distance of 400 feet to the Southwest Corner of said Lot 62, thence South 01 degree 30 minutes West a distance of 60 feet to a point on the North line of Lot 72 of said Ward Subdivision, thence South 87 degrees 15 minutes East, along the North lines of Lot 72 and Lot 73 of said Ward Subdivision, a distance of 169.18 feet, more or less, to the Northeast corner of Lot 73 of said Ward Subdivision, thence South 01 degree 30 minutes West, along the East line of Lot 73 of said Ward Subdivision, a distance of 256 feet, more or less, to the South line of said Ward Subdivision, thence South 87 degrees 15 minutes East, along the South line of said Ward Subdivision, a distance of 232.69 feet, more or less, to the Northern most corner of Tract 1 as recorded in Instrument No. 20027086, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence South 02 degrees 25 minutes 32 seconds West (deed call – South 00 degrees 51 minutes 45 seconds West), along the boundary line of said Tract 1, a distance of 253.10 feet, thence North 87 degrees 15 minutes West (deed call – North 88 degrees 48 minutes 47 seconds West), along the boundary line of said Tract 1, a distance of 630.14 feet, thence South 00 degrees 27 minutes West a distance of 406.87 feet, more or less, to a point on the North line of a tract of land recorded in Deed Book 606 page 152, on file in the Chancery Clerk's Office, Lowndes County, Mississippi, thence along the boundary lines of said tract as follows: South 87 degrees 15 minutes East (deed call – South 87 degrees 23 minutes East) a distance of 241.57 feet, more or less, to the Northeast corner of said tract, thence South 00 degrees 14 minutes West a distance of 140.0 feet to a point, thence North 87 degrees 23 minutes West a distance of 52.4 feet to a point, along a curve to the left having a radius of 201.03 feet, a chord of South 78 degrees 01 minute West for 101.35 feet and an arc length of 102.45 feet to a point, thence South 63 degrees 25 minutes West a distance of 50.0 feet, along a curve to the right having a radius of 159.69 feet, a chord of South 78 degrees 01 minute West for 80.50 feet and an arc length of 81.38 feet to a point and thence North 87 degrees 23 minutes West a distance of 173.4 feet, more or less, to the East right-of-way line of Lehmborg Road, thence South 00 degrees 35 minutes 49 seconds East, along the East right-of-way of said

Lehmberg Road a distance of 166.43 feet, thence South 01 degree 40 minutes East, along the East right-of-way of said Lehmberg Road, a distance of 252.79 feet, more or less, to the Northwest corner of a parcel of land as recorded in Deed Book 2005 page 5829, on file in the Chancery Clerk's Office of Lowndes County, Mississippi; thence South 87 degrees 52 minutes East a distance of 366.0 feet to a point, thence South 89 degrees 40 minutes East a distance of 510.0 feet to a point, thence North 43 degrees 16 minutes East a distance of 737.0 feet to a point, thence North 32 degrees 02 minutes East a distance of 89.0 feet, more or less, to the existing East right-of-way of Lehmberg Road, thence North 01 degree 40 minutes West, along the existing East right-of-way of Lehmberg Road, a distance of 2,201.21 feet, more or less, to the Northwest corner of a parcel of land as recorded in Instrument No. 20055829, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence South 87 degrees 20 minutes East, along the North line of said parcel and being parallel with the South line of the Southwest Quarter of the Northwest Quarter of Section 18, Township 18 South, Range 17 West, Lowndes County, Mississippi, a distance of 245 feet, more or less, to the Northeast corner of said parcel, thence South 01 degree 40 minutes East, along the East line of said parcel (being parallel with the West line of the Southwest Quarter of the Northwest Quarter of said Section 18) and an extension thereof, a distance of 192 feet, more or less, to the North line of the Southwest Quarter of said Section 18, thence South 87 degrees 20 minutes East, along the North line of the Southwest Quarter of said Section 18, a distance of 1,402.42 feet to a point, thence South 02 degrees 40 minutes West a distance of 300.12 feet to a point, thence North 87 degrees 20 minutes West a distance of 271.78 feet, more or less, to the East line of Diamond Estates Subdivision as recorded in Plat Book 3 page 48, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence South 02 degrees 40 minutes West, along the East line of said Diamond Estates Subdivision, a distance of 364.89 feet, more or less, to the Southeast corner of said subdivision, thence North 87 degrees 20 minutes West, along the South line of said subdivision, a distance of 6.47 feet, more or less, to the Northwest corner of Lehmberg Heights Subdivision as recorded in Plat Book 4 page 23, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence South 02 degrees 40 minutes West, along the West line of said Lehmberg Heights Subdivision, a distance of 641.88 feet, more or less, to the Southwest corner of said subdivision, thence South 87 degrees 54 minutes East, along the South line of said subdivision, a distance of 365.0 feet, more or less, to the Southeast corner of said subdivision, thence South 87 degrees 54 minutes East a distance of 980.50 feet, more or less, to the Southwest corner of the Northwest Quarter of the Southeast Quarter of said Section 18, thence North 00 degrees 17 minutes East, along the West line of the Northwest Quarter of the Southeast Quarter of said Section 18, a distance of 1,294.48 feet, more or less, to the Northwest corner of the Northwest Quarter of the Southeast Quarter of said Section 18, thence South 87 degrees 29 minutes East, along the North line of the Northwest Quarter of the Southeast Quarter of said Section 18, a distance of 1,320 feet, more or less, to the Northeast corner of the West Half of the Southeast Quarter of said Section 18, thence South 01 degree 20 minutes East, along the East line of the West Half of the Southeast Quarter of said Section 18, a distance of 2,544.33 feet, more or less, to a point on the existing South right-of-way of Highway 182, said point being 50 feet South of and perpendicular to the highway centerline, thence North 88 degrees 24 minutes 13 seconds West, along said right-of-way and being 50 feet South of and parallel to said highway centerline, a distance of 26.04 feet, more or less, to a point on the existing West right-of-way of Armstrong Road, said point being 25 feet West of and perpendicular to the existing centerline of Armstrong Road, thence along the existing West right-of-way of Armstrong Road and being 25 feet West of and parallel with the centerline of said road as follows: South 02 degrees 43 minutes 11 seconds East a distance of 382.33 feet to a

point, thence South 02 degrees 40 minutes 14 seconds East a distance of 135.62 feet to a point, thence South 02 degrees 05 minutes 56 seconds East a distance of 738.38 feet to a point, thence South 02 degrees 37 minutes 26 seconds East a distance of 315.38 feet to a point, thence South 01 degree 56 minutes 46 seconds East a distance of 967.79 feet to a point and thence South 14 degrees 03 minutes 01 second East a distance of 139.32 feet, more or less, to a point on the South line of the North Half of Section 19, Township 18 South, Range 17 West, Lowndes County, Mississippi, thence leaving said existing West right-of-way of Armstrong Road North 88 degrees 15 minutes 25 seconds West, along the South line of the North Half of said Section 19, a distance of 3,397.88 feet, more or less, to a point that is South 01 degree 20 minutes East a distance of 595.0 feet from the Southeast corner of a parcel of land as recorded in Instrument No. 200210661, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence North 01 degree 20 minutes West a distance of 595 feet to the Southeast corner of said parcel, thence North 88 degrees 15 minutes 25 seconds West, along the South line of said parcel and an extension thereof, a distance of 654.16 feet, more or less, to a point on the existing West right-of-way of South Lehmberg Road, said point being 30 feet West of and perpendicular to the existing centerline of said road, thence North 01 degree 08 minutes 00 seconds West, along said West right-of-way and being 30 feet West of and parallel with said centerline, a distance of 453.71 feet, more or less, to a Southeast corner of a parcel of land as recorded in Instrument No. 20038418, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence South 88 degrees 40 minutes West, along a South line of said parcel, a distance of 702.98 feet, more or less, to a Southeast corner of said parcel, thence South 01 degree 20 minutes East, along a East line of said parcel and an extension thereof, a distance of 419.5 feet, more or less, to a point on the top bank of creek, said point being further described as being the Southeast corner of a parcel of land as recorded in Instrument No. 20039877, on file in the Chancery Clerk's Office of Lowndes County, Mississippi, thence Southwesterly along the South line of said parcel and said top bank for 348 feet, more or less, to a point that is 340.8 feet South 63 degrees 04 minutes West from the previous point and being the Southwest corner of said parcel, thence West a distance of 972.34 feet, more or less, to a point that is 1,183.7 feet South 01 degree 20 minutes East of the Southeast corner of The Downs subdivision, thence South 01 degree 20 minutes East a distance of 840.3 feet, more or less, to a point on the North right-of-way line of a railroad known as the Gulf, Mobile and Ohio Railroad, thence North 79 degrees 27 minutes West, along the North right-of-way of said railroad, a distance of 3,016.2 feet, more or less, to the East line of the West Half of the West Half of the West Half of Section 24, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 01 degree 20 minutes East, along the East line of the West Half of the West Half of the West Half of said Section 24, a distance of 3,187.2 feet, more or less, to the Southeast corner of said West Half of the West Half of the West Half of said Section 24, thence North 88 degrees 03 minutes West, along the South line of said Section 24, a distance of 660.0 feet, more or less, to the Southwest corner of said Section 24, said point being further described as the Northeast corner of Section 26, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 0 degrees 17 minutes West, along the East line of said Section 26, a distance of 5,273.4 feet, more or less, to the Southeast corner of said Section 26, said point being further described as the Northeast corner of Section 35, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 00 degrees 17 minutes West, along the East line of said Section 35, a distance of 2393.4 feet, more or less, thence North 89 degrees 16 minutes West a distance of 2045.8 feet, more or less, to an iron pin at the Northwest corner of Eau Claire Subdivision, Second Extension as recorded in Plat Book 2 page 125, on file in the Chancery Clerk's Office, Lowndes County, Mississippi; thence continue North 89 degrees 16 minutes West a distance of

3,242.2 feet, more or less, to a point on the West line of said Section 35, thence North 02 degrees 02 minutes East, along the West line of said Section 35, distance of 2,483.5 feet, more or less, to the Northwest corner of said Section 35, said point being further described as the Southwest corner of said Section 26, thence North 02 degrees 02 minutes East, along the West line of said Section 26, a distance of 5,284.6 feet, more or less, to the Northwest corner of said Section 26, said point being further described as the Southeast corner of Section 22, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 89 degrees 45 minutes West, along the South line of said Section 22, a distance of 780 feet, more or less, thence North 89 degrees 43 minutes West, along the South line of said Section 22, a distance of 561 feet, more or less, thence North 89 degrees 33 minutes West a distance of 601 feet, more or less, to a point in the center of the Luxapillia Creek, thence North 88 degrees 58 minutes West, along the South line of said Section 22, a distance of 2901.0 feet, more or less, to the Southeast corner of the West Half of the Southwest Quarter of the Southwest Quarter of said Section 22, said point being further described as the Northeast corner of the West Half of the Northwest Quarter of the Northwest Quarter of Section 27, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 01 degree 08 minutes West, along the East line of the West Half of the Northwest Quarter of the Northwest Quarter of said Section 27, a distance of 1320 feet, more or less, to the Southeast corner of the West Half of the Northwest Quarter of the Northwest Quarter of said Section 27, thence North 88 degrees 29 minutes West, along the South line of said West Half of the Northwest Quarter of the Northwest quarter, a distance of 658.9 feet, more or less, to the Southwest corner of said West Half of the Northwest Quarter of the Northwest Quarter, thence North 01 degree 08 minutes East, along the West line of said Section 27, a distance of 660.0 feet, more or less, to the Southwest corner of the Northwest Quarter of the Northwest Quarter of the Northwest Quarter of said Section 27, said point being further described as the Southeast corner of the North Half of the North Half of the North Half of Section 28, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 88 degrees 29 minutes West, along the South line of the North Half of the North Half of the North Half of said Section 28, a distance of 3,027.0 feet, more or less, to the intersection of the West right-of-way line of Huddleston Spring Road and the South line of the North Half of the North Half of the North Half of said Section 28, thence along the West right-of-way line of said road for the following calls and distances: North 12 degrees 13 minutes West a distance of 31.6 feet, more or less, North 22 degrees 52 minutes West a distance of 674.5 feet, more or less, to the intersection of the West right-of-way of said road and the North line of said Section 28, thence South 88 degrees 29 minutes West, along the North line of said Section 28, a distance of 1971.0 feet, more or less, to the Northwest corner of said Section 28, said point being further described as the Southeast corner of Fractional Section 20, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence South 88 degrees 29 minutes West, along the South line of said Section 20, a distance of 843.0 feet, more or less, to the West bank of the Tombigbee River, thence Southerly, along the meandering of the West bank of said Tombigbee River to a point that is South 08 degrees 59 minutes West 4721.1 feet, more or less, from the last described point, said point also being located on the left bank (East Bank) of the Tennessee-Tombigbee Waterway (Aliceville Lake Navigational Channel, Channel Alignment), thence Northwesterly along the left bank of said Tennessee-Tombigbee Waterway for the following calls and distances; North 32 degrees 41 minutes West a distance of 2,148.5 feet to U.S. Army Corp of Engineer's Monument ALCI-322(1975), at state plane coordinate position North 1,383,465 feet and East 619,827 feet, based on Transverse Mercator Projection, Mississippi East Zone; North 30 degrees 03 minutes West a distance of 2419.2 feet to U.S. Army Corp of Engineer's Monument ALCI-317(1975) at state plane coordinate position North

1,385,559 feet and East 618,615 feet, North 26 degrees 27 minutes West a distance of 4,269.4 feet to U.S. Army Corp of Engineer's Monument ALCI-313(1975) at state plane coordinate position North 1,389,382 feet and East 616,714 feet, North 27 degrees 27 minutes West a distance of 464.3 feet to U.S. Army Corp of Engineer's Monument ALCI-312(1975) at state plane coordinate position North 1,389,794 feet and East 616,500 feet, thence North 19 degrees 45 minutes West a distance of 166.9 feet to U.S. Army Corp of Engineer's Monument ALCI-311(iron pipe) at state plane coordinate position North 1,389,951 feet and East 616,443 feet, said point also located on the South Bank of the Tombigbee River, thence North 62 degrees 42 minutes 09 seconds West a distance of 890.93 feet to a point on the East bank of the Tennessee-Tombigbee Waterway, thence Northwesterly, along the meanderings of said East bank, to a point on the North right-of-way line (250 feet North of the centerline) of U.S. 82 Bypass (F.A.P. No. F-002-4[10]) that is North 36 degrees 25 minutes 45 seconds West a distance of 2,712.17 feet from the previous said point, thence along said North right-of-way line the following calls and distances; North 53 degrees 31 minutes East, 250 feet North of and parallel with said highway centerline, a distance of 217.81 feet to a point at station 211+25, North 73 degrees 50 minutes East a distance of 359.9 feet to a point at station 214+62.5 that is 125 feet North of and perpendicular to said highway centerline, Northeasterly, 125 feet North of and parallel with said highway centerline along a curve to the right having a radius of 2,989.56 feet, said curve having a chord of North 73 degrees 45 minutes 57 seconds East for 2,069.57 feet and an arc length of 2,113.30 feet to a point at station 234+87.5, South 85 degrees 59 minutes East, 125 feet North of and parallel with said highway centerline, a distance of 512.5 feet to a point at station 240+00, North 67 degrees 27 minutes East a distance of 335.4 feet to a point at station 243+00 that is 250 feet North of said highway centerline, South 85 degrees 59 minutes East, 250 feet North of and parallel with said highway centerline, a distance of 1,029.0 feet to station 253+29, Southeasterly, 250 feet North of and parallel with said highway centerline along a curve to the left having a radius of 1,634.88 feet, said curve having a chord of South 86 degrees 37 minutes 04 seconds East for 36.03 feet and an arc length of 36.03 feet to a point that is 300 feet West of the centerline of Nash Road, thence, leaving said North right-of-way line, North 02 degrees 11 minutes West, 300 feet West of and parallel with the centerline of Nash Road, a distance of 1810.7 feet, more or less, to a point that is 300 feet South of the centerline of Plymouth Road, thence South 88 degrees 31 minutes West, 300 feet South of and parallel with the centerline of said Plymouth Road, a distance of 2,338.5 feet, more or less, thence North 02 degrees 10 minutes West a distance of 600.0 feet, more or less, to a point that is 300 feet North of the centerline of said Plymouth Road, thence North 88 degrees 31 minutes East, 300 feet North of and parallel with the centerline of said Plymouth Road, a distance of 2,638.4 feet, more or less, to the centerline of said Nash Road, thence North 02 degrees 11 minutes West, along the centerline of said Nash Road, a distance of 998.9 feet, more or less, to the Northwest corner of the Northeast Quarter of the Northwest Quarter of Section 17, Township 18 South, Range 18 West, Lowndes County, Mississippi; said point being further described as the Southwest corner of the Southeast Quarter of the Southwest Quarter of Section 8, Township 18 South, Range 18 West, Lowndes County, Mississippi; thence North 01 degree 22 minutes West, along the West line of the Southeast Quarter of the Southwest Quarter of said Section 8, a distance of 659.9 feet, more or less, to the Northwest corner of the South Half of the Southeast Quarter of the Southwest Quarter of said Section 8, thence North 88 degrees 11 minutes East, along the North line of the South Half of the South Half of the South Half of said Section 8, a distance of 2,663.0 feet, more or less, to the Northeast corner of the South Half of the Southwest Quarter of the Southeast Quarter of said Section 8 and the POINT OF BEGINNING of the herein described area containing 16,762.47 acres, more or less.

SECTION 3. The City of Columbus shall make the following improvements in said annexed territory to be completed within a reasonable time, not to exceed five (5) years from the effective date of this Ordinance, unless delayed by war or military preparedness:

- (a) Improve existing streets and drainage;
- (b) Install water lines, water service, sewage disposal lines, sewage treatment facilities and street lighting, where necessary and economically feasible; and
- (c) Said services shall be furnished in the same manner and to the same extent as such services are being furnished to the present citizens of the municipality.

SECTION 4. That the City of Columbus shall furnish to the said annexed territory the following municipal and public services in the same manner and to the same extent as such services are being furnished to the present citizens of the municipality, such services to begin on the effective date of this Ordinance:

- (a) police protection;
- (b) municipal court services;
- (c) animal control services;
- (d) first response fire protection and fire prevention services;
- (e) maintenance of streets and related structures;
- (f) right of way maintenance services;
- (g) traffic systems maintenance services;
- (h) storm-water drainage maintenance services;
- (i) street lighting, where necessary and economically feasible;
- (j) administration of sanitation services;
- (k) access to the City's parks and recreation facilities and programs;
- (l) water and sewer utility services at in-city rates for those who are customers of the City utility services;

- (m) municipal planning and zoning services;
- (n) municipal code enforcement and building inspection services;
- (o) preservation and maintenance of trees, provision of community appearance, beautification and landscaping services, and improvement of streams and water courses through state and federal grants where necessary and economically feasible;
- (p) the use and benefit of all other municipal services and facilities furnished all present citizens of the City of Columbus, Mississippi.
- (q) The right to exercise the ballot in municipal elections upon registering and meeting all statutory and constitutional requirements and upon proper approval of the changes created by this Ordinance under the Voting Rights Act of 1965, as amended, and the use and benefit of all other municipal services and facilities furnished by the City of Columbus to all of the present citizens of the municipality.

SECTION 5. The City of Columbus, Mississippi shall undertake the following redistricting, planning and zoning activities following the effective date of this Ordinance:

- (a) Within twelve (12) months of the effective date of this Ordinance, the City of Columbus will prepare and the City Council will adopt a Redistricting Plan for the City Council so as to include all territory and persons annexed into the City. The Redistricting Plan shall conform to Sections 2 and 5 of the Voting Rights Act of 1964, as amended and shall be submitted for preclearance as required. This Redistricting Plan will provide for proportional representation of all persons annexed and will in all other ways conform with applicable Federal regulations;
- (b) The City of Columbus shall enlarge, update, revise and amend its Comprehensive Plan to include all territory annexed to the municipality and the City Council shall adopt such revisions fulfilling all legal requirements to do so including public notice and a public hearing on enlargement, updating, revision and amendment of the Comprehensive Plan;
- (c) Following modification of the Comprehensive Plan to include territories annexed, the City of Columbus shall prepare and adopt an Official Zoning Map and such Zoning Ordinance text amendments as are warranted to implement the adopted Comprehensive Plan. All territory annexed shall be included on the City's Official Zoning Map and shall be classified thereon in conformance with the City's adopted Comprehensive Plan. Adoption of Zoning Ordinance text amendments and additions to the City's Official Zoning Map by the City Council shall occur after proper notice and public hearing(s); and

- (d) The foregoing planning, zoning and capital improvements Programming and Budgeting services shall be provided within eighteen (18) months of the effective date of this Ordinance, insofar as possible.

SECTION 6. The City of Columbus, Mississippi, through its attorneys, shall file a Petition in the Chancery Court of Lowndes County, Mississippi, which shall recite the fact of the adoption of this Ordinance and shall pray for the approval, ratification and confirmation by the said Court of the enlargement and extension of the municipal boundaries and limits of the City of Columbus, Mississippi, and shall have attached thereto a certified copy of this Ordinance and a plat or map showing the boundaries of the said City of Columbus, Mississippi, as they will exist in the event such enlargement and extension becomes effective pursuant to this Ordinance.

SECTION 7. That this Ordinance shall become effective ten (10) days after the date of the entry of the Decree of the Chancery Court of Lowndes County, Mississippi, ratifying, approving and confirming the enlargement and extension of the boundaries of the City of Columbus, Mississippi, as established by this Ordinance and Decree of said Chancery Court and that upon such passage, any prior annexation ordinance shall be superseded by this Ordinance.

The foregoing Ordinance was proposed in a motion by Council Member _____, seconded by Council Member _____, and was brought to a vote as follows:

Council Member Taylor	_____
Council Member Mickens	_____
Council Member Box	_____
Council Member Stewart	_____
Council Member Karriem	_____
Council Member Gavin	_____

Having received a majority vote, the Mayor declared that the Ordinance had passed as set forth above.

RESOLVED AND ORDERED BY THE COUNCIL OF THE CITY OF COLUMBUS on this
the 15TH day of November, 2011.

CITY OF COLUMBUS, MISSISSIPPI

BY: _____
ROBERT E. SMITH, SR., MAYOR

ATTEST:

SECRETARY / TREASURER