Amending Chapter 88, the Zoning & Development Code, through revisions, clarifications, and other administrative changes throughout the chapter in accordance with the Zoning & Development Code periodic review. (CD-CPC-2018-00218)

BE IT ORDAINED BY THE COUNCIL OF KANSAS CITY:

Section A. That Sections 88-205-07, Documentation of Overlays, 88-420-06, Parking Ratios, 88-445-07, Signs in Non-Residential Districts (Office, Commercial and Manufacturing), and 88-820-13-B., Exceptions, are hereby repealed and new sections of like number and title are hereby enacted, with said new sections to read as follows:

88-205-07 - DOCUMENTATION OF OVERLAYS

88-205-07-A. Once an overlay district is approved by the city council, the city planning and development department must amend the official zoning maps to identify the overlay district boundaries and designation, together with the underlying zoning designation.

88-205-07-B. The city planning and development department must maintain a list of established overlay districts by type.

88-205-07-C.

Zoning Map Symbol	District Name				
CXO	Adult Entertainment Overlay				
НО	Historic Overlay				
NCO	Neighborhood Character Overlay				
PO	Pedestrian-Oriented Overlay				
Zoning Map Symbol	Special Character District Name				
ICO	Independence Corridor Overlay				
мсо	Main Corridor Overlay				
PBO	Plaza Bowl Overlay				
TCO	Troost Corridor Overlay				
WHO	Wornall Homestead Overlay				

88-420-06 PARKING RATIOS

Except as otherwise expressly stated, off-street parking must be provided in accordance with the following minimum ratios. In lieu of complying with these minimum standards,

applicants may apply for approval of an alternative compliance parking plan, in accordance with 88-420-15. See also the exemptions reductions and special area standards of 88-420-04. Bicycle parking must be provided in accordance with 88-420-09.

Table 420-1.

Parking Ratio	
USE GROUP	
Use Categor	Minimum Vehicle Parking Ratio
» specific use type	
RESIDENTIAL	
Household Living	
» Elderly Housing	1 per 3 dwelling units
» All other	1 per dwelling unit (unless exempted by 88-420-04-M)
Group Living	1 per 4 dwelling units or 1 per 4 beds/sleeping rooms
PUBLIC/GIVIC	
College/University	1 per 4 employees, plus 1 per 10 students
Day Care	
» Home-based (1–5)	None
» All other	1 per 4 employees
Hospital	1 per 3 beds, plus 1 per 4 employees
Library/Cultural Exhibit	2.5 per 1,000 square feet
Park/Recreation	
» Community center	2.5 per 1,000 square feet
» All other park/recreation	per 88-420-08
Religious Assembly	1 per 7 seats in main assembly area
Safety Service	
» Fire station	1 per 4 employees
» Police station	1 per 4 employees
» Ambulance service	1 per 4 employees
ichool	
» Elementary/Junior High	1 per 4 employees
» Senior High	1 per 4 employees, plus 1 per 15 students
Itilities and Services	
» Basic, minor	None
» All other utilities and services	Per 88-420-08
OMERCIAL	
dult Business	

Parking Ratio	
USE GROUP	
Use Categor	Minimum Vehicle Parking Ratio
» specific use type	
» Adult media store	2.5 per 1,000 square feet
» Adult motion picture theater	1 per 4 seats or person capacity
» Sex shop	2.5 per 1,000 square feet
Animal Service	
» Sales and grooming	2.5 per 1,000 square feet
» Shelter or boarding	2.5 per 1,000 square feet, not including animal pen areas
» Veterinary	2.5 per 1,000 square feet, not including animal pen areas
» Stable	1 per 10 stalls
Artist Work or Sales Space	2.5 per 1,000 square feet of sales space
Building Maintenance Service	1 per 4 employees
Business Equipment Sales and Service	2.5 per 1,000 square feet
Business Support Service	
» Day labor employment agency	per 88-420-08
» Employment agency	2.5 per 1,000 square feet
» All other business support service	2.5 per 1,000 square feet
Communication Service	2.5 per 1,000 square feet
Eating and Drinking Establishme	nts
»Tavern or nightclub	20 per 1,000 square feet
» uncovered patios or decks	20 per 1,000 square feet
» All other eating/drinking establishments » uncovered patios or decks	10 per 1,000 square feet 5 per 1,000 square feet
Entertainment and Spectator Sports	1 per 4 seats or person capacity
Financial Services	
» Pawn shop	2.5 per 1,000 square feet
» All other financial services	2.5 per 1,000 square feet
Food and Beverage Retail Sales	2.5 per 1,000 square feet
Funeral and Interment Service	
» Cemetery/columbarium/mausoleum	per 88-420-08
» Cremating	1 per 4 employees

Parking Ramo	
USE GROUP	
Use Categor	Minimum Vehicle Parking Ratio
» specific use type	
» Undertaking	1 per 4 seats or person capacity
Gasoline and Fuel Sales	1 per pump
Lodging	
» 1–20 rooms	1 per room
» 21–40 rooms	1 per 4 rooms
» 41+ rooms	1 per 6 rooms
Office, Admin. Professional or General	1 per 1,000 square feet
Office, Medical	4 per 1,000 square feet
Personal Improvement Service	2.5 per 1,000 square feet
Repair or Laundry Service, Consumer	2.5 per 1,000 square feet
Research Service	1 per 1,000 square feet
Retail Sales	2.5 per 1,000 square feet
Sports and Recreation, Participan	t
» Indoor	1 per 4 seats or person capacity
» Outdoor	per 88-420-08
Vehicle Sales and Service	
» Car wash/cleaning service	None
» Heavy equipment sales/rental	1 per 1,000 square feet of office space and covered display area
» Light equipment sales/rental indoor)	1 per 1,000 square feet of office space and covered display area
	1 per 1,000 square feet of office space and covered display area
» Motor vehicle repair, limited	2 per service bay
» Motor vehicle repair, general	2 per service bay
» Vehicle storage/towing	1 per employee
NDUSTRIAL	
Manufacturing, Production and ndustrial Service	1 per 4 employees
Transitivit per Arce	1 por 1 waterto your
	1 per 4 employees

Parking Ratios	
USE GROUP	
Use Catego	my Minimum Vehicle Parking Ratio
» specific use type	
Warehousing, Wholesali	1 per 4 employees
	i per 4 employees
OTHER	
Agriculture, Crop	None
Wireless Communication Facili	ty None

88-445-07 SIGNS IN NON-RESIDENTIAL DISTRICTS (OFFICE, COMMERCIAL AND MANUFACTURING)

Signs to identify parking areas allowed by special use permit shall be approved in conjunction with such special use permit, although no sign may exceed 12 square feet in area or 6 feet in height. Such signs may show only the hours in which the parking lot is open and the persons authorized to use the parking area.

The following business advertising signs are permitted in non-residential districts. Signs within the P/O, pedestrian-oriented overlay district must comply with the requirements of 88-445-09.

Sign Type (specific use or location)	Max. Number	Max. Area (sq. feet)	Setback (feet)	Max. Height (feet)	Illumins- tion	Additional Require- ments
Monument Si	gns	The second secon		THE STATE OF THE S	rat opinisisen pajameneter on vertrographistis alimati 1984.	(Albert 1): Incommendating graphers and the first firs
Development district	2 per entrance; 1 per frontage without entrance	75	10	8	internal or external	88-445-08-A
Individual buildings on parcels of min. 100 feet frontage	1 per street frontage	30	10	6	internal or external	88-445-08-A
Individual buildings on parcels of min. 200 feet	1 per street frontage	50	10	6	internal or external	88-445-08-A

frontage				1	1	÷
Menu boards for a drive- through or drive-in use	2 per drive- through lane and 1 per drive-in stall	30	10	8	internal or external	88-445-08-A
Oversized Me	onument Signs			mum k dåre et .	Audilian state till state	
Properties zoned B3, B4, UR, D, M, SC, and KCIA of minimum 15 acres in area	1 per major street frontage	200	20	24	internal or external	88-445-08-B
Properties zoned B3 and higher of minimum 15 acres in area and adjacent to a limited access highway	1 per major street frontage	300	20	35	internal or external	88-445-08-B
Wall Signs	**************************************	The fact of france latery or sure, it is no value year or veg or	Anna mann an an- t-areas.	- per-systematical values - pur-limine.	et tillstille til flesste framskatte skriver og det en kan kan kan skriver skriver skriver skriver skriver skr	in . A quality of the contract of the property of the contract
tenants (such as Wal-Mart, Target)	elevation to identify major tenant plus 3 (total) per building elevation to identify subtenants (includes all wall, awning, canopy, projecting, and marquee	12 sq. feet; cumulativ e total may not exceed 10% of wall area (includes all wall, awning, canopy,			internal or external	88-445-08-C
		projecting		h		

	signs)	and marquee signs)		
Tenant(s) in multi-tenant building with exterior entrance (such as strip mall)	3 per tenant per building elevation (includes all wall, awning, canopy, projecting, and marquee signs); end wall may identify max. of 3 tenants within building;	Cumulative total may not exceed 10% of wall area (includes all wall, awning, canopy, projecting and marquee signs)	internal or external	88-445-08-C
pad building, gasoline station,	wall, awning, canopy, projecting, and marquee signs)	cumulative total may not exceed 10% of wall area (includes all wall, awning, canopy, projecting and marquee signs)	internal or external	88-445-08-C

Individual	Wilder - American springers and an	4.4.4.4.		E SERVICE CONTRACTOR AT THE		
buildings an	1 per buildin	T 4			intern	al 88-445-08-
tenant in	(/	perpendi	c		or	
multi-tenant	of 1 wall sign	1		1	extern	al
building		building;	j			i
		40 if	1	1	1	
}	ł	installed		į	ļ	e .
		!radially o	n			
		building				# #
		corner		ÄV.	MAX' on temph	İ
Other Signs				angen a gigg melulur v.m. v. g. v.m. u mun uppren v.m. v.m. gig gran 1. diin giga		
Roof Signs	1 per building		Ţ.	26 (from ton	interna	88-445-08-F
]	[of the highes	1	1-00-1-13-00-1
		1		parapet to the		1
				top of the		
				sign)		
ncidental	as required to	6 for	10	3 (free-	internal	! 88-445-08-G
Signs	direct	commerci	1	standing);8	ОГ	
	pedestrian and	al; 2 for		(wall-	external	1
	vehicular	residential	i	mounted)		
	traffic	developme		1		f
		nt				
idewalk	1 per business	10	Must be	4 maximum;	not	 88-445-08-M
igns	and not closer		within 2	2.5 minimum	allowed	
	than 15 feet to another		ft. of	ļ		
1	sidewalk sign		building wall	1		
_ 1	1 per 1,000 ft.	300	20	15	external	88-445-08-H
_	frontage on					
	interstate	!		9		
evelopment	highway	ĺ			1	
-	l per street	32	10	8; 15 if	external	88-445-08-H
eal estate/	frontage	i		abutting		

other)				interstate highway		
Special Event Temporary Signs, including Banners	Freestanding: 1 per street frontage Wall: 1 per elevation	Freestandi ng: 40 Wall: All signage not to exceed 10% of wall area	10	16	not	88-445-08-I
Omamental Fower Signs		10% of wall area (includes awning, canopy, marquee signage)		none	internal or external	88-445-08-J

88-820-13 BUILDING HEIGHT

88-820-13-B. **EXCEPTIONS**

1. PARAPET WALLS AND FALSE MANSARDS

Parapet walls and false mansards may extend no more than 8% feet above the height limit.

2. APPURTENANCES

Exceptions shall apply to flagpoles, chimneys, cooling towers, electric display signs, elevator bulkheads, belfries, penthouses, finials, gas tanks, grain elevators, stacks, silos, storage towers, observation towers, radio or television antennas and towers, windmills, ornamental towers, monuments, cupolas, domes, spires, standpipes and necessary mechanical appurtenances, which, where permitted, shall be erected to a height in accordance with existing or hereafter adopted ordinances of the city. In R districts, radio or television structures accessory to a residential use, including antenna supports and antennas, may exceed the maximum height permitted by lot and building standards, but shall not exceed 60 feet in height. Height of accessory solar and wind energy systems shall comply with 88-305-09.

3. AMUSEMENT PARK RIDES, AMUSEMENT ATTRACTIONS OR ROLLER COASTERS

Height restrictions in any zoning district do not apply to amusement park rides, amusement attractions or roller coasters of any type that are erected in any

zoning district in which they are allowed, either temporary or permanent, provided that each is set back a distance equal to its height from all property lines.

4. LIMITATIONS ON ROOFTOP FEATURES IN R DISTRICTS

- a. Stairway enclosures and elevator penthouses in R districts are allowed to exceed the maximum building height, provided:
 - 1. they are set back at least 20 feet from the front building line, and
 - 2. do not exceed 9 feet in overall height or extend more than 5 feet above the building parapet, whichever results in a lesser height.
- b. Stairway enclosures in R districts may not contain habitable space and may not exceed 170 square feet in area.
- c. Elevator penthouses in R districts may not contain habitable space and may not exceed 465 square feet in area.
- d. Building-mounted solar energy systems may extend up to 3 feet above the applicable maximum height limit for the subject building type, provided they do not extend more than 5 feet above the roof line.

Section B. That new Sections 88-215-02-E, Special Character Districts, PBO and 88-420-04-M, Single Family or Duplex Structure, are hereby enacted, with said new sections to read as follows:

88-215-02-E. The PBO, Plaza Bowl Overlay, ensures that future expansion with the area generally located on the south and north sides of 47th Street (extending northerly to the north side of 46th Terrace), between Madison Avenue on the west and J.C. Nichols Parkway on the east will continue in a quality manner, respectful of the current design of the Plaza. The overlay codifies height and use recommendations of the Midtown Plaza Area Plan.

88-420-04-M. SINGLE FAMILY OR DUPLEX STRUCTURE.

For any single family or duplex structure on a lot platted prior to September 10, 1951, no off-street parking shall be required.

Section C. That the Council finds and declares that before taking any action on the proposed amendments to Chapter 88 hereinabove, all public notices have been given and hearings have been held as required by law.

I hereby certify that as required by Chapter 88, Code of Ordinances, the foregoing ordinance was duly advertised and public hearings were held.

Secretary, City Plan Commission

Approved as to form and legality:

Sarah Baxter

Assistant City Attorney

Authenticated as Passed

Skylanies, Mayor

Marriyd Sanders, Sity Clerk

JUL 1 P 2019

Date Passed